



# 2022 FULL RANGE CATALOGUE

VALID 1ST MAY 2022











# WELCOME

**Manufacturing agricultural and industrial equipment for over 30 years, Rapid Spray is proud to present our innovative and market leading 2022 Spray, Fire, Diesel and Tanks range.**

Our business success is dedicated to empowering and helping those who protect and care for the land. The backbone of our business, our **1,500 motivated dealers span from the East Coast to the West Coast**, working with us to provide exceptional customer service and products.

Our Australian Made and designed products are unparalleled with industry leading warranties and quality management. Built to withstand the tough Australian conditions, our products are designed to **perform better in the field every day.**

A solution for every requirement, we also **offer a broad range of accessories, upgrades and spare parts** to suit all sprayers, fire fighters, diesel refuelling solutions and tanks.

With an industry leading **15 year warranty** on all Australian Made Rapid Spray manufactured tanks, we guarantee you get only the highest quality tanks that cover your needs for containing various liquids.

We look forward to hearing how we can help you with your Spray, Fire, Diesel or Tank requirements. Call us on 1800 011 000 or visit [www.rapidspray.net](http://www.rapidspray.net)

Kind Regards,

*Rapid Spray*





8-23

**HANDHELD & BACKPACKS**



24-44

**12V SPOT SPRAYERS**



45-54

**UTV COMPACT SPRAYERS**



55-66

**FIELD SPRAYERS**




67-76

**3-POINT LINKAGE SPRAYERS**




77-84

**BOOMS & MOUNTS**



85-101

**HOSE REELS & SPRAY GUNS**



102-147

**PUMPS, MOTORS & PARTS**



148-155

**SPREADERS**





158-163

**COMPACT FIRE FIGHTERS**



164-166

**TRAY MOUNT FIRE FIGHTERS**



167-169

**FIRE FIGHTING TRAILERS**



176-187

**MOBILE REFUELLING**



188-189

**STATIONARY REFUELLING**



190-191

**DIESEL TRAILERS**



200-219

**CARTAGE & SPRAY TANKS**



220-223

**MODULAR TANKS**



224-231

**TANK ACCESSORIES**



# CONTENTS



## SPRAYERS

6 - 147

<b>HANDHELD, BACKPACK &amp; TROLLEY SPRAYERS</b>	<b>8</b>
Compression Sprayers	9
Hose End Sprayers	12
Backpack Sprayers	13
Lithium Ion Backpack Sprayers	16
Commercial Backpack sprayers	19
Trolley Sprayers	21
<b>12V SPRAYERS &amp; ACCESSORIES</b>	<b>24</b>
RapidLine	25
RapidFlo	28
RapidMix	30
Spot Ranger	34
12V Marshal-Q	37
12V FarmMax	43
<b>UTV SPRAYERS</b>	<b>45</b>
Marshal Plus	46
Marshal Pro	48
FarmMax Plus	52
<b>PROFESSIONAL FIELD SPRAYERS</b>	<b>55</b>
SprayScout Manual / Buddy	56
Ultimate Field Sprayer	62
<b>LINKAGE SPRAYERS</b>	<b>67</b>
FieldLink	68
12V SprayLink	74
<b>BOOMS</b>	<b>77</b>
<b>HOSE REELS &amp; SPRAY GUNS</b>	<b>85</b>
Rapid Poly Reed	86
Buddy Smart Reel	88
Spray Lances & Guns	92
<b>PUMPS, MOTORS &amp; REGULATORS</b>	<b>102</b>
RapidLine	103
Delavan	105
Maruyama, Bertolini	110
Regulators & Controls	117



## SPRAYER CONT.

<b>NOZZLES</b>	<b>120</b>
<b>SPRAY PARTS &amp; COMPONENTS</b>	<b>141</b>

## SPREADERS 148 - 155

<b>HANDHELD &amp; CHEST MOUNT</b>	<b>150</b>
<b>TOW BEHIND &amp; PUSH SPREADERS</b>	<b>153</b>

## FIRE 156 - 173

<b>COMPACT FIRE FIGHTERS</b>	<b>158</b>
Fire Marshal	159
FireScout	160
<b>TRAY MOUNT FIRE FIGHTERS</b>	<b>164</b>
Ultimate Fire Fighter	165
Fire Ranger	166
<b>FIRE FIGHTING TRAILERS</b>	<b>167</b>
Fire Marshal Trailer	168
Fire Ranger Trailer	169
<b>FIRE FIGHTING ACCESSORIES</b>	<b>170</b>

## DIESEL 174 - 197

<b>MOBILE REFUELLING</b>	<b>176</b>
DieselPod	177
Genius Diesel Range	178
RapidBlue	185
Active Diesel	186
<b>STATIONARY DIESEL TANKS</b>	<b>188</b>
<b>DIESEL REFUELLING TRAILERS</b>	<b>190</b>
<b>DIESEL PUMPS &amp; SPARES</b>	<b>193</b>

## TANKS 198 - 231

<b>CARTAGE TANKS</b>	<b>200</b>
<b>SPRAY TANKS</b>	<b>214</b>
<b>MODULAR TANKS</b>	<b>220</b>
<b>RINSE MASTER</b>	<b>224</b>
<b>BALL BAFFLE</b>	<b>226</b>
<b>TANK SPARES</b>	<b>228</b>

## FREIGHT MAP 234

### DIMENSIONS & WEIGHT

Due to the manufacturing process and/or design changes, dimensions and weights could vary from what is listed. Please contact Rapid Spray for confirmed weight and dimensions on 1800 011 000.

### CHEMICAL SAFETY

Always follow safe chemical guidelines and local laws including, but not limited to, Personal Protective Equipment use, safe spraying practices, keeping clear of water bodies and correct application rates. Please consult your local agronomist for further information.

### VEHICLE LOADING & OPERATION SAFETY

Always follow safe UTV / quad / mower / vehicle loading and operating practices. Always check vehicle weight restrictions. Follow all road laws. Keep clear of children.

Rapid Spray accepts no liability for the unsafe operation of vehicles used in conjunction with Rapid Spray equipment. Rapid Spray accepts no liability for unsafe chemical spraying practices. Please contact Rapid Spray on 1800 011 000 if you have any concerns.



# SPR



## **AGRICULTURAL & INDUSTRIAL SPRAYERS FOR THE HOME GARDENER, THE PROFESSIONAL LANDSCAPE CONTRACTOR OR LARGE FARM & PROPERTY OWNERS**

The Rapid Spray range of sprayers feature many unique and innovative features, designed and manufactured based on customer requirements and feedback. With an extensive range - from handheld pump sprayers to large, powerful professional sprayers - all our sprayers are designed to withstand the challenging Australian climate. Our sprayers enable fast and efficient spraying throughout your garden, field or crop foliage - the perfect weed control solution!



# PRAYERS





# HANDHELD, BACKPACK & TROLLEY SPRAYERS

**1L - 45L**

## **HOME GARDEN, COMMERCIAL & INDUSTRIAL**

The Handheld, Backpack & Trolley Sprayers range is ideal for home gardeners, professional landscapers or commercial users. Designed with ease of use, comfort and low maintenance in mind, you will find the perfect solution to every chemical spraying requirement.





# COMPRESSION SPRAYERS

2L | 4L | 8L

## 2L HOME & GARDEN TRIGGER SPRAYER

### FEATURES

Adjustable brass nozzle  
Ergonomic carry handle  
Lock-on feature  
In-tank filter  
Ideal for misting indoor pot plants

*\*Dealer note: sold in 6/pack*

### HAND PUMP

with lock-on feature for easier spraying



CODE	DIMENSIONS	DRY WT	RRP inc.
SMPCH0002L	89 L x 89 W x 292 H	0.5kg	<b>\$31.20ea</b>

## 2L SURESPRAY COMPRESSION SPRAYER


### FEATURES

2L poly tank  
Large 76mm lid opening  
Unique SureSpray anti-clog filter  
Adjustable poly-cone nozzle  
0.8m hose length  
Ergonomic pump handle

*\*Dealer note: sold in 6/pack*

### VERSATILE USE

Ideal for spraying inside and outside the home



CODE	DIMENSIONS	DRY WT	RRP inc.
SMPCH0002L	755 L x 444 W x 444 H	0.77kg	<b>\$46.10ea</b>


# 4L & 8L SURESPRAY DELUXE COMPRESSION SPRAYER

## FEATURES

- Funnel top on translucent tank
- SureSpray anti-clog filter
- Pressure relief valve
- Curved brass wand
- 0.8m spray hose
- On-board spray shield
- Measuring cup attached



ACCESSORIES INCLUDED  
Measuring cup & spray shield



1 YEAR  
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
A.	SMPC0004L	4L SureSpray Deluxe Compression Sprayer	190 L x 190 W x 381 H	1kg	\$74
B.	SMPC0008L	8L SureSpray Deluxe Compression Sprayer	210 L x 210 W x 470 H	1.5kg	\$83

# 4L & 8L PRO SERIES COMPRESSION SPRAYER

## FEATURES

- Translucent tank
- 100mm wide lid opening
- Pressure relief valve
- SureSpray anti-clog filter
- 1m clear hose with poly wand
- Adjustable brass, poly-fan and poly-cone nozzles
- Ergonomic handle for easy carrying
- Viton seals - suitable for aggressive chemicals



ADJUSTABLE NOZZLES  
for multiple spraying patterns



2 YEAR  
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
A.	SMPCP0004L	4L Pro Series Compression Sprayer	213 L x 213 W x 406 H	2kg	\$161
B.	SMPCP0008L	8L Pro Series Compression Sprayer	213 L x 213 W x 528 H	2.3kg	\$173



# SPARES

## COMPRESSION SPRAYERS



### SURESPRAY DELUXE VITON SEAL & GASKET KIT

To suit models  
SMPC0004L / SMPC0008L

CODE	RRP inc.
CCP61925	\$46.40



### ADJUSTABLE CONE NOZZLE

To suit SureSpray models  
SMPC0004L / SMPC0008L / SMPCS0002L

CODE	RRP inc.
CCP66003	\$11.80



### PRO SERIES VITON REPAIR KIT

To suit Pro Series models:  
SMPCP0004L / SMPCP0008L

CODE	RRP inc.
CCP64601	\$72



### PRO SERIES NOZZLE KIT

To suit Pro models  
SMPCP0004L / SMPCP0008L

CODE	RRP inc.
CCP68131	\$36.90





# HOSE END SPRAYERS

1L

## FOAMING HOSE END SPRAYER

### FEATURES

- 940ml capacity
- Easy Trigger pull
- Translucent tank for easy viewing
- For cleaning products

*\*Dealer note: sold in 6/pack*



CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
SMHCF0001L	940ml Chapin foaming sprayer	430 L x 101 W x 228 H	0.5kg	\$85

## MULTIPURPOSE HOSE END SPRAYER

### FEATURES

- 940ml capacity
- Brass mixing head
- 16 mixing ratios
- Built-in anti-siphon
- For fertiliser & herbicides

*\*Dealer note: sold in 6/pack*



CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
SMHCA0001L	940ml Multipurpose hose end sprayer	228 L x 127 W x 228 H	0.6kg	\$91





# BACKPACK SPRAYERS


CHAPIN 15L

**1 YEAR  
WARRANTY**

## 15L HOME & GARDEN BACKPACK SPRAYER

### FEATURES

Lever action piston pump  
Left / right pump lever handle  
1.2m spray hose  
Poly shut-off trigger and lance  
Large lid opening with basket filter  
Translucent tank for easy level view



**LOW SPILL RISK**  
with large lid opening  
and basket for debris

**COMFORTABLE DESIGN**  
with adjustable shoulder  
straps and adjustable pump  
handle



**SPRAY PATTERN**  
adjustable spray  
pattern poly tip nozzle



CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
SMKCH0015L	15L Home & Garden backpack sprayer	374 L x 228 W x 556 H	4.7kg	<b>\$168</b>






# 15L PRO SERIES DIAPHRAGM & PISTON PUMP BACKPACK SPRAYERS

## FEATURES

- Lever action piston or diaphragm pump
- 3-stage filtration system
- 1.2m transparent spray hose
- Poly spray lance
- Cushion grip shut-off trigger
- Adjustable brass, poly-cone and poly-fan nozzles
- Left / right pump lever handle
- Large lid opening with basket filter
- Translucent tank - easy viewing!
- Adjustable shoulder straps
- Viton seals - aggressive chemicals



COMFORTABLE TRIGGER  
with cushion grip



PADDED SHOULDER STRAPS  
with across chest support straps



CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
A. SMKCPP0015L	15L Pro Series piston pump backpack sprayer	240 L x 240 W x 620 H	4.7kg	\$261
B. SMKCPD0015L	15L Pro Series diaphragm pump backpack sprayer	240 L x 240 W x 620 H	4.7kg	\$261

## DIAPHRAGM vs. PISTON

### WHY BUY A DIAPHRAGM PUMP OVER A PISTON PUMP?

DIAPHRAGM PUMP	PISTON PUMP
Suitable for wettable powders	Suitable for liquid concentrates only
Very reliable	Easy to maintain
Less pumping effort	Able to achieve higher pressures
Longevity with harsh chemicals	





# SPARES

## BACKPACK SPRAYERS



### CHAPIN DIAPHRAGM PUMP REPAIR KIT

To suit Pro Series model **SMKCPD0015L**

CODE	RRP inc.
CCP68167	<b>\$38.10</b>



### CHAPIN PISTON REPAIR KIT

To suit Home & Garden backpack model **SMKCH0015L**

CODE	RRP inc.
CCP68234	<b>\$52</b>



### PRO SERIES PISTON REPAIR KIT

To suit Pro Series backpack model **SMKCPP0015L**

CODE	RRP inc.
CCP68235	<b>\$65</b>



### CHAPIN LANCE TUBE ASSEMBLY

Suits all Chapin models with poly shut-off lance.



CODE	RRP inc.
CCP68219	<b>\$14.30</b>

### CHAPIN CUSHION GRIP SHUT-OFF ASSEMBLY

Suits all Chapin Pro Series sprayers.

CODE	RRP inc.
CCP68138	<b>\$46.40</b>





# LITHIUM ION BACKPACK SPRAYERS

15L | 16L

2 YEAR  
WARRANTY

## 15L CHAPIN PRO SERIES 24V BATTERY BACKPACK SPRAYER

### FEATURES

- 2hr continuous spray
- 3-stage filtration system
- Rechargeable 24V battery
- Viton and Santoprene seals
- 1.2m transparent spray hose
- Poly lance with cushion grip shut-off trigger
- Adjustable brass, poly-cone and poly-fan nozzles
- Adjustable padded shoulder straps
- Large lid opening with basket filter
- Battery charger inc.



LOW SPILL RISK  
with large lid opening  
and basket filter

### EASY BATTERY CHARGE

4hrs battery charge with  
charge indicator lights



CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
SVBCP0015L	24V Pro Series Backpack	370 L x 221 W x 556 H	5.4kg	\$523







## 16L JACTO LITHIUM ION RECHARGEABLE BATTERY BACKPACK SPRAYER

### FEATURES

15-70psi diaphragm pump  
8hr continuous spray time  
Fine pressure adjustment  
Rechargeable 14V battery  
**NEW!** FKM Seals  
Adjustable shoulder straps  
Easy, top carry handle  
1.3m spray hose  
600mm S/S lance  
Quick clip swivel coupler  
Battery charger inc.



### USER FRIENDLY

easy to operate and store



### DIGITAL PANEL

for complete control  
and spray monitoring



**WEATHERPROOF  
PUMP CHAMBER**  
with easy access



\*Tank colour may vary

CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
PCCUB0016L	16L Jacto Lithium-Ion 14V battery backpack sprayer	350 L x 150 W x 450 H	5kg	<b>\$817</b>



# SPARES

## LITHIUM ION SPRAYERS

1 YEAR  
COMPONENTRY  
WARRANTY

### CHAPIN 24V LITHIUM ION BATTERY WITH CHARGER

Spare battery & charger  
To suit rechargeable Chapin Pro Series  
backpack **SVBCP0015L**



CODE	RRP inc.
CCP68293	<b>\$249</b>

### CHAPIN NOZZLE TO SUIT PRO SERIES

To suit rechargeable Chapin Pro Series



CODE	RRP inc.
CCP68131	<b>\$36.90</b>

### RED ADJUSTABLE CONE NOZZLE

Medium size output - suits Jacto backpack sprayer

CODE	RRP inc.
CJP15024	<b>\$13.80</b>



### BLUE ADJUSTABLE CONE NOZZLE

To suit Jacto backpack sprayer

CODE	RRP inc.
CJP325787	<b>\$13.80</b>



# COMMERCIAL BACKPACK SPRAYERS

15L | 16L

## 16L JACTO INDUSTRIAL BACKPACK SPRAYER

### FEATURES

- Lever action piston pump
- Large 105mm lid opening reducing spill risk
- Easy adjustable shoulder straps
- 1.5m chemical hose with steel lance
- Cone and fan nozzles
- NEW!** FKM Seals - ideal for aggressive chemicals



**CHAMBER**  
maintains pressure  
with less pumping



**EASE OF USE**  
with left or right  
pump handle lever



**3 YEAR  
WARRANTY**

CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
PCIU0016L	<b>16L</b> Jacto Industrial backpack sprayer	380 L x 180 W x 620 H	3.7kg	<b>\$278</b>

## 15L CHAPIN COMMERCIAL BACKPACK SPRAYER

### FEATURES

- Dual action piston over diaphragm pump
- "JetClean" self cleaning pump technology
- 3-stage filtration system
- Left / right pump handle lever with easy stow function
- 1.2m transparent spray hose
- S/S lance with cushion grip trigger shut-off
- Adjustable brass, poly-fan and poly-cone nozzles
- Padded shoulders straps and back pad
- Viton seals - ideal for aggressive chemicals



**STAINLESS STEEL  
LANCE**  
for reliable spraying



**JETCLEAN**  
pumps a powerful burst of  
liquid through the filter with  
each pump stroke



**2 YEAR  
WARRANTY**

CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
SMKCC0015L	<b>15L</b> Chapin Commercial "JetClean" backpack sprayer	203 L x 203 W x 457 H	4.5kg	<b>\$373</b>



# SPARES

## COMMERCIAL SPRAYERS

**1 YEAR**  
COMPONENTRY  
WARRANTY

### CHAPIN DUAL-ACTION PUMP

To suit Chapin Commercial sprayer **SMKCC0015L**

CODE	RRP inc.
CCP68224	<b>\$170</b>



### CHAPIN LANCE TUBE ASSEMBLY

To suit all Chapin sprayers with poly shut-off

CODE	RRP inc.
CCP68219	<b>\$14.30</b>



### CHAPIN CUSHION GRIP SHUT-OFF ASSEMBLY

To suit all Chapin sprayers with cushion grip shut-off

CODE	RRP inc.
CCP68138	<b>\$46.40</b>



### JACTO LANCE TUBE

To suit Jacto backpack sprayer **PCIU0016L / PCD0012L**

CODE	RRP inc.
CJP100131	<b>\$42.80</b>



### JACTO HOSE & CLIP TUBE

To suit Jacto backpack sprayer **PCIU0016L**  
5/16" x 1800mm

CODE	RRP inc.
CJP48116	<b>\$72</b>









# TROLLEY SPRAYERS

20L | 45L

## 20L RAPIDLINE 12V TROLLEY SPRAYER

### FEATURES

- 12V 3.8L/min 40psi pump
- Lithium Ion battery
- 2.7m coiling hose
- Spray lance with adjustable nozzle
- Comfortable handle for pulling/pushing
- Large 8" heavy duty tyres
- Telescopic handle



**WEATHERPROOF SWITCHES**  
and charging points  
within easy reach



**BROADCAST NOZZLE**  
included for  
boom spraying



**2 YEAR  
EXTENDABLE  
WARRANTY**

CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
SVL0020L0038	20L RapidLine 12V Trolley Sprayer with 3.8L/min pump	470 L x 470 W x 365 H	13.6kg	\$646

## 45L 24V CHAPIN PUSH TROLLEY SPRAYER

### FEATURES

- 3.8L/min 40psi pump
- 24V Lithium Ion battery powered
- Continuous 1.75hr spray per charge
- Translucent UV resistant tank
- Easily convert from spot spray to boom spray
- Poly wand adjustable to 450mm
- Adjustable brass, poly-fan and poly-cone nozzles
- Broadcast nozzle for boom spray
- 12" wide pneumatic tyres
- Powder-coated steel frame



**ERGONOMIC HANDLES**  
Comfortable and easy to push  
with easy access to On/Off switch



**1M SPRAY WIDTH**  
with included boom  
sprayer deflector nozzle



**2 YEAR  
WARRANTY**

**EASY PUMP ACCESS**  
Always within arms reach with  
easy Spot or Boom spray valve



CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
SVL0045L0038	45L Chapin 24V Push Trolley Sprayer with 3.8L/min pump	530 L x 410 W x 630 H	18.3kg	\$1,086



# SPARES

## TROLLEY SPRAYERS

**1 YEAR**  
COMPONENTRY  
WARRANTY

### CHAPIN NOZZLE TO SUIT PRO SERIES

To suit rechargeable Chapin Pro Series

CODE	RRP inc.
CCP68131	\$36.90



### CHAPIN 24V LITHIUM ION BATTERY WITH CHARGER

Spare battery & charger

To suit rechargeable Chapin Trolley Sprayer model **SVL0045L0038**

CODE	RRP inc.
CCP68293	\$249



### 150MM TEAL TANK LID

To suit Chapin Trolley Sprayer model **SVL0045L0038**

CODE	RRP inc.
CCP68350	\$49.80





# 12V SPRAYERS & ACCESSORIES

**MADE FOR SPOT & BOOM SPRAYING**

## **SPOT OR BOOM SPRAYING**

A solution to meet every spot or boom spraying application whether it be tow behind spraying, low profile for your quad or a larger, compact high capacity UTV sprayer. Ideal for small scale weed control or pest eradication, the 12V Sprayer range is suitable for the application of most fertilisers, pesticides, herbicides and more!



**2 YEAR  
EXTENDABLE  
WARRANTY**

# RAPIDLINE SPOT SPRAYERS

57L | 95L

**Packed with features, the RapidLine spot sprayer series are high performing, low maintenance and easy to operate!**

## FEATURES

- 3.8L/min 60psi 12V pump
- 3-stage filtration system
- UV resistant translucent tank
- Large lid with basket filter
- 4.5m spray hose
- Poly spray lance
- Adjustable poly-cone nozzle
- Drain plug



**EASY ON/OFF  
TRIGGER**  
with lock on/off  
feature



A.

	CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
A.	SVS0057L0038	<b>57L</b> RapidLine 12V Spot Sprayer with 3.8L/min pump	800 L x 444 W x 360 H	6.3kg	<b>\$338</b>
	SVS0095L0038	<b>95L</b> RapidLine 12V Spot Sprayer with 3.8L/min pump	980 L x 470 W x 450 H	8.3kg	<b>\$543</b>






# RAPIDLINE 12V TRAILER & BROADCAST NOZZLE SPRAYER

## FEATURES

- 3.8L/min 40psi 12V pump
- Hitch mount tow behind trailer
- 1.2m spray width broadcast nozzle kit
- 3-stage filtration system
- UV resistant translucent tank
- Large lid with basket filter
- 4.5m spray hose
- Poly spray lance
- Adjustable poly-cone nozzle
- Durable steel frame
- Large pneumatic tyres




**WET & MUDDY GROUND!**  
Large pneumatic tyres ideal for lawns.



## SPOT TO BOOM

Convert your spot sprayer into a boom sprayer with broadcast nozzle kit and lid mount



A.

CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
A. SVT0057L0038B1	57L RapidLine 12V Spot Sprayer Trailer with 1.2m deflector	1520 L x 720 W x 560 H	16.3kg	\$774
SVT0095L0038B1	95L RapidLine 12V Spot Sprayer Trailer with 1.2m deflector	1520 L x 720 W x 750 H	18.3kg	\$966



**2 YEAR  
EXTENDABLE  
WARRANTY**









# RAPIDFLO SPOT SPRAYERS

57L | 95L

**Look no further for a seamless spot spraying experience, with the “Pulse Free” Delavan pump.**

## FEATURES

8.3L/min 60psi “Pulse Free” Delavan 12V pump  
Pressure gauge & regulator  
Spare outlet for boom spraying  
4.5m spray hose  
Heavy duty spray trigger with brass lance  
Dripless brass nozzle - no more unintentional dead spots!  
UV resistant translucent tank for easy viewing  
Large lid opening - mess free mixing and filling  
Basket filter to stop debris

## OPTIONAL UPGRADES

2m Spray Boom Kit  
5m Boomless Spray Kit  
Adjustable Hitch Mount Trailer



**EXTRA LARGE LID**  
Mess free mixing  
and filling!

**2 YEAR  
EXTENDABLE  
WARRANTY**



A.

## DRIPLESS NOZZLE

Stops drips at nozzle, so no trailing chemicals



B.

## RAPIDFLO TRAILER & BOOM SPRAYER

95L RapidFlo model with  
hitch mount trailer and  
2m spray boom kit.

CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
SVSR0057L0083	<b>57L</b> RapidFlo 12V Spot Sprayer with 8.3L/min pump	800 L x 444 W x 360 H	8.5kg	<b>\$779</b>
A. SVSR0095L0083	<b>95L</b> RapidFlo 12V Spot Sprayer with 8.3L/min pump	980 L x 470 W x 450 H	11.4kg	<b>\$833</b>
B. SVTRC0095L0083B2	<b>95L</b> RapidFlo 12V Spot Sprayer Trailer w/ 2m boom	1365 L x 1040 W x 750 H*	23.9kg	<b>\$1,492</b>
SVTRC0095L0083B5	<b>95L</b> RapidFlo 12V Spot Sprayer Trailer w/ 5m Boomless nozzle	1390 L x 740 W x 750 H*	21.9kg	<b>\$1,565</b>

\*Not including boom height (adjustable).


## 2M SPRAY BOOM KIT

2m spray width.  
See page. 33



## 5M BOOMLESS NOZZLE SPRAY KIT

1.2-5m spray width.  
See page. 33



## ADJUSTABLE HITCH MOUNT TRAILER

See page. 33





**2 YEAR**  
EXTENDABLE  
WARRANTY



**Exclusive to Rapid Spray, the RapidMix, Australia's first and only spot sprayer with Clean Tank Technology - allowing for greater control over the mixing and measuring of chemicals and cleaning your sprayer.**



# RAPIDMIX SPOT SPRAYERS

57L | 95L

**The RapidMix system allows you to save time and chemicals with the separate chemical and main tanks.**

## FEATURES

- 8.3L/min 60psi 12V pump
- 5L or 7L separate chemical tank
- 7 mixing rate settings 7 - 117ml/L
- Pressure gauge & regulator
- Quick switch boom or spot spray
- Flow control valve
- 4.5m spray hose
- Poly spray lance with cushion grip trigger
- UV resistant translucent tank for easy viewing
- Large lid opening - mess free mixing and filling
- Basket filter to stop debris

## OPTIONAL UPGRADES

- 2m Spray Boom Kit
- 5m Boomless Spray Kit
- Adjustable Hitch Mount Trailer

**B.**



### SPARE CHEMICAL TANKS

have multiple chemical tanks in storage for quick easy changeover

**A.**



### COMPLETE SPRAYING CONTROL

flow control valves and 7 chemical dilution rates



### MIXES ON EXIT

Chemicals and water mix upon pumping, leaving the main tank chemical free!



### UV TRANSLUCENT TANK

easy to view liquid levels in both main and chemical tanks



CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
SVSM0057L0038	<b>57L</b> RapidMix 12V Spot Sprayer with 5L chemical tank	978 L x 368 W x 476 H	10.9kg	<b>\$991</b>
PTCM0005L	<b>5L</b> RapidMix Chemical Tank (57L RapidMix only)	464 L x 298 W x 159 H	1.5kg	<b>\$64</b>
<b>A.</b> SVSM0095L0083	<b>95L</b> RapidMix 12V Spot Sprayer with 7L chemical tank	1118 L x 511 W x 460 H	14kg	<b>\$1,091</b>
<b>B.</b> PTCM0007L	<b>7L</b> RapidMix Chemical Tank (95L RapidMix only)	553 L x 222 W x 159 H	1.5kg	<b>\$80</b>



# RAPIDMIX TRAILER & BOOM SPRAYER

## FEATURES

- 8.3L/min 60psi 12V pump
- 5L or 7L separate chemical tank
- Hitch mount trailer with pneumatic tyres
- 7 mixing rate settings 7 - 117ml/L
- Pressure gauge & regulator
- Quick switch boom or spot spray
- Flow control valve
- 4.5m spray hose
- Poly spray lance with cushion grip trigger
- UV resistant translucent tank for easy viewing
- Large lid opening - mess free mixing and filling!
- Basket filter to stop debris

## BOOM OPTIONS

- 2m Spray Boom kit
- 5m Boomless Spray kit



	CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
A.	SVTM0057L0083B2	<b>57L</b> RapidMix 12V Spot Sprayer Trailer with 2m boom	1365 L x 1040 W x 676 H*	23.4kg	<b>\$1,607</b>
	SVTM0095L0083B2	<b>95L</b> RapidMix 12V Spot Sprayer Trailer with 2m boom	1365 L x 1040 W x 760 H*	26.5kg	<b>\$1,701</b>
	SVTM0057L0083B5	<b>57L</b> RapidMix 12V Spot Sprayer Trailer with 5m boomless nozzle	1390 L x 740 W x 676 H*	22kg	<b>\$1,686</b>
B.	SVTM0095L0083B5	<b>95L</b> RapidMix 12V Spot Sprayer Trailer with 5m boomless nozzle	1390 L x 740 W x 760 H*	25.1kg	<b>\$1,786</b>

\*Not including boom height (adjustable).



# SPRAYER UPGRADE

SUITABLE FOR 57L & 95L SPRAYERS

## 2M DUAL NOZZLE BOOM SPRAY KIT

Minimum 6.8L/min pump

2m spray width

Adjustable height brackets



\*Not including boom height (adjustable).

CODE	DIMENSIONS	DRY WT	RRP inc.
ABSC020	1040 L x 45 W x 85 H*	2.5kg	\$241


## BOOMLESS NOZZLE SPRAY KIT

Minimum 6.8L/min pump

1.2 - 5m spray width

Multiple boom setups

Fan tip or wide angle spray



CODE	DIMENSIONS	DRY WT	RRP inc.
ABSC050	740 L x 70 W x 50 H	1.1kg	\$336

## HITCH MOUNT TRAILER

Suits 57L and 95L sprayers\*

Durable steel frame

Boom mount kit inc.

Large pneumatic tyres



\*RapidLine / Flo / Mix spot sprayers only.

CODE	DIMENSIONS	DRY WT	RRP inc.
ATK057095T	1320 L x 720 W x 310 H	10kg	\$460







MADE IN  
AUSTRALIA



15YR TANK  
2YR PUMP  
WARRANTY

# SPOT RANGER 12V SPOT SPRAYER

60L | 95L

**Designed with the user in mind, the Australian Made Spot Ranger is easy to use, low maintenance and ideal for spot or trailer boom spraying!**

## FEATURES

- 8.3L/min 60psi Delavan 12V pump
- Pressure gauge & regulator
- 6m x 10mm spray hose
- Powerjet spray gun - 700mm
- UV resistant tank
- Front or rear hose wraps
- Large lid opening
- Basket filter to stop debris

## OPTIONAL UPGRADES

- Zero Turn Trailer kit
- 2m Spray boom kit
- 3m Spray boom kit


## RELIABLE & DURABLE

Delavan 12V pump with pressure regulator and gauge

A.



B.



## 140° DEFLECTOR NOZZLE

for complete spray coverage



*\*Old style trailer pictured.*

## FIT TO YOUR NEEDS

with the front or rear hose wrap mounting points



## TOW BEHIND TRAILER SPRAYER

Ideal for either boom spraying or spot spraying in larger areas.



CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
SVR0060L0083	60L Spot Ranger with 8.3L/min 12V Delavan Pump	1000 L x 480 W x 380 H	10kg	<b>\$869</b>
A. SVR0095L0083	95L Spot Ranger with 8.3L/min 12V Delavan Pump	1000 L x 480 W x 490 H	11kg	<b>\$958</b>
SVRT0095L0083ZB2	95L Spot Ranger w/ Hitch Mount Trailer and 2m Spray Boom	1200 L x 1000 W x 810 H	25kg	<b>\$1,419</b>
B. SVRT0095L0083ZB3	95L Spot Ranger w/ Hitch Mount Trailer and 3m Spray Boom	1200 L x 1100 W x 810 H	26kg	<b>\$1,702</b>



# SPRAYER UPGRADE

## SUITABLE FOR SPOT RANGER

### ZERO TURN TRAILER


Mounts a variety of boom kits  
 Suits Spot Ranger 60L & 95L only  
 Ideal for mower tow-behind  
*\*Do not exceed 10kph*



CODE	DESCRIPTION	DIMENSIONS	RRP inc.
ATK06095TZ	Zero Turn Trailer	1180 L x 1100 W x 550 H	<b>\$460</b>

### SPRAY BOOM KITS

140° deflector nozzle  
 Breakaway & fold arms - 3m/4m only  
 2/3/4m spray widths



CODE	DESCRIPTION	DIMENSIONS	RRP inc.
ABS020	2m Spray Boom kit	1040 L x 75 W x 85 H	<b>\$241</b>
ABS030	3m Boom kit, folding arms	2120 L x 75 W x 85 H	<b>\$455</b>
ABS040	4m Boom kit, folding arms	3100 L x 75 W x 85 H	<b>\$530</b>









# 12V MARSHAL-Q


250L | 400L

15YR TANK  
2YR PUMP  
WARRANTY

**Purpose built to save valued space; a high capacity, easy to operate UTV sprayer!**

## FEATURES

- 250L / 400L UV stabilised polyethylene tank
- 8.3L/min 60psi 12V Delavan pump
- 6m x 10mm spray delivery hose
- Powerjet spray gun - 700mm
- Powder coated steel pump plate and hose wrap
- 3.6m 12V Electrical leads
- 250mm Screw lid complete with basket filter
- Anti-spill lip around lid opening
- Compact, moulded design with in-built handles and tie-down points at front and rear
- Front drain bung



**STEP BAFFLED TANK**  
helps reduce slosh & surge with moulded tie-down points

Dimensions and weight may vary due to the manufacturing process.  
For confirmed weights and dimensions, please contact Rapid Spray.

CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
A. SU0250AL0083	250L Marshal-Q with 8.3L/min pump, 6m hose	910 L x 730 W x 670 H	30kg	\$1,616
SU0400BL0083	400L Marshal-Q with 8.3L/min pump, 6m hose	1440 L x 730 W x 670 H	43kg	\$2,686



# 12V MARSHAL-Q MANUAL

## FEATURES

250L / 400L UV stabilised polyethylene tank  
8.3L/min 60psi 12V Delavan pump  
30m x 10mm Poly Rapid Reel  
Powerjet spray gun - 700mm  
Powder coated steel pump plate and hose wrap  
3.6m 12V Electrical leads  
250mm Screw lid complete with basket filter  
Anti-spill lip around lid opening  
Compact, moulded design with in-built handles  
and tie-down points at front and rear  
Front drain bung

## BOOM READY UPGRADE OPTION

15.2L/min 60psi 12V pump  
Pressure regulator & gauge  
Boom outlet  
Angled self-draining feet



15YR TANK  
2YR PUMP  
WARRANTY

Dimensions and weight may vary due to the manufacturing process.  
For confirmed weights and dimensions, please contact Rapid Spray.

	CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
A.	SU0250AL0083H3	250L Marshal-Q with 30m Manual Poly Hose Reel	910 L x 730 W x 835 H	39.7kg	\$2,294
	SU0400BL0083H3	400L Marshal-Q with 30m Manual Poly Hose Reel	1440 L x 730 W x 835 H	52.7kg	\$3,389
B.	SU0250AL0152H3BR	250L Boom Ready Marshal-Q with 30m Manual Hose Reel	910 L x 730 W x 935 H	62.7kg	\$3,291





# 12V BUDDY MARSHAL-Q

## FEATURES

- 250L / 400L UV stabilised polyethylene tank
- 8.3L/min 60psi 12V Delavan pump
- 50m Buddy Smart Reel
- Powerjet spray gun - 700mm
- Powder coated steel pump plate and hose wrap
- 3.6m 12V Electrical leads
- 250mm Screw lid complete with basket filter
- Anti-spill lip around lid opening
- Compact, moulded design with in-built handles and tie-down points at front and rear
- Front drain bung



**BUDDY SMART REEL**  
Remote controlled auto rewind hose reel with in-built radio system and on-board control panel.



CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
A. SU0250AL0083R5	<b>250L Buddy</b> Marshal-Q with 50m Buddy Smart Reel	910 L x 730 W x 940 H	60kg	<b>\$6,025</b>
SU0400BL0083R5	<b>400L Buddy</b> Marshal-Q with 50m Buddy Smart Reel	1440 L x 730 W x 940 H	73kg	<b>\$6,645</b>
SU0250AL0152R5BR	<b>250L Boom Ready Buddy</b> Marshal-Q w/ 15.2L/min pump	910 L x 730 W x 940 H	60kg	<b>\$6,618</b>



\*Picture for marketing purposes only. Hose wrap not included.



# 12V MARSHAL-Q + VERSATILE BOOM

250L

15YR TANK  
2YR PUMP  
WARRANTY

## FEATURES

UV stabilised polyethylene tank  
15.2L/min 60psi 12V Delavan pump  
Pressure regulator & gauge  
Boom outlet  
Versatile 4m spray width boom  
Lightweight UTV Hitch mount with 50mm tow hitch  
Powerjet spray gun - 700mm  
Powder coated steel pump plate and hose wrap  
Mounted angled self-draining feet  
3.6m 12V Electrical leads  
250mm Screw lid complete with basket filter  
Anti-spill lip around lid opening  
Compact, moulded design with in-built handles  
and tie-down points at front and rear  
Front drain bung

## HOSE REEL OPTIONS

30m x 10mm Poly Manual reel (shown)  
50m Buddy Smart Reel



\*Not including boom and UTV hitch mount.

	CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
A.	SU0250AL0152H3BV04	<b>250L Manual</b> Marshal-Q w/ Versatile Boom, UTV Hitch Mount	910 L x 730 W x 835 H*	39.7kg*	<b>\$3,881</b>
	SU0250AL0152R5BV04	<b>250L Buddy</b> Marshal-Q w/ Versatile Boom, UTV Hitch Mount	910 L x 730 W x 940 H*	60kg*	<b>\$7,082</b>

Dimensions and weight may vary due to the manufacturing process. For confirmed weights and dimensions, please contact Rapid Spray.



# MARSHAL-Q OPTIONS


## SUITABLE FOR ALL MODELS

### BOOM READY KIT

Quick attach regulator and gauge  
Spare outlet  
Return line with hose clamps



CODE	DESCRIPTION	RRP inc.
ATR07B027LQ12FK	Boom Ready Regulator & Gauge Kit	\$315




### 15.2L/MIN PUMP & BOOM READY KIT

15.2L/min 60psi 12V Delavan pump  
Quick attach regulator and gauge  
Spare outlet  
Return line with hose clamps



CODE	DESCRIPTION	RRP inc.
ATR07B027LQ12FK152	15.2L/min Pump Boom Ready Kit	\$566



### MARSHAL ANGLED MOUNTING FEET

Promotes complete drainage  
Powder coated steel feet frame  
Mounting hardware inc.  
250L Marshal units only  
(standard on Boom Ready Model)



CODE	DESCRIPTION	RRP inc.
ASKSFTK	Marshal Galvanised Feet	\$387



\*Assembly required on all products.

Dimensions and weight may vary due to the manufacturing process.  
For confirmed weights and dimensions, please contact Rapid Spray.

# 12V FARMMAX


200L

15YR TANK  
2YR PUMP  
WARRANTY

**Designed for go anywhere spraying, the FarmMax is built for heavy duty spraying.**

## FEATURES


- 200L UV stabilised polyethylene tank
- 8.3L/min 60psi 12V Delavan pump
- Pressure regulator and gauge
- 6m x 10mm spray delivery hose
- Powerjet spray gun - 700mm
- Single / Dual axle steel trailer
- 22" high flotation tyres
- 50mm tow hitch
- Rear boom mount
- Pump housed in weatherproof cover
- 3.6m 12V Electrical leads
- 250mm Screw lid complete with basket filter
- Anti-spill lip around lid opening



### BOOM UPGRADE

increase flow with 15.2L/min  
60psi 12V Delavan pump

A.



### BOOM SWITCH

easily switch  
between boom  
or spot spraying



### 22" TYRES

ideal for most muddy  
and rough terrain



CODE	DESCRIPTION	DIMENSIONS	RRP inc.
A. PRAV0200L0152	200L FarmMax Single Axle Trailer w/ 15.2L/min 60psi pump	1980 L x 1310 W x 910 H	\$4,245



12V FARMMAX + VERSATILE BOOM

FEATURES

- 200L UV stabilised polyethylene tank
- 15.2L/min 60psi 12V Delavan pump
- Pressure regulator and gauge
- Versatile 4m spray width boom
- Lightweight UTV Hitch mount with 50mm tow hitch
- 6m x 10mm spray delivery hose
- Powerjet spray gun - 700mm
- Single (S/A) / Dual (D/A) axle steel trailer
- 22" high flotation tyres
- 50mm tow hitch
- Rear boom mount
- Pump housed in weatherproof cover
- 3.6m 12V Electrical leads
- 250mm Screw lid complete with basket filter
- Anti-spill lip around lid opening



**VERSATILE BOOM**  
4m spray width with 110° low drift nozzles. See page 80 for more information.

**15YR TANK  
2YR PUMP  
WARRANTY**

A.



**UPGRADE WITH 30M  
POLY MANUAL REEL**

10mm spray hose  
\*Hose wrap pictured not included.



**TOUGH, FLOTATION TYRES**  
Ideal for rough, muddy terrain

CODE	DESCRIPTION	DIMENSIONS	RRP inc.
A. PRAV0200L0152BV04	200L FarmMax S/A Trailer w/ Versatile Boom	2300 L x 1310 W x 910 H	\$4,769
PRAV0200L0152BV04H3	200L FarmMax S/A Trailer w/ Versatile Boom, 30m Poly Reel	2300 L x 1310 W x 1480 H	\$5,582



# UTV SPRAYERS

## THE COMPACT SPRAYER RANGE



### GO ANYWHERE SPRAYING MOBILITY

UTV's are fast becoming the vehicle of choice for many people wanting to get around their properties fast and safely. They also offer the added benefit of being able to carry large loads while easily traversing hard to reach terrain. Making sure you have the right sprayer to suit your UTV is paramount.



# MARSHAL PLUS

## 250L

Keep spraying simple with the low maintenance, high performance compact Australian Made Marshal Plus UTV sprayer!

### FEATURES

- 250L UV stabilised polyethylene tank
- Compact, moulded design with in-built handles and tie-down points at front and rear
- 12.0L/min Commando Pump
- Pressure regulator & gauge
- GX35 Honda motor
- 30m manual hose reel
- Turbo 400 spray gun
- 10L handwash tank with tap
- 250mm Screw lid complete with basket filter
- Anti-spill lip around lid
- Front drain bung

10L HANDWASH TANK  
with tap for easy cleaning  
\*Manual reel versions only



15YR TANK  
1YR ENGINE  
1YR PUMP  
WARRANTY

A.



B.

### BUDDY SMART REEL UPGRADE

Remote controlled auto  
rewind hose reel with  
in-built radio system and  
on-board control panel.  
  
See page 89 for more  
information.



POWER SPRAYING  
with Turbo 400 spray gun with  
multiple spraying patterns

CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
A. SU0250AL0120H	250L Marshal Plus with 30m Manual Hose Reel	910 L x 730 W x 700 H	37kg	\$3,749
B. SU0250AL0120R5	250L Marshal Plus with 50m Buddy Smart Reel	910 L x 730 W x 940 H	67kg	\$7,160









# MARSHAL PRO

250L

**The Marshal Pro stands out from the rest as the most compact, powerful sprayer designed for the UTV. Power and mobility when you need it most!**

## FEATURES

250L UV stabilised polyethylene tank  
Compact, moulded design with in-built tie-down points at front and rear  
33L/min 580psi Maruyama pump  
GX200 Honda motor  
50/100m Buddy Smart Reel  
Turbo 400 spray gun  
3-way Regulator and gauge  
Galvanised steel mounted angled feet  
Powder coated steel pump plate  
250mm screw lid w/ basket filter  
Anti-spill lip around lid  
Front drain bung

### 30M POLY MANUAL RAPID REEL OPTION

15yr poly warranty  
10mm spray hose  
Easy rewind rotating handle



**COMPACT BUT POWERFUL SPRAYING PERFORMANCE**  
with 33L/min Maruyama with GX200 Honda motor

**15YR TANK  
3YR ENGINE  
3YR PUMP  
3YR REEL  
WARRANTY**



**TAKE BACK SPRAYING POWER**  
with the custom walking pace 'MyPace' radio remote with the Buddy Smart Reel

	CODE	DESCRIPTION	DIMENSIONS	RRP inc.
A.	SU0250AL0330H3	<b>250L</b> Marshal Pro with 30m Manual Hose Reel	910 L x 730 W x 935 H	<b>\$5,772</b>
B.	SU0250AL0330R5	<b>250L</b> Marshal Pro with <b>50m</b> Buddy Smart Reel - 10mm hose	910 L x 730 W x 960 H	<b>\$9,191</b>
B.	SU0250AL0330R18	<b>250L</b> Marshal Pro with <b>100m</b> Buddy Smart Reel - 8mm hose	910 L x 730 W x 960 H	<b>\$9,991</b>



# MARSHAL PRO + VERSATILE BOOM

250L

CALL RAPID SPRAY FOR THE COMPLETE  
MARSHAL PRO AND BOOM SETUP OPTIONS

15YR TANK  
3YR ENGINE  
3YR PUMP  
3YR REEL  
WARRANTY





# MARSHAL OPTIONS

## SUITS MARSHAL PLUS & MARSHAL PRO

### BOOM CONTROL KIT

To suit Marshal Pro models with 33L/min Maruyama pump  
Fitted to Marshal

*\*Required for boom spraying  
with Maruyama pump.*



CODE	RRP inc.
ATRV40B13M1KF	<b>\$616</b>

### BOOMLESS NOZZLE KITS

Ideal for use with ATV sprayers or ute sprayers.

2m x 10mm hose & clamps

Brass boomless nozzle

Steel mounting bracket & fittings

See page 78 for more information.



CODE	RRP inc.
ABK02K	<b>\$224</b>
ABK05K	<b>\$250</b>
ABK10K	<b>\$265</b>

### LIGHTWEIGHT UTV HITCH MOUNT

Galvanised steel frames

Mounting hardware inc.

Suits Versatile Boom and Boomless Nozzles

See page 84 for more information.



CODE	RRP inc.
ATKUBM50MMLW	<b>\$288</b>

### MARSHAL ANGLED MOUNTING FEET

Galvanised steel feet frame

Mounting hardware inc.

Increased drainage

Forklift safe

Standard on Pro models



CODE	RRP inc.
ASKSFTK	<b>\$387</b>

*\*Suits 250L models only.*

### VERSATILE BOOM

1.2m wide

4m spray width

110° low drift nozzles

TeeJet OC-04 brass

offset end nozzles

See page 80 for more  
information.



CODE	RRP inc.
ABVL040	<b>\$524</b>





# FARMMAX PLUS

200L

A versatile option for boom or spot spraying with low maintenance, high performance spraying power.

## FEATURES

- 200L UV stabilised polyethylene tank
- 12.0L/min Commando Pump
- GX35 Honda motor
- 30m manual hose reel
- Turbo 400 spray gun
- Single / Dual axle steel trailer - 5yr warranty
- 22" high flotation tyres
- 50mm tow hitch
- Rear boom mount
- 250mm Screw lid complete with basket filter
- Anti-spill lip around lid opening

AVAILABLE WITH HIGH PERFORMANCE COMMERCIAL PUMPS.  
Call Rapid Spray on 1800 011 000 for pricing.



**BOOM MOUNT READY**  
Mounting brackets ideal for small to medium spray booms.

**15YR TANK  
1YR ENGINE  
1YR PUMP  
WARRANTY**



**MULTIPLE SPRAY PATTERNS**  
on Turbo 400 spray gun

CODE	DESCRIPTION	DIMENSIONS	RRP inc.
A. PRAA0200L0120H	200L FarmMax Plus with 12.0L/min Commando pump	1980 L x 1310 W x 910 H	\$6,297



# 12V FARMMAX PLUS + VERSATILE BOOM

## FEATURES

- 200L UV stabilised polyethylene tank
- 12.0L/min Commando Pump
- GX35 Honda motor
- 30m manual hose reel
- Turbo 400 spray gun
- Versatile 4m spray width boom
- Single axle steel trailer
- 22" high flotation tyres
- 50mm tow hitch
- Rear boom mount
- Pump housed in weatherproof cover
- 3.6m 12V Electrical leads
- 250mm Screw lid complete with basket filter
- Anti-spill lip around lid opening

### IDEAL FOR USE WITH BOOMLESS NOZZLE

- #2 or #5 Boomless Nozzle
- 2m spray hose & clamps

See page 78 for more information.

\*See pages 43-44 for more images of 200L Single axle trailer.

15YR TANK  
1YR ENGINE  
1YR PUMP  
WARRANTY

ADJUSTABLE  
HEIGHT BRACKETS  
To mount boom at  
required level.



Dimensions and weight may vary due to the manufacturing process.  
For confirmed weights and dimensions, please contact Rapid Spray.

CODE	DESCRIPTION	DIMENSIONS	RRP inc.
A. PRAA0200L0120HBV04	200L FarmMax Plus with Versatile Boom	2400 L x 1310 W x 910 H	\$6,873





# FARMMAX UPGRADES

## SUITS FARMMAX PLUS & FARMMAX PRO

### BOOMLESS NOZZLE KITS

Ideal for use with ATV sprayers or Ute sprayers.  
2m x 10mm hose & clamps  
Brass boomless nozzle  
Steel mounting bracket & fittings  
See page 78 for more information.

CODE	RRP inc.
ABK02K	\$224
ABK05K	\$250
ABK10K	\$265



### VERSATILE BOOM

1.2m wide  
4m spray width  
110° low drift nozzles  
TeeJet OC-04 brass  
offset end nozzles  
See page 80 for more  
information.

CODE	RRP inc.
ABVL040	\$524



### 4M POLY BOOM

Breakaway arms  
110° non-drip nozzles  
Impact proof poly  
See page 81 for more information.  
\*Fitting required.

CODE	RRP inc.
ABP040	\$1,268





# PROFESSIONAL FIELD SPRAYERS

## THE COMPACT SPRAYER RANGE



### HIGH PERFORMANCE SPRAYING POWER

From the compact SprayScouts - designed for the UTV - to the larger Ultimates - ideal for the back of your ute - get the right high performing field sprayer to suit your requirements. Giving you the spraying power you need, the capacity required and the features you want, these Australian Made field sprayers are reliable, tough and built to stand all spraying conditions!



# SPRAYSCOUT MANUAL

360L / 600L

A compact sprayer that doesn't sacrifice on capacity or performance!

## FEATURES

- 360L / 600L UV stabilised polyethylene tank
- 33L/min 580psi Maruyama pump
- Pressure regulator & gauge
- GX200 Honda motor
- 30m Poly manual hose reel
- Pistol grip spray gun
- 17L rinse and flush tank
- Tank level site gauge
- Suction filter and drain valve
- Forklift pockets for easy loading
- 250mm screw lid complete with basket filter
- Moulded tie-down points
- Anti-spill lip around lid
- Basket filter to reduce debris



TIE DOWN POINTS  
for stability and  
easy lifting

15YR TANK  
3YR ENGINE  
3YR PUMP  
WARRANTY



CODE	DESCRIPTION	DIMENSIONS	RRP inc.
A. PUS0360L0330H3	360L SprayScout with 30m Poly Manual Reel	910 L x 1100 W x 840 H	\$7,603
PUS0600L0330H3	600L SprayScout with 3m Poly Manual Reel	1260 L x 1100 W x 920 H	\$8,371

## BOOM CONTROL KIT

Fitted to SprayScout  
*\*Required for boom spraying with Maruyama pump.*

CODE	RRP inc.
ATRVS40B13M3K	\$616



## BOOM MOUNT BRACKETS

Galvanised steel frame  
360L / 600L

CODE	RRP inc.
ATMBMS360	\$861
ATMBMS600	\$907



# SPRAYSCOUT BUDDY

360L / 600L

**The ultimate remote control reel compact sprayer ideal for UTV spraying in hard to reach places.**

## FEATURES

- 360L / 600L UV stabilised polyethylene tank
- 33L/min 580psi Maruyama pump
- Pressure regulator & gauge
- GX200 Honda motor
- 100 / 150m Buddy Smart Reel
- Turbo 400 spray gun
- 17L rinse and flush tank
- Weatherproof draw for battery
- Suction filter and drain valve
- Forklift pockets for easy loading
- 250mm screw lid complete with basket filter
- Moulded tie-down points
- Anti-spill lip around lid
- Basket filter to reduce debris



A.



### COMPACT 600L IDEAL FOR UTES

designed to fit between the wheel arches of a dual cab ute

### REMOTE CONTROLLED REEL

See page 89 for more information.



**EASY LEVEL VIEW**  
with site gauge on all models



**15YR TANK  
3YR ENGINE  
3YR PUMP  
3YR REEL  
WARRANTY**

CODE	DESCRIPTION	DIMENSIONS	RRP inc.
A. PUS0360L0330R1	<b>360L</b> SprayScout with 100m Buddy Smart Reel	910 L x 1100 W x 900 H	<b>\$13,129</b>
PUS0600L0330R1	<b>600L</b> SprayScout with 100m Buddy Smart Reel	1260 L x 1100 W x 920 H	<b>\$13,826</b>
PUS0360L0330R6	<b>360L</b> SprayScout with 150m Buddy Smart Reel	910 L x 1100 W x 900 H	<b>\$13,441</b>
PUS0600L0330R6	<b>600L</b> SprayScout with 150m Buddy Smart Reel	1260 L x 1100 W x 920 H	<b>\$14,147</b>









# SPRAYSCOUT TWIN BUDDY

360L / 600L

**Giving you the spraying power you need and the mobility you need, the SprayScout allows you to reach those hard to get to places.**

## FEATURES

360L / 600L UV stabilised polyethylene tank  
45L/min 580psi Maruyama pump  
Pressure regulator & gauge  
GX200 Honda motor  
100 / 150m Buddy Smart Reel  
Turbo 400 spray gun  
17L rinse and flush tank  
Tank level site gauge  
Weatherproof draw for batteries  
Suction filter and drain valve  
Forklift pockets for easy loading  
250mm screw lid complete with basket filter  
Moulded tie-down points  
Anti-spill lip around lid  
Basket filter to reduce debris



### 150M BUDDY SMART REEL

Increase your spraying performance with the 150m hose length. See page 89 for more information.



### DOUBLE REEL SPRAYING POWER


great for getting the job done quickly and efficiently!

**15YR TANK  
3YR ENGINE  
3YR PUMP  
3YR REEL  
WARRANTY**



### GALVANISED FORKLIFT POCKETS

fully enclosed for safety and quick loading



### SUCTION FILTER & DRAIN VALVE

for fast and efficient draining of tank

	CODE	DESCRIPTION	DIMENSIONS	RRP inc.
A.	PUS0360L0450TR1	<b>360L</b> SprayScout Buddy with Twin 100m Buddy Smart Reel	910 L x 1120 W x 900 H	<b>\$18,512</b>
	PUS0600L0450TR1	<b>600L</b> SprayScout Buddy with Twin 100m Buddy Smart Reel	1260 L x 1120 W x 920 H	<b>\$19,362</b>
	PUS0360L0450TR6	<b>360L</b> SprayScout Buddy with Twin 150m Buddy Smart Reel	910 L x 1120 W x 900 H	<b>\$19,146</b>
	PUS0600L0450TR6	<b>600L</b> SprayScout Buddy with Twin 150m Buddy Smart Reel	1260 L x 1120 W x 920 H	<b>\$20,014</b>



# SPRAYSCOUT TWIN BUDDY + 6M STEEL BOOM

360L

CALL RAPID SPRAY FOR THE COMPLETE  
MARSHAL PRO AND BOOM SETUP OPTIONS

15YR TANK  
3YR ENGINE  
3YR PUMP  
3YR REEL  
WARRANTY



# SPRAYSCOUT UPGRADES

SUITS ALL SPRAYSCOUT MODELS

\*Fitting required.

## BOOM CONTROL KIT

To suit SprayScout with 33L/min Maruyama pump  
Fitted to SprayScout

*\*Required for boom spraying with Maruyama pump.*



CODE	RRP inc.
ATRV40B13M1KF	<b>\$616</b>

## BOOMLESS NOZZLE KITS

Ideal for use with UTV sprayers or ute sprayers.

2m x 10mm hose & clamps

Brass boomless nozzle

Steel mounting bracket & fittings

See page 78 for more information.



CODE	RRP inc.
ABK02K	<b>\$224</b>
ABK05K	<b>\$250</b>
ABK10K	<b>\$265</b>

## 4M POLY BOOM

Breakaway arms

110° non-drip nozzles

Impact proof poly

See page 81 for more information.



CODE	RRP inc.
ABP040	<b>\$1,268</b>

## BOOM MOUNT BRACKETS

Galvanised steel frame

360L / 600L

5yr frame warranty



CODE	RRP inc.
ATMBMS360	<b>\$861</b>
ATMBMS600	<b>\$907</b>

## VERSATILE BOOM

1.2m wide

4m spray width

110° low drift nozzles

TeeJet OC-04 brass

offset end nozzles

See page 80 for more information.



CODE	RRP inc.
ABVL040	<b>\$524</b>

## 6M FLAT FOLD BOOM

6m spray width


110° low drift nozzles

See page 82 for more information.



CODE	RRP inc.
ABMF060KF	<b>\$2,148</b>







# ULTIMATE FIELD SPRAYER

600L / 800L / 1000L

**15YR TANK  
3YR ENGINE  
3YR PUMP  
3YR REEL  
WARRANTY**

**Mounted to the unique heavy duty galvanised frame with complete drainage sump tank, the Ultimate sprayer makes weed spraying an ease!**

## FEATURES

UV stabilised polyethylene tank  
33L/min 580psi Maruyama pump  
Pressure regulator & gauge  
GX200 Honda motor  
100m Buddy Smart Reel  
Turbo 400 spray gun  
Suction filter and drain valve  
Galvanised steel frame  
Forklift pockets and sling points  
Fully draining sump tank  
250mm screw lid  
Moulded tie-down points  
Anti-spill lip around lid  
Basket filter to reduce debris

**FULLY DRAINING SUMP TANK**  
easy to clean and get the most out of your sprayer

**STABLE DESIGN**  
with tie down points for peace-of-mind spraying

**REMOTE CONTROLLED  
12V / 24V REEL**  
See page 89 for more information.

**SLING IT / FORK IT**  
Easy transfer and storage!

**GENUINE HONDA ENGINE**  
Performance guarantee with 3 year Honda warranty

**AVAILABLE WITH POLY MANUAL REEL**  
Ring 1800 011 000 or ask in-store for pricing.

\*Pictured with Bertolini pump

CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
A. PUF0600L0330R1	<b>600L</b> Ultimate Field Sprayer with 100m Buddy Smart Reel	1950 L x 1150 W x 890 H	126kg	<b>\$12,049</b>
PUF0800L0330R1	<b>800L</b> Ultimate Field Sprayer with 100m Buddy Smart Reel	1950 L x 1200 W x 700 H	144kg	<b>\$12,736</b>
PUF1000L0330R1	<b>1000L</b> Ultimate Field Sprayer with 100m Buddy Smart Reel	1950 L x 1200 W x 1045 H	146kg	<b>\$13,641</b>



# ULTIMATE TWIN BUDDY

600L / 800L / 1000L

15YR TANK  
3YR ENGINE  
3YR PUMP  
3YR REEL  
WARRANTY

Make weed spraying easy with double the power of the twin remote controlled Buddy Smart Reel Ultimate Field Sprayer!

### FEATURES

- UV stabilised polyethylene tank
- 45L/min 580psi Maruyama pump
- Pressure regulator & gauge
- GX200 Honda motor
- Twin 100 / 150m Buddy Smart Reel
- Turbo 400 spray gun
- Suction filter and drain valve
- Galvanised steel frame
- Forklift pockets and sling points
- Fully draining sump tank
- 250mm screw lid
- Moulded tie-down points
- Anti-spill lip around lid
- Basket filter to reduce debris



AVAILABLE WITH 54L/MIN  
BERTOLINI PUMP UPGRADE

Ring 1800 011 000 or ask  
in-store for pricing.




REMOTE  
CONTROLLED



TOUGH AUSTRALIAN TANK  
with 15 year warranty for  
guaranteed peace of mind

A.



GALVANISED STEEL FRAME  
made to suit the toughest of  
Australian conditions

DOUBLE SPRAYING POWER  
with twin Buddy Smart Reels  
for easy tandem spraying

\*Pictured with Bertolini pump

CODE	DESCRIPTION	DIMENSIONS	RRP inc.
PUF0600L0450TR1	<b>600L</b> Ultimate Field Sprayer with Twin 100m Buddy Smart Reel	2000 L x 1150 W x 890 H	<b>\$17,690</b>
PUF0800L0450TR1	<b>800L</b> Ultimate Field Sprayer with Twin 100m Buddy Smart Reel	2000 L x 1200 W x 700 H	<b>\$18,406</b>
A. PUF1000L0450TR1	<b>1000L</b> Ultimate Field Sprayer with Twin 100m Buddy Smart Reel	2000 L x 1200 W x 1045 H	<b>\$19,352</b>
PUF0600L0450TR6	<b>600L</b> Ultimate Field Sprayer with Twin 150m Buddy Smart Reel	2000 L x 1150 W x 890 H	<b>\$18,335</b>
PUF0800L0450TR6	<b>800L</b> Ultimate Field Sprayer with Twin 150m Buddy Smart Reel	2000 L x 1200 W x 700 H	<b>\$19,051</b>
PUF1000L0450TR6	<b>1000L</b> Ultimate Field Sprayer with Twin 150m Buddy Smart Reel	2000 L x 1200 W x 1045 H	<b>\$19,996</b>

# ULTIMATE FIELD SPRAYER

## + 6M STEEL BOOM

600L

CALL RAPID SPRAY FOR THE COMPLETE  
ULTIMATE FIELD SPRAYER AND BOOM SETUP  
OPTIONS

15YR TANK  
3YR ENGINE  
3YR PUMP  
3YR REEL  
WARRANTY





# ULTIMATE FIELD SPRAYER UPGRADES

\*Fitting required.

SUITS ALL ULTIMATE MODELS

## HONDA ELECTRIC START UPGRADE

Honda GX200E Petrol engine  
Electric start

*\*Upgrade price only*




CODE	RRP inc.
Add 'E' to code before REEL (T/R1)	<b>\$2,542</b>

## IN-CAB SOLENOID BOOM CONTROL KIT

To suit Ultimate with 33L/min Maruyama pump  
Fitted to Ultimate Field Sprayer


*\*Required for boom spraying with Maruyama pump.*



CODE	RRP inc.
ATR40B13M1KF	<b>\$616</b>

## 4M POLY BOOM

Breakaway arms  
110° non-drip nozzles  
Impact proof poly  
See page 80 for more information.



CODE	RRP inc.
ABP040	<b>\$1,268</b>

## 24V HATZ DIESEL ENGINE UPGRADE

Hatz 1B30 single cylinder diesel engine  
24V electric start  
Battery pack inc.

*\*Upgrade price only*



CODE	RRP inc.
Add 'D' to code before REEL (T/R1)	<b>\$4,671</b>

## BOOM MOUNT BRACKETS

Galvanised steel frame

See page 84 for more information.


*\*Required for all boom setups*



CODE	RRP inc.
ATMBMB	<b>\$393</b>

## FLAT FOLD BOOM

6 / 8 / 10m width  
110° low drift nozzles



CODE	RRP inc.
ABMF060KF	<b>\$2,148</b>
ABMF080KF	<b>\$2,492</b>
ABMF100KF	<b>\$2,966</b>

See page 82 for more information.

# LINKAGE SPRAYERS

**12V & PTO OPTIONS**



## **BUILT TO PERFORM**

The Linkage Sprayers range is packed with features to ensure you get the most out of your 3-point linkage unit. With smart contoured, low profile tank designs, easy access pumps and valves and the unique in-built handwash tanks, these Australian Made linkage sprayers are truly in a class of their own!





# FIELDLINK PRICING

400L | 600L | 800L

## FIELDLINK ECO

\*Not including boom dimensions

	CODE	DESCRIPTION	DIMENSIONS	RRP inc.
A.	SLF0400L	<b>400L</b> FieldLink Eco with 75L/min Bertolini pump	940 L x 750 W x 1180 H	<b>\$4,705</b>
	SLF0600L	<b>600L</b> FieldLink Eco with 75L/min Bertolini Pump	1230 L x 890 W x 1550 H	<b>\$5,282</b>
	SLF0800L	<b>800L</b> FieldLink Eco with 75L/min Bertolini Pump	1200 L x 890 W x 1750 H	<b>\$7,091</b>
	SLF0400LBF06	<b>400L</b> FieldLink Eco, <b>6m</b> Flat Fold Steel Boom	940 L x 750 W x 1180 H*	<b>\$7,140</b>
	SLF0600LBF06	<b>600L</b> FieldLink Eco, <b>6m</b> Flat Fold Steel Boom	1200 L x 890 W x 1750 H*	<b>\$7,717</b>
	SLF0800LBF06	<b>800L</b> FieldLink Eco, <b>6m</b> Flat Fold Steel Boom	1200 L x 890 W x 1750 H*	<b>\$9,526</b>
	SLF0400LBF08	<b>400L</b> FieldLink Eco, <b>8m</b> Flat Fold Steel Boom	940 L x 750 W x 1180 H*	<b>\$7,688</b>
	SLF0600LBF08	<b>600L</b> FieldLink Eco, <b>8m</b> Flat Fold Steel Boom	1200 L x 890 W x 1750 H*	<b>\$8,265</b>
	SLF0800LBF08	<b>800L</b> FieldLink Eco, <b>8m</b> Flat Fold Steel Boom	1200 L x 890 W x 1750 H*	<b>\$10,074</b>
	SLF0600LBF10	<b>600L</b> FieldLink Eco, <b>10m</b> Flat Fold Steel Boom	1200 L x 890 W x 1750 H*	<b>\$8,602</b>
	SLF0800LBF10	<b>800L</b> FieldLink Eco, <b>10m</b> Flat Fold Steel Boom	1200 L x 890 W x 1750 H*	<b>\$10,411</b>

## FIELDLINK PRO

\*Not including boom dimensions

	CODE	DESCRIPTION	DIMENSIONS	RRP inc.
A.	PLF0400L0750	<b>400L</b> FieldLink Pro with 75L/min Bertolini pump	940 L x 750 W x 1180 H	<b>\$5,934</b>
	PLF0600L0750	<b>600L</b> FieldLink Pro with 75L/min Bertolini Pump	1230 L x 890 W x 1550 H	<b>\$6,611</b>
	PLF0800L0750	<b>800L</b> FieldLink Pro with 75L/min Bertolini Pump	1200 L x 890 W x 1750 H	<b>\$8,311</b>
	PLF0400L0750B06	<b>400L</b> FieldLink Pro, <b>6m</b> Flat Fold Steel Boom	940 L x 750 W x 1180 H*	<b>\$8,369</b>
	PLF0600L0750B06	<b>600L</b> FieldLink Pro, <b>6m</b> Flat Fold Steel Boom	1200 L x 890 W x 1750 H*	<b>\$9,046</b>
	PLF0800L0750B06	<b>800L</b> FieldLink Pro, <b>6m</b> Flat Fold Steel Boom	1200 L x 890 W x 1750 H*	<b>\$10,746</b>
	PLF0400L0750B08	<b>400L</b> FieldLink Pro, <b>8m</b> Flat Fold Steel Boom	940 L x 750 W x 1180 H*	<b>\$8,917</b>
	PLF0600L0750B08	<b>600L</b> FieldLink Pro, <b>8m</b> Flat Fold Steel Boom	1200 L x 890 W x 1750 H*	<b>\$9,594</b>
	PLF0800L0750B08	<b>800L</b> FieldLink Pro, <b>8m</b> Flat Fold Steel Boom	1200 L x 890 W x 1750 H*	<b>\$11,294</b>
	PLF0600L0750B10	<b>600L</b> FieldLink Pro, <b>10m</b> Flat Fold Steel Boom	1200 L x 890 W x 1750 H*	<b>\$9,931</b>
	PLF0800L0750B10	<b>800L</b> FieldLink Pro, <b>10m</b> Flat Fold Steel Boom	1200 L x 890 W x 1750 H*	<b>\$11,631</b>



# FIELDLINK ECO

400L | 600L | 800L

With the contoured tank design, the FieldLink makes spraying simple - tackle steep terrain, maintain with ease, spray with confidence.

## FEATURES

- UV stabilised polyethylene tank
- 75L/min 217psi Bertolini pump
- 15m x 10mm spray delivery hose
- Powerjet spray gun
- 3-way regulator & gauge
- 15L fresh water tank with tap
- 3-point linkage galvanised steel frame
- Category 1 & 2 pins
- Forklift pockets - for safe loading!
- Site level gauge
- Large 450mm hinge lid
- Large basket filter to stop debris
- PTO shaft with all models

## UPGRADE WITH 30M POLY MANUAL HOSE REEL

30m x 10mm spray hose  
With lock in place pin and easy rotating handle.

See page 73 for more info.  
*\*Not fitted.*

**LARGE HINGED LID**  
Don't lose your lid in the middle of a field!

**15YR TANK  
1YR PUMP  
5YR FRAME  
WARRANTY**

**EASY ACCESS CONTROLS**  
within hand distance from the cab of an open tractor

**FORKLIFT POCKETS**  
easy storage and loading

CODE	DESCRIPTION	DIMENSIONS	RRP inc.
A. SLF0400L	400L FieldLink Eco with 75L/min Bertolini pump	940 L x 750 W x 1180 H	\$4,705
SLF0600L	600L FieldLink Eco with 75L/min Bertolini Pump	1230 L x 890 W x 1550 H	\$5,282
SLF0800L	800L FieldLink Eco with 75L/min Bertolini Pump	1200 L x 890 W x 1750 H	\$7,091


# FIELDLINK PRO

400L | 600L | 800L

**With the in-built hand wash tank, easy access controls or the optional hose reel upgrade, the FieldLink has been designed and built to make spraying easier in the field.**

## FEATURES

- UV stabilised polyethylene tank
- 75L/min 217psi Bertolini pump
- 15m x 10mm spray delivery hose
- Powerjet spray gun
- 3-way multi-control regulator & gauge
- 15L fresh water tank with tap
- 40L - 70L flush tank
- 3-point linkage galvanised steel frame
- Category 1 & 2 pins
- Forklift pockets - for safe loading!
- Site level gauge
- Large 450mm hinge lid
- Large basket filter to stop debris
- PTO shaft with all models



### UPGRADE WITH 50M BUDDY SMART REEL

50m x 10mm spray hose  
Remote controlled hose reel with brushless motor.

See page 73 for more info.  
*\*Not fitted.*



### UPGRADE ELECTRIC CONTROLS

Easy spraying from the cab of your vehicle. *\*Upgrade pictured.*

**15YR TANK  
1YR PUMP  
5YR FRAME  
WARRANTY**



### DRAIN & FLUSH VALVE

Easily flush pump and lines and drain main tank.

CODE	DESCRIPTION	DIMENSIONS	RRP inc.
PLF0400L0750	<b>400L</b> FieldLink Pro with 75L/min Bertolini pump, 40L flush tank	940 L x 750 W x 1180 H	<b>\$5,934</b>
PLF0600L0750	<b>600L</b> FieldLink Pro with 75L/min Bertolini pump, 70L flush tank	1230 L x 890 W x 1550 H	<b>\$6,611</b>
<b>A.</b> PLF0800L0750	<b>800L</b> FieldLink Pro with 75L/min Bertolini pump, 70L flush tank	1200 L x 890 W x 1550 H	<b>\$8,311</b>



# FIELDLINK UPGRADES

## BOOMLESS NOZZLES & BOOMS

### BOOMLESS NOZZLE

90° or 180° brass nozzle  
 Stainless steel bracket  
 2m x 10mm spray hose with clamps  
 FieldLink boom mount adaptor



90°

180°

\*Not fitted. Some assembly required.

CODE	DESCRIPTION	RRP inc.
ABK05FLK	#5 - 14m Boomless Nozzle Kit with boom mount adaptor (add BN05 to code)	\$276
ABK10FLK	#10 - 15m Boomless Nozzle Kit with boom mount adaptor (add BN10 to code)	\$289
ABK20FLK	#20 - 17m Boomless Nozzle Kit with boom mount adaptor (add BN20 to code)	\$427

### FLAT FOLD BOOM

6m / 8m / 10m Steel boom  
 110° non-drip nozzles  
 Swing, breakaway arms  
 Hot-dip galvanised - rust free protection



NEW STYLE!



\*Not fitted. Some assembly required.

CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
ABMF060	6m Flat Fold Steel Boom (add BF06 to code)	2150 L x 1700 W x 250 H	38kg	\$2,435
ABMF080	8m Flat Fold Steel Boom (add BF08 to code)	2150 L x 1750 W x 250 H	43kg	\$2,983
ABMF100	10m Flat Fold Steel Boom (add BF10 to code)	2500 L x 1750 W x 250 H	48kg	\$3,320

### POLY BOOM

15yr guaranteed poly arms  
 110° non-drip nozzles  
 Swing, breakaway arms



\*Not fitted. Some assembly required.

CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
ABP040	4m Poly Boom with X-Fold breakaway arms	1120 L x 1330 W x 200 H	18kg	\$1,268

# FIELDLINK UPGRADES

## HOSE REELS & REGULATORS

### 30M MANUAL HOSE REEL

*\*FieldLink upgrade price only.*

30m x 10mm spray hose

Heavy duty poly

Easy rotating handle

*\*Not fitted. Mounting required.*

See page  
86 for more  
information.



CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
ATHW05B030M10	30m Base Mount Poly Hose with 30m Spray Hose	460L x 280 W x 480 H	9.7kg	\$691

### BUDDY SMART REEL

*\*FieldLink upgrade price only.*

50m x 10mm spray hose

Brushless motor

Turbo 400 spray gun

*\*Not fitted. Mounting required.*

See page  
89 for more  
information.



CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
ATHB050M10FL	50m Buddy Smart Reel with Remote Control	536 L x 230 W x 538 H	29kg	\$4,006


### ELECTRIC ON/OFF CONTROLLER

4-way manual valve controller

Electric On/Off

140L/min 20 bar

Manual pressure control



CODE	RRP inc.
ATRA20B14023M4FLK (add EMC to code)	\$298

### ELECTRIC CONTROLLER

3 electric section valve controls

1 manual section valve control

Electric On/Off

140L/min 20 bar

Manual pressure control



CODE	RRP inc.
ATRA20B14023E3M1FLK (add EC to code)	\$1,464







# 12V SPRAYLINK

200L / 300L

**Ideal for smaller tractors, the SprayLink 3PL sprayer keeps tasks simple with easy operation and low maintenance.**

## FEATURES

- UV stabilised polyethylene tank
- 12V 15.2L/min 60psi Delavan pump
- 6m x 10mm spray hose
- Powerjet spray gun
- Pressure regulator & gauge
- 4m Electrical leads
- Versatile boom - 4m spray width
- 3-point-linkage galvanised steel frame
- Category 1 linkage pins
- Fully draining sump tank
- 250mm screw lid
- Anti-spill lip around lid
- Basket filter to reduce debris



**IDEAL SPOT SPRAYING**  
with Powerjet spray gun

**15YR TANK  
2YR PUMP  
5YR FRAME  
WARRANTY**



**VERSATILE BOOM**  
with 110° non-drip nozzles



## VERSATILE BOOM

Standard with all 200L SprayLink models.  
See page 80 for further information.



**EASY ACCESS PUMP**  
Quick operation and fuss free maintenance



CODE	DESCRIPTION	DIMENSIONS	RRP inc.
A. PLV0200L0152BV04	200L SprayLink with 12V 15.2L/min pump, Versatile boom	940 L x 750 W x 980 H	\$4,472
PLV0300AL0152BP04	300L SprayLink with 12V 15.2L/min pump, 4m Poly boom	940 L x 750 W x 1180 H	\$5,361



# SPRAYLINK PTO

200L / 300L

15YR TANK  
1YR PUMP  
5YR FRAME  
WARRANTY

With the powerful, Italian Bertolini pump, the higher flow rate is perfect for larger boom spraying!

## FEATURES

- UV stabilised polyethylene tank
- 22L/min Bertolini pump
- 6m x 10mm spray hose
- Powerjet spray gun
- Pressure regulator & gauge
- 4m Poly boom with non-drip nozzles
- 3-point-linkage galvanised steel frame
- Category 1 linkage pins
- Fully draining sump tank
- 250mm screw lid
- Anti-spill lip around lid
- Basket filter to reduce debris
- PTO shaft

4M POLY BOOM  
with protected  
non-drip nozzles

A.

SLIMLINE TANK  
for increased stability  
once on tractor



### 4M RAPID POLY BOOM

Standard with all 300L  
SprayLink models.

See page 81 for further  
information.



SPOT OR BOOM  
SPRAYING  
Task friendly  
pumping setup



CODE	DESCRIPTION	DIMENSIONS	RRP inc.
PLP0200L0220BV04	200L SprayLink with 22L/min Bertolini pump, Versatile boom	940 L x 750 W x 980 H	\$5,088
A. PLP0300AL00220BP04	300L SprayLink with 22L/min Bertolini pump, 4m Poly boom	940 L x 750 W x 1180 H	\$6,004

# BOOMS

**SMALL - LARGE**



## **SPRAY WITH CONFIDENCE**

Ranging from trailer booms for spot sprayers to large steel booms for professional field sprayers, the boom range is extensive in its spray width coverage, features and fitting capabilities.



# NOZZLES

## BOOM JET | BOOMLESS



### BOOMJET NOZZLE

Heavy duty brass body  
3 x TeeJet nozzles  
2 x Off-centre tips  
Wide spray swath




### BOOMJET FIT KIT

BoomJet nozzle  
2m x 10mm spray hose  
Mounting bracket

BAR	L./MIN (MAX)	SPRAY WIDTH	RRP inc.	FIT KIT RRP inc.
1.5	7.26	10.2	ABJ006 \$754	ABJ006KF \$1,002
2.0	8.38	10.3		
2.5	9.37	10.5		
1.5	11.6	12.0	ABJ010 \$754	ABJ010KF \$1,002
2.0	12.89	12.1		
2.5	14.41	12.3		
1.5	24.00	14.3	ABJ020 \$754	ABJ020KF \$1,002
2.0	27.72	15.2		
2.5	30.99	15.8		
1.5	47.44	17.1	ABJ040 \$754	ABJ040KF \$1,002
2.0	54.78	18.2		
2.5	61.25	19.2		

### BOOMLESS NOZZLE

Heavy duty brass nozzle body  
90° / 180° swath spraying angles  
Spraying up to 17m from a single nozzle  
Steel mounting bracket & u-bolt  
Easy change spray plates  
On/Off tap valve  
Make 1/2" BSP fitting  
Optimum mounting height 0.5-0.7m above spray target



### BOOMLESS NOZZLE FIT KIT

Boomless nozzle  
2m x 10mm spray hose  
Hose clamps



BAR	L./MIN (MAX)	SPRAY WIDTH	PUMP	RRP inc.	FIT KIT RRP inc.
3.0	3.8	7.0	> 7.5L/min	ABK02 \$201	ABK02K \$224
3.5	4.18	7.3			
4.0	4.156	7.6			
3.0	7.6	14.0	> 11.4L/min	ABK05 \$229	ABK05K \$250
3.5	8.36	14.6			
4.0	9.12	15.2			
3.0	15.9	15.2	> 19L/min	ABK10 \$243	ABK10K \$265
3.5	17.4	15.8			
4.0	18.9	16.0			
3.0	22.4	16.4	> 30L/min	ABK20 \$384	ABK20K \$405
3.5	25.5	17.0			
4.0	27.0	17.6			

**1YEAR  
WARRANTY**

# SMALL BOOMS

## 12V SPOT SPRAYER BOOMS


### SPRAY BOOM KITS

2/3/4m spray widths

140° deflector nozzle

Breakaway & fold arms - 3m/4m only

Minimum of 6.8L/min pump required



*\*Not including bracket height.*

CODE	DESCRIPTION	DIMENSIONS*	RRP inc.
ABSC020	2m Spray Boom kit	1040 L x 75 W x 85 H	<b>\$241</b>
ABS030	3m Boom kit, folding arms	2120 L x 75 W x 85 H	<b>\$455</b>
ABS040	4m Boom kit, folding arms	3100 L x 75 W x 85 H	<b>\$530</b>



### BOOMLESS NOZZLE SPRAY KIT

1.2m - 5m spray width

Multiple configurations

Fan tip

Wide angle spray


Minimum 6.8L/min pump required



Fan Tip



Wide Angle



**1YEAR  
WARRANTY**

CODE	DESCRIPTION	DIMENSIONS	RRP inc.
ABSC050	Boomless Nozzle Spray Kit	762 L x 69 W x 112 H	<b>\$336</b>





# VERSATILE BOOM

1.2M | 4M SPRAY WIDTH



As its name suggests, the Versatile Boom is multipurpose with seven different spraying patterns, ideal for spraying weeds, fence lines or firebreaks.

## FEATURES

- Sprays up to 4m wide
- 7 different spraying patterns
- 110° low-drift nozzles - non-drip filters
- TeeJet OC-04 brass offset end nozzles
- On / Off ball valve tap - three centre nozzles
- On / Off ball valve tap - OC end jet nozzles
- Boom mount brackets
- 1.2m wide steel frame

### ADJUSTABLE HEIGHT BRACKETS

Can be easily mounted with U-bolt clamps






## 7 DIFFERENT SPRAYING PATTERNS

### END JET NOZZLES

Adjust for different angles

### NON-DRIP NOZZLES

110° low drift



CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
ABVL040	<b>1.2m</b> Versatile Spray boom with 4m spray width	1200 L x 240 W x 660H	5kg	<b>\$524</b>
ABVL040UK	<b>1.2m</b> Versatile Spray boom with Lightweight UTV Hitch mount	1200 L x 240 W x 660H*	9.5kg	<b>\$739</b>



\*Boom measurement only.

**5YR FRAME**  
**15YR POLY ARMS**  
**1YR COMPONENTRY**  
**WARRANTY**

# RAPID POLY BOOM

4M

**Zero corrosion, high impact resistance and maintenance free, the Rapid Poly Boom “takes all the punches and bounces right back into action!”**

## FEATURES


UV stabilised polyethylene arms  
Hot dip galvanised steel  
Spring loaded breakaway arms  
Fitted with 110° low drift nozzles  
Non-drip protected nozzles  
Adjustable height mounting brackets  
Plumbed with 12mm spray hose

## IMPACT RESISTANT

Robust arms bounce right back into action, reducing time lost spraying.



**FULLY PROTECTED**  
Nozzles on boom arm fully protected from impact



CODE	DESCRIPTION	DIMENSIONS	SPRAY WIDTH	RRP inc.
ABP040	4m Rapid Poly Boom with breakaway arms	1120 L x 1330 W x 200 H	4 metres	<b>\$1,268</b>





# FLAT FOLD STEEL BOOM

6M | 8M | 10M

NEW STYLE!

5YR FRAME  
1YR COMPONENTRY  
WARRANTY

Australian Made, the Rapid Spray Steel Booms with breakaway arms and zinc protection, are whack resistant for those accidental impacts with trees and fence-lines.

## FEATURES

- Hot dip galvanised steel - rust free protection!
- Spring loaded breakaway arms
- Fitted with 110° low drift nozzles
- Non-drip protected nozzles
- Adjustable height mounting brackets
- Plumbed with 12mm spray hose
- TeeJet nozzle compatible




### SPRING LOADED ARMS

For superior impact resistance with easy locking pin for storage



### NON-DRIP NOZZLES

Protected to reduce risk of damage



CODE	DESCRIPTION	DIMENSIONS	SPRAY WIDTH	RRP inc.
A. ABMF060KF	6m Flat-fold Steel Boom with breakaway arms	2150 L x 1700 W x 250 H	6 metres	\$2,148
ABMF080KF	8m Flat-fold Steel Boom with breakaway arms	2150 L x 1750 W x 250 H	8 metres	\$2,492
ABMF100KF	10m Flat-fold Steel Boom with breakaway arms	2500 L x 1750 W x 250 H	10 metres	\$2,966







# BOOM BRACKETS & MOUNTS

SMALL - LARGE BOOMS



## LIGHTWEIGHT UTV HITCH MOUNT

Heavy duty galvanised steel frame  
T-bar for mounting smaller booms  
Includes hitch pin and clip  
50mm hitch receiver



### USE WITH

Versatile Boom  
Boomless Nozzles



CODE	RRP inc.
ATKUBM50MMLW	\$288

## SPRAYSCOUT BOOM MOUNTS

Heavy duty galvanised steel frame  
Boom mount brackets for SprayScout  
models only - designed to slip into  
SprayScout forklift pockets



CODE	RRP inc.
ATMBMS360	\$861
ATMBMS600	\$907

## HEAVY DUTY UTV HITCH MOUNT

Heavy duty galvanised steel frame  
U frame for mounting large booms  
Includes hitch pin and clip  
50mm hitch receiver



### USE WITH

Steel Boom - up to 8m  
Rapid Poly Boom  
Versatile Boom



CODE	RRP inc.
ATKUBM50MM	\$735

## ULTIMATE FIELD SPRAYER BOOM MOUNTS

Heavy duty galvanised steel frame  
Boom mount brackets for Ultimate field sprayers  
Designed to slip into Ultimate frame forklift pockets



CODE	RRP inc.
ATMBMB	\$393

# HOSE REELS & SPRAY GUNS

**SUIT EVERY APPLICATION**



## **TAKE BACK SPRAYING**

Guarantee spraying ease with the complete range of Buddy Smart Reels and Rapid Poly Reels with unparalleled features and warranties. Find the right spray gun to suit any task from spot spray or high pressure for atomisation. A solution for every application!

\*Images for marketing purposes only. Water only being sprayed.  
Please wear PPE as required for chemicals sprayed.





# RAPID POLY REEL

## MANUAL HOSE REEL




**Australian Made, robust and built tough, our manual Rapid Poly hose reels come in a range of hose lengths and mount styles to suit your application.**


### FEATURES

30m, 50m and 100m hose options  
10mm spray hose  
580psi rated  
Poly spool - rust and erosion resistant  
Hot dip steel frame  
Lock pin prevents spool unravelling  
Easy wind rotating handle

12mm spray hose available  
Ring 1800 011 000 for prices.



\*Spray gun not included.




Dimensions and weight may vary due to the manufacturing process. For confirmed weights and dimensions, please contact Rapid Spray.

## BARE REEL

Bare (no hoses)  
10mm fittings  
Suits 10mm spray hose

	CODE	DESCRIPTION / DIMENSIONS	DRY WT	RRP inc.
A.	ATHW05B10	<b>30/50m Base Mount</b> Bare Reel 470 L x 280 W x 480 H	5.7kg	<b>\$501</b>
	ATHW10B10	<b>100m Base Mount</b> Bare Reel 615 L x 370 W x 660 H	10kg	<b>\$793</b>
B.	ATHW05X10	<b>30/50m Side Mount</b> Bare Reel 470 L x 280 W x 480H	5.7kg	<b>\$487</b>




## SIDE MOUNT

30M & 50M

10mm Ø hose  
10mm fittings  
Steel side mount frame

	CODE	DESCRIPTION / DIMENSIONS	DRY WT	RRP inc.
A.	ATHW05X030M10	<b>30m Side Mount</b> with 10mm hose 470 L x 280 W x 480 H	8.6kg	<b>\$699</b>
	ATHW05X050M10	<b>50m Side Mount</b> with 10mm hose 470 L x 280 W x 480H	12kg	<b>\$862</b>



## BASE MOUNT

30M, 50M & 100M

10mm Ø hose  
10mm fittings  
Steel base mount frame

	CODE	DESCRIPTION / DIMENSIONS	DRY WT	RRP inc.
A.	ATHW05B030M10	<b>30m Base Mount</b> with 10mm hose 470 L x 280 W x 480 H	9.7kg	<b>\$691</b>
	ATHW05B050M10	<b>50m Base Mount</b> with 10mm hose 470 L x 280 W x 480 H	13kg	<b>\$875</b>
	ATHW10B100M10	<b>100m Base Mount</b> with 10mm hose 615 L x 370 W x 660 H	24kg	<b>\$1,704</b>







# BUDDY SMART REEL

## 12/24V RADIO REMOTE REEL

**The all-new Buddy Smart Reel is your tangle proof solution to spraying the most stubborn weeds in the trickiest of places. Featuring a 'MyPace' auto rewind remote with 2km radius and an impressive three year warranty that's always got your back.**


### FEATURES

50, 100 and 150m hose options  
10mm or 8mm spray hose options  
12/24V brushless direct drive motor  
2km line-of-site radio remote - market leading!  
My-Pace remote - offers custom rewind speeds  
On-board control board - manual control  
Low voltage protection  
High pressure performance - rated 1,000psi  
Galvanised & powder coated surfaces  
Tapered spool for consistent hose layup  
Stainless steel roller hose guides  
Retro fit - easy 4-bolt mounting



#### MY-PACE REMOTE

Unique 2-button remote offers custom rewind speeds. You can choose a speed that suits the terrain you are working in.



**BATTERY CABLE CONNECTOR & WIRING HARNESS**  
with low voltage protection



\*Spray gun not included.



A.



#### BRUSHLESS HIGH TORQUE DIRECT DRIVE MOTOR

Means zero maintenance on belts or chains



#### ON/OFF & MANUAL SPEED ADJUSTMENT

	CODE	DESCRIPTION	DIMENSIONS	BASE PLATE	DRY WT	RRP inc.
A.	ATHB050M10	<b>50m</b> Buddy Smart Reel - 10mm hose	536 L x 230 W x 538 H	270 L x 230 W	22kg	<b>\$3,968</b>
	ATHB100M10	<b>100m</b> Buddy Smart Reel - 10mm hose	710 L x 260 W x 710 H	333 L x 255 W	42kg	<b>\$5,043</b>
	ATHB150M10	<b>150m</b> Buddy Smart Reel - 10mm hose	710 L x 260 W x 710 H	333 L x 255 W	45kg	<b>\$5,361</b>
	ATHB05B100M08	<b>100m</b> Buddy Smart Reel - 8mm hose	536 L x 230 W x 538 H	270 L x 230 W	20.5kg	<b>\$4,419</b>

\*Spray gun not included.

Dimensions and weight may vary due to the manufacturing process.  
For confirmed weights and dimensions, please contact Rapid Spray.

Visit your local dealer, call 1800 011 000 or visit [rapidspray.net](http://rapidspray.net)



# HOSE REEL SPARES

## BUDDY SMART REEL



### MY-PACE REMOTE CONTROL

Supplied with 2 AA batteries - 915Mhz

#### USE WITH

Buddy Smart Reels from  
Serial No. SB1000 and onwards




### BUDDY SMART REEL STAINLESS STEEL ROLLERS

Stainless Steel  
24mm diameter

#### SUITABLE WITH

All Buddy Smart Reels



#### CODE

RRP inc.

ARIR1CSM	My-Pace Remote	<b>\$387</b>
ARIR1CPL	Lanyard & Pouch	<b>\$24.20</b>

#### CODE

RRP inc.

ARE05HGRS	<b>\$172</b>
-----------	--------------

### BUDDY SMART REEL HOSE JOINERS

Hose joiner

#### OPTIONS

8mm Ø nylon  
10mm Ø nylon



#### CODE

RRP inc.

CFBDJ08N	<b>8mm</b>	<b>\$35.70</b>
CFBDJ10N	<b>10mm</b>	<b>\$35.70</b>

### BUDDY SMART REEL HOSE END FITTINGS

Nut and tail ½" BSP x 8mm  
Compression fitting



#### CODE

RRP inc.

CFBD51208NS	<b>8mm</b>	<b>\$29.80</b>
CFBDS1210NS	<b>10mm</b>	<b>\$32.70</b>

### 24V BATTERY BOOSTER PACK

Convert 12V standard Buddy Smart Reel  
battery into 24V - increases pull power!  
12V charging connection



#### CODE

RRP inc.

ATCWBE005	<b>\$1,444</b>
-----------	----------------

# HOSE REEL SPARES

## RAPID POLY REEL



### BLACK ROTATING HANDLE

Rotating handle for poly reels



CODE

RRP inc.

CHHRB10M080

**\$30.20**

### POLY REEL SWIVEL

$\frac{3}{8}$  -  $\frac{1}{4}$ " BSP ball swivel

SUITABLE WITH

30 / 50 / 100m



CODE

RRP inc.

CFSBB10F06FA

**\$116**







**1 YEAR  
WARRANTY**

# SPRAY LANCES

## HOME & GARDEN

### POLY SPRAY LANCE

Poly wand  
On/Off hand trigger  
Ideal for backpack sprayers



CODE

DESCRIPTION

PRESSURE

LENGTH





DRY WT

RRP inc.

**INACTIVE PRODUCT - Please contact Rapid Spray 1800 011 000 for more information.**

### ECONOMY SPRAY LANCE

Chromed aluminium wand  
On/Off hand trigger  
Brass or poly adjustable nozzles  
10mm hose tail



CODE

DESCRIPTION

PRESSURE

LENGTH

DRY WT

RRP inc.

A.	AHL012RP	<b>Jacto Lance</b> - suits Jacto backpack sprayers	5 bar / 70psi	750mm	0.3kg	<b>\$67</b>
B.	AHG112TRP	<b>RapidJet</b> Ergonomic spray gun (5 - 15L/min)	17 bar / 250psi	755mm	0.4kg	<b>\$117</b>
C.	AHL009RP	<b>850mm Economy</b> spray lance - with adjustable nozzle	7 bar / 100psi	760mm	0.2kg	<b>\$59</b>
D.	AHL008RP	<b>800mm Economy</b> spray lance	4 bar / 60psi	800mm	0.2kg	<b>\$44.10</b>
E.	AHL010RP	<b>Telescopic</b> spray lance - with trigger lock	5 bar / 70psi	1310mm	0.3kg	<b>\$88</b>






1 YEAR  
WARRANTY

# POWERJET

## SPRAY GUN

### SPOT 300 POWERJET

Heavy duty reinforced poly handle  
Stainless steel lance  
Adjustable brass spray 1.5mm nozzle  
Teflon seals  
10mm hose tail



CODE	DESCRIPTION	MAX FLOW	PRESSURE	LENGTH	DRY WT	RRP inc.
AHG105TRP	<b>Spot 300</b> Powerjet spray gun	5 - 15L/min	40 bar / 580psi	300mm	0.7kg	<b>\$228</b>

### POWERJET PISTOL GRIP



Heavy duty reinforced poly handle  
Stainless steel lance  
Adjustable brass spray nozzle  
10mm hose tail & swivel



Fan



Jet



	CODE	DESCRIPTION	MAX FLOW	PRESSURE	LENGTH	DRY WT	RRP inc.
A.	AHG109STRP	<b>PowerJet 475</b> spray gun	5 - 15L/min	20 bar / 300psi	475mm	0.6kg	<b>\$194</b>
B.	AHG110STRP	<b>PowerJet 700</b> spray gun	5 - 15L/min	20 bar / 300psi	700mm	0.6kg	<b>\$198</b>
C.	AHG111STRP	<b>PowerJet 865</b> spray gun	5 - 15L/min	20 bar / 300psi	865mm	0.7kg	<b>\$212</b>





# DRIPLESS SHUT-OFF

## SPRAY GUN



Stop unintentional drips with this brass Dripless nozzle spray gun - stops drips at the tip!

FEATURES

- Heavy duty reinforced poly handle
- Stainless steel lance
- Adjustable brass cone nozzle
- 10mm hose tail
- Viton seals



CODE	DESCRIPTION	MAX FLOW	PRESSURE	LENGTH	DRY WT	RRP inc.
AHG113TRP	Dripless spray gun	1.5 - 2.5L/min	4 bar / 60psi	850mm	0.7kg	\$169



Images for marketing purposes only. Spray may look different to what is pictured.




# PISTOL GRIP

## SPRAY GUN

Heavy duty steel, aluminium and brass construction, the Pistol Grip long range spray gun is ideal for tough spraying conditions!

### FEATURES

- Stainless steel / aluminium / brass construction
- High pressure capacity
- Teflon seals
- Adjustable spray 2.5mm nozzle\*
- 10mm hose tail & swivel



CODE	DESCRIPTION	MAX FLOW	PRESSURE	LENGTH	DRY WT	RRP inc.
AHG104STRP	Pistol Grip all metal spray gun	15 - 25L/min	55 bar / 800psi	180mm	0.8kg	\$280

\*Other nozzle sizes available

Dimensions and weight may vary due to the manufacturing process.  
For confirmed weights and dimensions, please contact Rapid Spray.





# TURBO 400

## SPRAY GUN



**With multiple spray patterns, ergonomic design and heavy duty construction, the Turbo 400 is the ultimate spray gun ideal for professional and general use spraying.**

### FEATURES

Adjustable atomiser nozzle for fine mist spraying  
Viton seal - aggressive chemicals  
High pressure capacity  
Adjustable lance length

### PENCIL STREAM

Ideal for distance spraying / high pressure



### MID STREAM

Covers a large area quickly



### FINE MIST

Reduction in droplet size for full leaf coverage




## POLY TURBO 400 SPRAY GUN

Heavy duty poly handle  
Adjustable atomiser nozzle for fine mist spraying  
Viton seal - aggressive chemicals  
High pressure capacity  
Adjustable atomising cone  
2.3mm nozzle  
10mm hose tail



**NOZZLE SHROUD**  
Back spray protection





CODE	DESCRIPTION	PRESSURE	LENGTH	DRY WT	RRP inc.
AHG102STRP	<b>Poly Turbo 400</b> spray gun	50 bar / 725psi	400mm	0.6kg	<b>\$233</b>

## ALLOY TURBO 400 SPRAY GUN

Heavy duty metal alloy handle  
Adjustable atomiser nozzle for fine mist spraying  
Viton seal - aggressive chemicals  
High pressure capacity  
Adjustable atomising cone  
1.5mm nozzle  
10mm hose tail



**SPRAY LEVER**  
Quick change spray pattern



CODE	DESCRIPTION	PRESSURE	LENGTH	DRY WT	RRP inc.
AHG103STRP	<b>Alloy Turbo 400</b> spray gun	50 bar / 725psi	400mm	0.8kg	<b>\$254</b>





# SPRAY GUN & LANCE SPARES

## NOZZLES



### REPLACEMENT SPRAY LANCE NOZZLE

Adjustable from stream to mist

#### USE WITH

850mm Economy - AHL009RP  
Telescopic - AHL010RP



CODE	RRP inc.
CPLP009N	\$20.70

### BRASS NOZZLE

Adjustable from stream to mist

#### USE WITH

RapidJet (AHG112)  
PowerJet (AHG109/110/111)



CODE	RRP inc.
CPLP108N	\$35.20

### PISTOL GRIP SPRAY GUN NOZZLES

Adjustable from stream to mist



CODE	SIZE	RRP inc.
CPLP104N15	1.5mm	\$42.90
CPLP104N20	2.0mm	\$42.90
CPLP104N25	2.5mm	\$42.90
CPLP104N30	3.0mm	\$42.90
CPLP104N35	3.5mm	\$42.90
CPLP104N40	4.0mm	\$42.90

### ECONOMY SPRAY LANCE NOZZLE

Adjustable from stream to mist

#### USE WITH

800mm Economy - AHL008RP



CODE	RRP inc.
CPLP008N	\$18

### SPOT 300 SPRAY GUN CERAMIC NOZZLE

Adjustable from stream to mist



CODE	SIZE	RRP inc.
CPLP105N (Nut & Washer) (a)		\$31
CPLP105N15	1.5mm	\$31
CPLP105N23	2.3mm	\$31

### TURBO 400 SPRAY GUN CERAMIC NOZZLES

Adjustable from stream to mist



CODE	SIZE	RRP inc.
CPLP102N15	1.5mm	\$42.90
CPLP102N23	2.3mm	\$42.90
CPLP102N35	3.5mm	\$42.90

# SPRAY GUN & LANCE SPARES

## REPAIR KITS

### POWERJET REPAIR KIT

Ball bearing  
O-Rings,  
Cup seal  
Spring  
Piston



#### USE WITH

AHG109, AHG110, AHG111

#### CODE

CPLK108R

#### RRP inc.

**\$43.70**

### SPOT 300 REPAIR KIT

Spring  
O-rings  
Cup seal  
Washer  
Brass nut



#### USE WITH

AHG105STRP

#### CODE

CPLK105R

#### RRP inc.

**\$98**

### PISTOL GRIP REPAIR KIT

Cup seal  
O-Rings  
Piston



#### USE WITH

AHG104STRP

#### CODE

CPLK104R

#### RRP inc.

**\$131**

### TURBO 400 REPAIR KIT

Spring  
O-rings  
Cup seal  
Lever handle  
Brass bush  
Shroud



#### USE WITH

AHG102STRP, AHG103STRP

#### CODE

CPLK102R

#### RRP inc.

**\$161**





# PUMPS, MOTORS & REGULATORS

**CONFIDENT SPRAYING**

## **LEADING PUMP BRANDS**

Find the best pump to suit your spraying application whether it be a 12V pump or a high performance motorised diaphragm pump. With market leading global brands available, you are guaranteed quality when spraying in the field.



# RAPIDLINE

4.1L/MIN - 26.5L/MIN

**2 YEAR  
EXTENDABLE  
WARRANTY**

## 4.1L/MIN

4.1L/min 4.8 bar / 70psi  
Viton valves  
Santoprene diaphragm  
10mm hose barbs  
Intermittent duty cycle  
*\*Hose fittings not required*



A.

## 6.8L/MIN

6.8L/min 8 bar / 120psi  
Viton valves  
Santoprene diaphragm  
3D quick attach ports  
Suction filter inc.  
Hose fittings inc.  
Continuous duty cycle



B.

## 19.0L/MIN

19.0L/min 4 bar / 60psi  
Viton valves  
Santoprene diaphragm  
5D quick attach ports  
Suction filter inc.  
Hose fittings inc.  
Continuous duty cycle



C.

## 26.5L/MIN

26.5L/min 4 bar / 60psi  
Viton valves  
Santoprene diaphragm  
5D quick attach fittings  
Suction filter inc.  
Hose fittings inc.  
Continuous duty cycle



D.

	CODE	DESCRIPTION	BEST FOR	AMPS (MAX)	MAX FLOW	PRESSURE	RRP inc.
A.	APR0040	<b>4.0L/min</b> RapidLine	Spot spraying	4	4.0L/min	4.8 bar / 70psi	<b>\$123</b>
B.	APR0068Q	<b>6.8L/min</b> RapidLine	Spot spraying	12	6.8L/min	8 bar / 120psi	<b>\$243</b>
C.	APR0190Q	<b>19.0L/min</b> RapidLine	Spot & small boom	18	19.0L/min	4 bar / 60psi	<b>\$366</b>
D.	APR0265Q	<b>26.5L/min</b> RapidLine	Med-large boom	25	26.5L/min	4 bar / 60psi	<b>\$740</b>





# PUMP FITTINGS

## RAPIDLINE



### SUCTION FILTER - 3D PORTS

50 mesh filter screen  
3D inlet / outlet ports



CODE	RRP inc.
ATPFS050Q3D	<b>\$51</b>

### SUCTION FILTER - 5D PORTS

50 mesh filter screen  
5D quick attach  
12mm barb



CODE	RRP inc.
ATPFS050Q12RP	<b>\$69</b>

### QUICK ATTACH REGULATOR

Regulator only



SIZE	CODE	RRP inc.
3D	ATRM020LQ10	<b>\$131</b>
5D	ATRM020LQ12	<b>\$131</b>

### 12V REMOTE CONTROL

20A max draw  
Control pump or solenoids  
2 pin plug inc.  
1 transmitter



CODE	RRP inc.
ARIR1CP	<b>\$105</b>

# THREADED FITTINGS

## SHURFLO PUMPS



### ½ NPT FEMALE 10MM SWIVEL ELBOW



CODE	RRP inc.
CFNE12NF10B	<b>\$21.40</b>

### ½ NPT FEMALE 12MM SWIVEL ELBOW



CODE	RRP inc.
CFNE12NF12B	<b>\$21.40</b>

### ½ NPT FEMALE 10MM BARB STRAIGHT



CODE	RRP inc.
CFNS12NF10B	<b>\$18.70</b>

### ½ NPT FEMALE 12MM BARB STRAIGHT



CODE	RRP inc.
CFNS12NF12B	<b>\$28.90</b>



# DELAVAN PUMPS

## WHY BUY DELAVAN PUMPS?

Delavan pumps are a firm favourite of spraying contractors and farmers all around the world. Delavan USA utilise bigger bearings, and heavier motor casings so the pumps run longer and cooler every day.

**Long lasting Viton valves**  
**Durable santoprene diaphragm**  
**Dual bearings for smoother running**



## QUICK ATTACH FITTINGS

3D =  $\frac{5}{8}$ " (16mm OD)

5D =  $\frac{3}{4}$ " (19mm OD)



# DEHAVAN PUMPS - 12V

3.8L/MIN - 7.5L/MIN


## 2200-201

3.8L/min 2 bar 40psi  
10mm hose barbs  
*\*\*Fittings not required*



## 7801-201

3.8L/min 4 bar 60psi  
3D quick attach ports  
10mm elbow fittings



### OPTIONAL UPGRADE

Regulator, filter & gauge kit

*\*Picture for marketing purposes only.  
Regulator not standard across range.*



	DESCRIPTION	BEST FOR	AMPS (MAX)	MAX FLOW	PRESSURE	PUMP & FITTING RRP inc.	PUMP, REG & FILTER KIT
A.	2200-201	Spot spraying	3.5A	3.8L/min	2 bar / 40psi	APD0038RP** \$186	N/A
B.	7801-201	Spot spraying	5A	3.8L/min	4 bar / 60psi	APD0038Q10ERP \$280	APD0038Q10ERPK \$577

## 7802-201

7.5L/min 4 bar 60psi  
3D quick attach ports  
10mm elbow fittings



## 7812-201

7.5L/min 4 bar 60psi  
3/8" female threaded ports  
10mm elbow fittings



## 7802-201HS

7.5L/min 6.8 bar / 100psi  
Cooling fins  
3D quick attach ports  
10mm elbow fittings



	DESCRIPTION	BEST FOR	AMPS (MAX)	MAX FLOW	PRESSURE	PUMP & FITTING RRP inc.	PUMP, REG & FILTER KIT
A.	7802-201	Spot & small boom	6A	7.5L/min	4 bar / 60psi	APD0077Q10ERP \$317	APD0077Q10ERPK \$587
B.	7812-201	Spot & small boom	10A	7.5L/min	4 bar / 60psi	APD0077T10ERP \$317	N/A
C.	7802-201HS	Spot & small boom	8.5A	7.5L/min	6.8 bar / 100psi	APD0076Q10ERP \$340	APD0076Q10ERPK \$643

# DELAVAN PUMPS - 12V

8.3L/MIN - 19.0L/MIN

## 7822-201

8.3L/min 4 bar / 60psi  
5D quick attach ports  
10mm elbow fittings

## 7822FS-221

8.3L/min 4 bar / 60psi  
Bypass/ Diaphragm Pump  
"Pulse Free" - eliminates pump cycling



A.

## 5930-201

11.4L/min 4 bar / 60psi  
5D quick attach ports  
10mm elbow fittings



B.

## OPTIONAL UPGRADE

Regulator, filter & gauge kit

\*Picture for marketing purposes only.  
Regulator not standard across range.



	DESCRIPTION	BEST FOR	AMPS (MAX)	MAX FLOW	PRESSURE	PUMP & FITTING RRP inc.	PUMP, REG & FILTER KIT
A.	<b>7802-201</b>	Spot & small boom	8.5A	8.3L/min	4 bar / 60psi	APD0083Q10ERP <b>\$343</b>	APD0083Q10ERPK <b>\$614</b>
	<b>7802FS-221</b>	Spot spraying	13A	8.3L/min	D: 6 bar / 85psi B: 6.8 bar / 100psi	APDS0083Q10E <b>\$465</b>	APDS0083Q10ERPK <b>\$766</b>
B.	<b>5930-201</b>	Spot & small boom	10A	11.4L/min	4 bar / 60psi	APD0114Q10ERP <b>\$414</b>	APD0114Q10ERPK <b>\$725</b>

## 5940-201

15.2L/min 3 bar / 45psi  
5D quick attach ports  
12mm elbow fittings



A.

## 5950-201

19.0L/min 4 bar / 60psi  
5D quick attach ports  
12mm elbow fittings



B.

	DESCRIPTION	BEST FOR	AMPS (MAX)	MAX FLOW	PRESSURE	PUMP & FITTING RRP inc.	PUMP, REG & FILTER KIT
A.	<b>5940-201</b>	Spot & small boom	12A	15.2L/min	3 bar / 45psi	APD0152Q12ERP <b>\$427</b>	APD0152Q12ERPK <b>\$740</b>
B.	<b>5950-201</b>	Spot & small boom	16A	19.0L/min	4 bar / 60psi	APD0190Q12ERP <b>\$522</b>	APD0190Q12ERPK <b>\$846</b>




# DELAVAN PUMPS - 12V

26.5L/MIN

## FB2

26.5L/min 6.8 bar / 100psi  
Cooling fins  
5D quick attach ports  
12mm elbow fittings



### OPTIONAL UPGRADE

Regulator, filter & gauge kit

\*Picture for marketing purposes only.



	DESCRIPTION	BEST FOR	AMPS (MAX)	MAX FLOW	PRESSURE	PUMP & FITTING RRP inc.	PUMP, REG & FILTER KIT
A.	FB2	Med-large boom	27A	26.5L/min	6.8 bar / 100psi	APD0265Q12ERP \$921	APD0265Q12ERPK \$1,279

# DELAVAN PUMPS - 24V

7.5L/MIN - 15.2L/MIN




## 7802-201/24

7.5L/min 6.8 bar / 100psi  
Cooling fins  
3D quick attach fittings  
10mm elbow fittings



## 5940-201/24

15.2L/min 4 bar / 60psi  
5D quick attach fittings  
12mm elbow fittings



	DESCRIPTION	BEST FOR	AMPS (MAX)	MAX FLOW	PRESSURE	CODE	RRP inc.
A.	7802-201/24	Spot & small boom	8.5A	7.5L/min	6.8 bar / 100psi	APD0076QV210E	\$453
B.	5940-201/24	Spot & small boom	8.5A	15.2L/min	4 bar / 60psi	APD0152QV212E	\$551

# PUMP FITTINGS


DELANVAN



## QUICK ATTACH HOSE FITTINGS

Elbow or straight

Pack of 2



SUITS	10MM STRAIGHT	12MM STRAIGHT	19MM STRAIGHT	10MM ELBOW	12MM ELBOW	19MM ELBOW
APD0038Q APD0077Q APD0076Q	CDP3DFA38X2 <b>\$23.40</b> (A)	CDP3DFA12X2 <b>\$23.40</b>	N/A	CDP3DFE38X2 <b>\$23.40</b> (C)	CDP3DFE12X2 <b>\$23.40</b>	N/A
APD0083Q APD0114Q APD0152Q APD0190Q APD0265Q	CDP5DFA38X2 <b>\$29.30</b>	CDP5DFA12X2 <b>\$23.10</b>	CDP5DFA34X2 <b>\$32.80</b> (B)	CDP5DFE38X2 <b>\$29.30</b>	CDP5DFE12X2 <b>\$29.30</b> (D)	CDP5DFE34X2 <b>\$32.80</b>

## 3.6M WIRE HARNESS KIT

With cigarette lighter adaptor - 10 amp

Suits 3.8 - 11.4L/min pump

Alligator clips

ON / OFF Switch



CODE	RRP inc.
ATCWL03612VSACRP	<b>\$78</b>

## 4M WIRE HARNESS KIT

With alligator clips - 30 amp

Suits 15.2 - 26.5L/min

No switch



CODE	RRP inc.
ATCWL04012VACH	<b>\$89</b>

## QUICK ATTACH REGULATOR & GAUGE

Pressure regulator

0-100psi Gauge



SIZE	CODE	RRP inc.
3D	ATRM020LQ10GRP	<b>\$200</b>
5D	ATRM020LQ12GRP	<b>\$200</b>

## QUICK ATTACH FILTER


50 mesh

5D quick attach



SIZE	CODE	RRP inc.
3D	ATPFS050Q10RP	<b>\$69</b>
5D	ATPFS050Q12RP	<b>\$69</b>





# COMMANDO


## PUMP & MOTOR



**The economical Commando pump is a simple and easy to use high performance pump.**

### FEATURES

Commando 12L/min 25 bar 360psi pump  
Honda GX35 motor  
Pressure regulator & gauge  
Mounting feet



	CODE	DIMENSIONS	WT	RRP inc.
A.	APP0120G (Pump only)	290 L x 130 W x 190 H	10kg	<b>\$1,304</b>
B.	APP0120GHA	555 L x 375 W x 375 H	15kg	<b>\$2,066</b>

### COMMANDO PUMP, MOTOR & REEL


Commando 12L/min 25 bar 360psi pump  
Honda GX35 motor  
Pressure regulator & gauge  
30m x 8mm manual hose reel  
Poly Turbo 400 spray gun  
Frame with mounting feet



	CODE	DIMENSIONS	WT	RRP inc.
	APP0120GH030G	550 L x 380 W x 380 H	20kg	<b>\$2,379</b>

Dimensions and weight may vary due to the manufacturing process.  
For confirmed weights and dimensions, please contact Rapid Spray.







# MARUYAMA

## PUMP



### MSD41

33L/min 40 bar 580psi  
 3 piston pump  
 Uniflow - one direction fluid movement  
 Direct drive design  
 Chrome coated cylinders  
 3/4 key shaft  
 Pressure regulator inc.



CODE	DIMENSIONS	WEIGHT	RRP inc.
APM0330R	195 L x 255 W x 210 H	5.3kg	\$2,070

### MSD51

45L/min 40 bar 580psi  
 3 piston pump  
 Uniflow - one direction fluid movement  
 Direct drive design  
 Chrome coated cylinders  
 3/4 key shaft  
 Pressure regulator inc.



CODE	DIMENSIONS	WEIGHT	RRP inc.
APM0450R	235 L x 337 W x 176 H	7.8kg	\$2,317



Dimensions and weight may vary due to the manufacturing process. For confirmed weights and dimensions, please contact Rapid Spray.



# MARUYAMA

## PUMP & MOTOR



### MSD41 & HONDA GX200

33L/min 40 bar 580psi  
3 piston pump  
GX200 Honda motor  
Uniflow - one direction fluid movement  
Direct drive design  
Chrome coated cylinders  
3/4 key shaft  
Pressure regulator inc.



CODE	DIMENSIONS	WEIGHT	RRP inc.
APM0330RZ	455 L x 385 W x 345 H	21.3kg	<b>\$3,316</b>

### MSD51 & HONDA GX200

45L/min 40 bar 580psi  
3 piston pump  
GX200 Honda motor  
Uniflow - one direction fluid movement  
Direct drive design  
Chrome coated cylinders  
3/4 key shaft  
Pressure regulator inc.



*\*MSD41 pictured*

CODE	DIMENSIONS	WEIGHT	RRP inc.
APM0450RZ	495L x 385 W x 345 H	23.8kg	<b>\$3,562</b>



# BERTOLINI

## PTO DRIVE



### POLY 2020

22L/min 20 bar 290psi  
 2 diaphragm pump  
 1 3/8 spline shaft  
 Stainless steel check valves  
 Wet end components anodized



CODE	DIMENSIONS	WEIGHT	RRP inc.
APL0220S	238 L x 304 W x 219 H	5.6kg	<b>\$1,506</b>

### PA530


54L/min 40 bar 580psi  
 3 diaphragm pump  
 1 3/8 spline shaft  
 Stainless steel check valves  
 Wet end components anodized



CODE	DIMENSIONS	WEIGHT	RRP inc.
APL0540S	335 L x 230 W x 256 H	4.0kg	<b>\$2,155</b>

### PA330

34L/min 40 bar 580psi  
 3 diaphragm pump  
 1 3/8 spline shaft  
 Stainless steel check valves  
 Wet end components anodized



CODE	DIMENSIONS	WEIGHT	RRP inc.
APL0340S	239 L x 201 W x 220 H	2.4kg	<b>\$1,550</b>

### POLY 2073

75L/min 15 bar 218psi  
 3 diaphragm pump  
 1 3/8 spline shaft  
 Stainless steel check valves  
 Wet end components anodized



CODE	DIMENSIONS	WEIGHT	RRP inc.
APL0750S	236 L x 240 W x 260 H	2.1kg	<b>\$1,820</b>



# BERTOLINI

## PUMP & GEARBOX



### POLY 2020 & GEARBOX

22L/min 20 bar 290psi  
2 diaphragm pump  
Gear box to suit  
¾ key shaft  
Stainless steel check valves  
Wet end components anodized



CODE	DIMENSIONS	WEIGHT	RRP inc.
APL0220KG	463 L x 304 W x 219 H	10kg	<b>\$1,955</b>

### PA530 & GEARBOX


54L/min 40 bar 580psi  
3 diaphragm pump  
Gear box to suit  
¾ key shaft  
Stainless steel check valves  
Wet end components anodized



CODE	DIMENSIONS	WEIGHT	RRP inc.
APL0540KG	350 L x 230 W x 256 H	13kg	<b>\$2,872</b>

### PA330 & GEARBOX

34L/min 40 bar 580psi  
3 diaphragm pump  
Gear box to suit  
¾ key shaft  
Stainless steel check valves  
Wet end components anodized



CODE	DIMENSIONS	WEIGHT	RRP inc.
APL0340KG	255 L x 201 W x 220 H	12kg	<b>\$2,271</b>

### POLY 2073 & GEARBOX

75L/min 15 bar 218psi  
3 diaphragm pump  
Gear box to suit  
¾ key shaft  
Stainless steel check valves  
Wet end components anodized



CODE	DIMENSIONS	WEIGHT	RRP inc.
APL0750KG	365L x 240 W x 260 H	15kg	<b>\$2,543</b>






# BERTOLINI

## PUMP, GEARBOX, REGULATOR & MOTOR



### POLY 2020 WITH GX200 HONDA MOTOR


22L/min 20 bar 290psi  
2 diaphragm pump  
GX200 Honda motor  
Bertolini regulator & gauge  
Stainless steel check valves  
Wet end components anodized



CODE	DIMENSIONS	WEIGHT	RRP inc.
APL0220KGHK	696 L x 385 W x 345 H	26kg	<b>\$3,893</b>

### PA530 WITH GX200 HONDA MOTOR


54L/min 40 bar 580psi  
3 diaphragm pump  
GX200 Honda motor  
Bertolini regulator & gauge  
Stainless steel check valves  
Wet end components anodized



CODE	DIMENSIONS	WEIGHT	RRP inc.
APL0540KGHK	740 L x 385 W x 345 H	29kg	<b>\$4,866</b>

### PA330 WITH GX200 HONDA MOTOR


34L/min 40 bar 580psi  
3 diaphragm pump  
GX200 Honda motor  
Bertolini regulator & gauge  
Stainless steel check valves  
Wet end components anodized



CODE	DIMENSIONS	WEIGHT	RRP inc.
APL0340KGHK	640 L x 385 W x 345 H	28kg	<b>\$4,245</b>

### POLY 2073 WITH GX200 HONDA MOTOR

75L/min 15 bar 218psi  
3 diaphragm pump  
GX200 Honda motor  
Arag regulator & gauge  
Stainless steel check valves  
Wet end components anodized



CODE	DIMENSIONS	WEIGHT	RRP inc.
APL0750KGHK	625 L x 385 W x 345 H	31kg	<b>\$4,669</b>

# REGULATORS, SOLENOID & CONTROLS

BERTOLINI | ARAG



## BERTOLINI 15 BAR STING REGULATOR

Pressure gauge  
3 way outlet with ball taps

### USE WITH

Bertolini Poly 2073



CODE	L/MIN	PRESSURE	RRP inc.
ATRB15B09013M3K	90L/min	15 bar / 218psi	<b>\$624</b>

## ARAG MANUAL REGULATOR

Regulator & gauge  
3 manual section valves



CODE	L/MIN	PRESSURE	RRP inc.
ATRA10B080X3M3	80L/min	9 bar / 140psi	<b>\$609</b>

## ARAG REGULATOR - MULTI CONTROL

Regulator & gauge  
2 electric section valve  
1 manual section valve  
Electric main ON/OFF

### USE WITH

ATCC2WW Control Box



CODE	L/MIN	PRESSURE	RRP inc.
ATRA20B14023E2M1	140L/min	20 bar / 290psi	<b>\$2,116</b>

## BERTOLINI 40 BAR STING REGULATOR

Pressure gauge  
3 way outlet with ball taps

### USE WITH

Bertolini PA330

Bertolini PA530




CODE	L/MIN	PRESSURE	RRP inc.
ATRB40B09013M3K	90L/min	40 bar / 580psi	<b>\$650</b>

## ARAG REGULATOR - MULTI CONTROL

Regulator & gauge  
3 manual section valves  
Manual main ON/OFF

### USE WITH

Bertolini Poly 2073




CODE	L/MIN	PRESSURE	RRP inc.
ATRA20B14013M3	140L/min	20 bar / 290psi	<b>\$792</b>

## ARAG REGULATOR - MULTI CONTROL

Regulator & gauge  
3 electric section valve  
1 manual section valve  
Electric main ON/OFF

### USE WITH

ATCC2WVP3P Control Box



CODE	L/MIN	PRESSURE	RRP inc.
ATRA20B14023E3M1	140L/min	20 bar / 290psi	<b>\$2,651</b>



# CONTROLS

BERTOLINI | ARAG



## ARAG SECTION VALVE


Single electric section valve  
10mm hose tail  
3 wire



CODE	L/MIN	PRESSURE	RRP inc.
CAP8630011	140L/min	20 bar / 290psi	<b>\$524</b>

## SOLENOID KIT

1/2" Brass single solenoid valve  
3.6m electrical leads  
1/2" BSP ports  
10mm hose tails



CODE	L/MIN	PRESSURE	RRP inc.
ATVS10B036RP	20L/min	9 bar / 140psi	<b>\$273</b>

## CONTROL BOX - 1 WAY

1 way switch box  
Cables  
3 wire



CODE	RRP inc.
ATCC1W	<b>\$189</b>

## CONTROL BOX - 2 WAY

2 way switch box  
Cables  
3 wire



CODE	RRP inc.
ATCC2W	<b>\$273</b>

## CONTROL BOX - ON/OFF

2 way switch box  
Main ON/OFF switch  
Cables  
3 wire



CODE	RRP inc.
ATCC2WW	<b>\$413</b>


## CONTROL BOX - PRESSURE CONTROL

3 way switch box  
Main ON/OFF switch  
Pressure control switch  
Cables  
2/3 wire



CODE	RRP inc.
ATCC3WVP3P	<b>\$876</b>







# NOZZLES

**QUALITY & PRECISION**



## **MOST POPULAR NOZZLE BRANDS**

---

Rapid Spray stocks a large range of quality and precision spray nozzles from world famous components and nozzle suppliers including ASJ by ARAG and TeeJet. Offering outstanding accuracy, there are a wide range available for spraying most chemicals.

# NOZZLE SELECTION GUIDE

## TEEJET & ARAG (ASJ) NOZZLES



### CAUTION

Always consult with your local agronomist before commencing spraying. Always follow the chemical manufacturer's product label for specific rate and application recommendations. Rapid Spray is not a certified agronomist, and takes no responsibility or liability for incorrectly sprayed chemicals. Rapid Spray cannot give advice on spraying recommendations.

### NOZZLE DROPLET SIZE

When choosing a nozzle, beware of spray drift. Finer droplets are at higher risk of spray drift, than larger coarse droplets. Key factors when choosing a nozzle is:

**Finer droplets:** excellent leaf coverage, for critical spraying such as post-emergence applications.

**Mid-range droplets:** commonly used in the application of systemic herbicides, insecticide and herbicides.


**Larger droplets:** ideal for systemic and soil applied herbicides, minimal drift.

CATEGORY	SYMBOL	COLOUR CODE	APPLICATION TYPES
Extremely Fine	XF	Violet	Specialty applications only
Very Fine	VF	Red	
Fine	F	Orange	Maximum coverage - ideal for contact products
Medium	M	Yellow	
Coarse	C	Blue	
Very Coarse	VC	Green	Maximum drift control - ideal for systemic herbicides
Extremely Coarse	XC	White	


\*Please note colours in Code / Pricing column indicate colour of nozzle, not droplet size.

### IDENTIFY YOUR NOZZLE

Each nozzle surface is embossed with the brand name, nozzle type, spray angle, capacity and material.



### NOZZLE CODE EXPLAINED





# NOZZLES


## ARAG (ASJ)

ASJ nozzles are manufactured by the world famous component supplier ARAG and offer outstanding accuracy and competitive pricing.

### LOW DRIFT NOZZLES

#### Pack 10

Available to 80° and 110°  
Produces coarse droplets with narrow spray pattern  
Moulded in polyacetel for outstanding wear  
Can be used in knapsack sprayers where the nozzles are used on a 2 - 4 nozzle boom



LIQUID  
FERTILISERS



PESTICIDES &  
FOLIAR



HERBICIDES &  
BROADCAST



CAP  
CNQG402900



SIZE	BAR	DROP SIZE	L/MIN	L/HA (NOZZLE SPACING: 50CM)							80°	110°
				6 KM/H	8 KM/H	10 KM/H	12 KM/H	14 KM/H	16 KM/H	18 KM/H	PACK 10 RRP inc.	PACK 10 RRP inc.
LD080015 LD110015	1.5	F	0.42	85	64	51	42	36	32	28	CNSLD080015X10 \$105	CNSLD110015X10 \$105
	3	VF	0.60	120	90	72	60	51	45	40		
	4	VF	0.69	139	104	83	69	59	52	46		
	5	VF	0.77	155	116	93	77	66	58	52		
	7	VF	0.92	183	137	110	92	79	69	61		
LD08002 LD11002	1.5	F	0.57	113	85	68	57	48	42	38	CNSLD080020X10 \$105	CNSLD110020X10 \$105
	3	F	0.80	160	120	96	80	69	60	53		
	4	F	0.92	185	139	111	92	79	69	62		
	5	F	1.03	207	155	124	103	89	77	69		
	7	F	1.22	244	183	147	122	105	92	81		
LD08003 LD11003	1.5	M	0.85	17	127	102	85	73	64	57	CNSLD080030X10 \$105	CNSLD110030X10 \$105
	3	M	1.20	240	180	144	120	103	90	80		
	4	M	1.39	277	208	166	139	119	104	92		
	5	M	1.55	310	232	186	155	133	116	103		
	7	M	1.83	367	275	220	183	157	137	122		
LD08004 LD11004	1.5	C	1.13	226	170	136	113	97	85	75	CNSLD080040X10 \$105	CNSLD110040X10 \$105
	3	C	1.60	320	240	12	160	137	120	107		
	4	C	1.85	370	277	222	185	158	139	123		
	5	C	2.07	413	310	248	207	177	155	138		
	7	C	2.44	489	367	293	244	209	183	163		
LD08005 LD11005	1.5	C	1.41	283	212	170	141	121	106	94	CNSLD080050X10 \$105	CNSLD110050X10 \$105
	3	C	2.00	400	300	240	200	171	150	133		
	4	C	2.31	462	346	277	231	198	173	154		
	5	C	2.58	516	387	310	258	221	194	172		
	7	C	3.06	611	458	367	306	262	229	204		




## WIDE RANGE NOZZLES

### Pack 10

Available to 110°

Wide pressure range of 1 - 4 bar with full coverage maintained over range

Ideal for use with machines with automatic application controllers



LIQUID  
FERTILISERS



PESTICIDES &  
FOLIAR



HERBICIDES &  
BROADCAST



CAP  
CNQG402900




CODE	BAR	DROP SIZE	L/MIN	L/HA (NOZZLE SPACING: 50CM)							110° PACK 10 RRP inc.
				6 KM/H	8 KM/H	10 KM/H	12 KM/H	14 KM/H	16 KM/H	18 KM/H	
WR110015	1	F	0.35	69	52	42	35	30	26	23	CNSWR110015X10 \$78
	2	F	0.49	98	73	59	49	42	37	33	
	3	VF	0.60	120	90	72	60	51	45	40	
	5	VF	0.77	155	116	93	77	66	58	52	
	7	VF	0.92	183	137	110	92	79	69	61	
WR11020	1	F	0.46	92	69	55	46	40	35	31	CNSWR110020X10 \$78
	2	F	0.65	131	98	78	65	56	49	44	
	3	F	0.80	160	120	96	80	69	60	53	
	5	VF	1.03	207	155	124	103	89	77	69	
	7	VF	1.22	244	183	147	122	105	92	81	
WR11003	1	M	0.69	139	104	83	69	59	52	46	CNSWR110030X10 \$78
	2	F	0.98	196	147	118	98	84	73	65	
	3	F	1.20	240	180	144	120	103	90	80	
	5	F	1.55	310	232	186	155	133	116	103	
	7	VF	1.83	367	275	220	183	157	137	122	
WR11004	1	M	0.92	185	139	111	92	79	69	62	CNSWR110040X10 \$78
	2	M	1.31	261	196	157	131	112	98	87	
	3	M	1.60	320	240	192	160	137	120	107	
	5	F	2.07	413	310	248	207	177	155	138	
	7	F	2.44	489	367	293	244	209	183	163	



DEFLECTOR 140 NOZZLES

Pack 10

Wide spray to 140° - up to 1m spray width  
Gives a narrow rectangular spray pattern  
Reduced potential for clogging due to round orifice  
Screwdriver slot at front enables nozzle alignment  
Coarse droplets with reduced drift at 1 - 2 bar




CODE	BAR	DROP SIZE	L/MIN	L/HA (NOZZLE SPACING: 100CM)						140° PACK 10 RRP inc.
				6 KM/H	8 KM/H	10 KM/H	12 KM/H	14 KM/H	16 KM/H	
DEF140015	1	M	0.69	69	52	42	35	30	26	CNSDEF140015X10 \$68
	2	F	0.98	98	73	59	49	42	37	
	3	F	1.20	120	90	72	60	51	45	
	4	F	1.39	139	104	83	69	59	52	
	5	F	1.55	155	116	93	77	66	58	
	6	F	1.70	170	127	102	85	73	64	
DEF14002	1	M	0.92	92	69	55	46	40	35	CNSDEF140015X10 \$68
	2	F	1.31	131	98	78	65	56	49	
	3	F	1.60	160	120	96	80	69	60	
	4	F	1.85	185	139	111	92	79	69	
	5	F	2.07	207	155	124	103	89	77	
	6	F	2.26	226	170	136	113	97	85	
DEF140025	1	M	1.15	115	87	69	58	49	43	CNSDEF140015X10 \$68
	2	M	1.63	163	122	98	82	70	61	
	3	F	2.00	200	150	120	100	86	75	
	4	F	2.31	231	173	139	115	99	87	
	5	F	2.58	258	194	155	129	111	97	
	6	F	2.83	283	212	170	141	121	106	
DEF14003	1	M	1.39	139	104	83	69	59	52	CNSDEF140015X10 \$68
	2	M	1.96	196	147	118	98	84	73	
	3	F	2.40	240	180	144	120	103	90	
	4	F	2.77	277	208	166	139	119	104	
	5	F	3.10	310	232	186	155	133	116	
	6	F	3.39	339	255	204	10	145	127	
DEF14004	1	C	1.85	185	139	111	92	79	69	CNSDEF140015X10 \$68
	2	C	2.61	261	196	157	131	112	98	
	3	M	3.20	320	240	192	160	137	120	
	4	M	3.70	370	277	222	185	158	139	
	5	M	4.13	413	310	248	207	177	155	
	6	M	4.53	453	339	272	226	194	170	

## HOLLOWCONE NOZZLES

### Pack 10

Can be used with boom sprayers  
Widely used with knapsack sprayers  
Use to spray above or below foliage  
Fine droplets produced 3 bar  
Swirl plate is easily removed for cleaning



PESTICIDES &  
FOLIAR



FUNGICIDE  
SPRAYING



CAP

CNQG40291703




CODE / ANGLE	BAR	DROP SIZE	L/MIN	BOOM - L/HA (NOZZLE SPACING: 50CM)					KNAPSACK L/HA (60 M/MIN - 3.6KM /H)	PACK 10 RRP inc.
				6 KM/H	8 KM/H	10 KM/H	12 KM/H	16 KM/H		
HC8001 85°	1	F	0.23	46	35	28	23	17	77	CNSHC010X10 \$64
	2	VF	0.33	65	49	39	33	24	109	
	3	VF	0.40	80	60	48	40	30	133	
	5	VF	0.52	103	77	2	52	39	172	
	8	VF	0.65	131	98	78	65	49	218	
	10	VF	0.73	146	110	88	73	55	243	
HC80015 80°	1	F	0.35	69	52	42	35	26	115	CNSHC015X10 \$64
	2	F	0.49	98	73	59	49	37	163	
	3	VF	0.60	120	90	72	60	45	200	
	5	VF	0.77	155	116	93	77	58	258	
	8	VF	0.98	196	147	118	98	73	327	
	10	VF	1.10	319	164	131	110	82	365	
HC8002 80°	1	F	0.46	92	69	55	46	35	154	CNSHC020X10 \$64
	2	F	0.65	131	98	78	65	49	218	
	3	VF	0.80	160	120	96	80	60	267	
	5	VF	1.03	207	155	124	103	77	344	
	8	VF	1.31	261	196	157	131	98	435	
	10	VF	1.83	365	274	219	183	137	730	
HC80035 80°	1	F	0.81	162	121	97	81	61	269	CNSHC035X10 \$64
	2	F	1.14	229	171	137	114	86	381	
	3	VF	1.40	280	210	168	140	105	467	
	5	VF	1.81	361	271	217	181	120	602	
	8	VF	2.29	457	343	274	229	171	762	
	10	VF	2.56	511	383	307	256	192	852	
HC8004 80°	1	F	0.92	185	139	111	92	69	308	CNSHC040X10 \$64
	2	F	1.31	261	196	157	131	98	435	
	3	VF	1.60	320	240	192	160	120	533	
	5	VF	2.07	413	310	248	207	155	689	
	8	VF	2.61	523	392	314	261	196	974	
	10	VF	2.92	584	438	351	292	219	974	



STANDARD FAN

Pack 10

Available in 80° or 110° options  
Ensure even coverage when properly spaced  
Moulded from Delrin® - high durability  
Ideal for boom mount spraying




PESTICIDES &  
FOLIAR



HERBICIDES &  
BROADCAST



FUNGICIDE  
SPRAYING



CAP  
CNQG402900



CODE	BAR	DROP SIZE	L/MIN	L/HA (NOZZLE SPACING: 50CM)							80°	110°
				6 KM/H	8 KM/H	10 KM/H	12 KM/H	14 KM/H	16 KM/H	18 KM/H	PACK 10 RRP inc.	PACK 10 RRP inc.
SF08001 SF11001	1.5	F	0.28	57	42	34	28	24	21	19	CNSSF080010X10 \$49.40	CNSSF110010X10 \$48.90
	3	VF	0.40	80	60	48	40	34	30	27		
	5	VF	0.52	103	77	62	52	44	39	34		
	7	VF	0.61	122	92	73	61	52	46	41		
SF080015 SF110015	1.5	F	0.42	85	64	51	42	36	32	28	CNSSF080015X10 \$49.40	CNSSF110015X10 \$48.90
	3	VF	0.60	120	90	72	60	51	45	40		
	5	VF	0.77	155	116	93	77	66	58	52		
	7	VF	0.92	183	137	110	92	79	69	61		
SF08002 SF11002	1.5	F	0.57	113	85	68	57	48	42	38	CNSSF080020X10 \$49.40	CNSSF110020X10 \$48.90
	3	F	0.80	160	10	96	80	69	60	53		
	5	VF	1.03	207	155	124	103	89	77	69		
	7	VF	1.53	306	229	183	153	131	115	102		
SF08003 SF11003	1.5	M	0.85	170	127	102	85	73	64	57	CNSSF080030X10 \$49.40	CNSSF110030X10 \$48.90
	3	F	1.20	240	180	144	120	103	90	80		
	5	F	1.55	310	232	186	155	133	116	103		
	7	VF	1.83	367	275	220	183	157	137	122		
SF08004 SF11004	1.5	M	1.13	226	170	136	113	97	85	75	CNSSF080040X10 \$49.40	CNSSF110040X10 \$48.90
	3	F	1.60	320	240	192	160	137	120	107		
	5	F	2.07	413	310	248	207	177	155	138		
	7	F	2.44	489	367	293	244	209	183	163		
SF08005 SF11005	1.5	C	1.41	283	212	170	141	121	106	94	CNSSF080050X10 \$49.40	CNSSF110050X10 \$48.90
	3	M	2.00	400	300	240	200	171	150	133		
	5	M	2.58	516	387	310	258	221	194	172		
	7	M	3.06	611	458	367	306	262	229	204		

## FAN CERAMIC 110°

### Pack 10


110° wide spraying angle

Two piece structure allows easy cleaning

Smooth coverage at any pressure

Big spray drops disperse into several smaller drops

Ceramic insert - ensures long life use



PESTICIDES &  
FOLIAR



HERBICIDES &  
BROADCAST



FUNGICIDE  
SPRAYING



CAP

CNQG402900




NOZZLE	BAR	DROP SIZE	L/MIN	L/HA (NOZZLE SPACING: 50CM)						110° PACK 10 RRP inc.
				6 KM/H	8 KM/H	10 KM/H	12 KM/H	14 KM/H	16 KM/H	
AFC110015	1.5	XC	0.28	57	42	34	28	24	21	CNSAFC110015X10 \$349
	3	VC	0.60	120	90	72	60	51	45	
	4	C	0.69	139	104	83	69	59	52	
	6	C	0.85	170	127	102	85	73	64	
	8	C	0.98	196	147	118	98	84	73	
AFC11002	1.5	UC	0.57	113	85	68	57	48	42	CNSAFC110020X10 \$349
	3	XC	0.80	160	120	96	80	69	60	
	4	VC	0.92	185	139	111	92	79	69	
	6	C	1.13	226	170	136	113	97	85	
AFC11003	8	C	1.31	261	196	157	131	112	98	CNSAFC110030X10 \$349
	1.5	XC	0.85	170	127	102	85	73	64	
	3	VC	1.00	200	150	120	100	86	75	
	4	VC	1.39	277	208	166	139	119	104	
	6	C	1.70	339	255	204	170	145	127	
AFC11004	8	C	1.96	392	294	235	196	168	147	CNSAFC110040X10 \$349
	1.5	XC	1.13	226	170	136	113	97	85	
	3	XC	1.60	320	240	192	160	137	120	
	4	VC	1.85	370	277	222	185	158	139	
	6	C	2.26	453	339	272	226	194	170	
AFC11005	8	C	2.61	523	392	314	261	224	196	CNSAFC110050X10 \$349
	1.5	UC	1.41	283	212	170	141	121	106	
	3	XC	2.00	400	300	240	200	171	150	
	4	VC	2.31	462	346	277	231	198	173	
	6	VC	2.83	566	424	339	283	242	212	
	8	C	3.27	653	490	392	327	280	245	



TWIN FAN LOW DRIFT 110°

Pack 10

Improved penetration and coverage  
Large droplets for drift reduction  
Double outlet spout  
Moulded from Delrin® - high durability  
Ideal for boom mount spraying



PESTICIDES &  
FOLIAR



HERBICIDES &  
BROADCAST



FUNGICIDE  
SPRAYING



NOZZLE	BAR	DROP SIZE	L/MIN	L/HA (50CM SPACING)							PACK 10 RRP inc.
				6 KM/H	8 KM/H	10 KM/H	12 KM/H	14 KM/H	16 KM/H	18 KM/H	
TFLD11002	1.5	XC	0.57	113	85	68	57	48	42	38	CNSTFLD110020X10 \$182
	2	XC	0.65	131	98	78	65	56	49	44	
	3	VC	0.80	160	120	96	80	69	60	53	
	4	C	0.92	185	139	111	92	79	69	62	
	6	C	1.13	226	170	136	113	97	85	75	
TFLD11003	8	C	1.31	261	196	157	131	112	98	87	CNSTFLD110030X10 \$182
	1.5	UC	0.85	170	127	102	85	73	64	57	
	2	XC	0.98	196	147	118	98	84	73	65	
	3	XC	1.20	240	180	144	120	103	90	80	
	4	VC	1.39	277	208	166	139	119	104	92	
TFLD11004	6	VC	1.70	339	255	204	170	145	127	113	CNSTFLD110040X10 \$182
	8	C	1.96	392	294	235	196	168	147	131	
	1.5	XC	1.41	283	212	170	141	121	106	94	
	2	XC	1.63	327	245	196	163	140	122	109	
	3	XC	2.00	400	300	240	200	171	150	133	
	4	VC	2.31	462	346	277	231	198	173	154	
	6	VC	2.83	566	424	339	283	242	212	189	
	8	VC	3.27	653	490	392	327	280	245	218	




## EVENFAN 80°

### Pack 10

Ideal for use in small spray bars

Great for insect reduction for application by compression sprayers

Moulded from Delrin® - high durability



PESTICIDES &  
FOLIAR



HERBICIDES &  
BROADCAST



FUNGICIDE  
SPRAYING



CAP  
CNQG402900



NOZZLE	BAR	DROP SIZE	L/MIN	L/HA (50CM SPACING)			L/HA (100CM SPACING)			80° PACK 10 RRP inc.
				6 KM/H	8 KM/H	10 KM/H	6 KM/H	8 KM/H	10 KM/H	
EF080015	1	F	0.35	69	52	43	35	26	21	CNSEF080015X10 \$65
	2	F	0.49	98	73	59	49	37	29	
	3	F	0.60	120	90	72	60	45	36	
	5	VF	0.77	155	116	93	77	58	46	
	7	VF	0.92	183	137	110	92	69	55	
EF08002	1	F	0.46	92	69	55	46	35	28	CNSEF080020X10 \$65
	2	F	0.65	131	98	78	65	49	39	
	3	F	0.80	160	120	96	80	60	48	
	5	VF	1.03	207	155	124	103	77	62	
	7	VF	1.22	244	183	147	122	92	73	
EF08003	1	F	0.69	139	104	83	69	52	42	CNSEF080030X10 \$65
	2	F	0.98	196	147	118	98	73	59	
	3	F	1.20	240	180	144	120	90	72	
	5	F	1.55	310	232	186	155	116	93	
	7	F	1.83	367	275	220	183	137	110	
EF08004	1	M	0.92	185	139	111	92	69	55	CNSEF080040X10 \$65
	2	M	1.31	261	196	157	131	98	75	
	3	F	1.60	320	240	192	160	120	96	
	5	F	2.07	413	310	248	207	155	124	
	7	F	2.44	489	367	293	244	183	147	







PENTASTREAM

Pack 10

Angle of jets ensures even fertiliser spread  
Constant jet pressure across range  
Specific for fertilisers  
Avoid crop damage when used under recommended pressures  
Arrangement of nozzle holes allows consistent spray even at various heights - an even distribution avoids chemical burn




NOZZLE	BAR	L/MIN	L/HA (NOZZLE SPACING: 50CM)								110° PACK 10 RRP inc.
			4 KM/H	6 KM/H	8 KM/H	10 KM/H	12 KM/H	14 KM/H	16 KM/H	18 KM/H	
PSP015	1	0.35	104	69	52	42	35	30	26	23	CNSPSP015X10 \$182
	2	0.49	147	98	73	59	49	42	37	33	
	3	0.60	180	10	90	72	60	51	45	40	
	4	0.69	208	139	104	83	69	59	52	46	
	5	0.77	232	155	116	93	77	66	58	52	
PSP02	1	0.46	139	92	69	55	46	40	35	31	CNSPSP020X10 \$182
	2	0.65	196	131	98	78	65	56	49	44	
	3	0.80	240	160	120	96	80	69	60	53	
	4	0.92	277	185	139	111	92	79	69	62	
	5	1.03	310	207	155	124	103	89	77	69	
PSP03	1	0.69	208	139	104	83	69	59	52	46	CNSPSP030X10 \$182
	2	0.98	294	196	147	118	98	84	73	65	
	3	1.20	360	240	180	144	120	103	90	80	
	4	1.39	416	277	208	166	139	119	104	92	
	5	1.55	465	310	232	186	155	133	116	103	
PSP04	1	0.92	277	185	139	111	92	79	69	62	CNSPSP040X10 \$182
	2	1.31	392	261	196	157	131	112	98	87	
	3	1.60	480	320	240	192	160	137	120	107	
	4	1.85	554	370	277	222	185	158	139	123	
	5	2.07	620	413	310	248	207	177	155	138	
PSP05	1	1.15	346	231	173	139	115	99	87	77	CNSPSP050X10 \$182
	2	1.63	490	327	245	196	163	140	122	109	
	3	2.00	600	400	300	240	200	171	150	133	
	4	2.31	693	462	346	277	231	198	173	154	
	5	2.58	775	516	387	310	258	221	194	172	
PSP06	1	1.39	416	277	208	166	139	119	104	92	CNSPSP060X10 \$182
	2	1.96	588	292	294	235	196	168	147	131	
	3	2.40	720	480	360	288	240	206	180	160	
	4	2.77	831	554	416	333	277	238	208	185	
	5	3.10	930	620	465	372	310	266	232	207	

## TWIN FAN AIR 110°

### Pack 10

Three nozzle parts - ideal nozzle cleaning  
Improved penetration and coverage  
Large droplets for drift reduction  
Moulded from Delrin® - high durability  
Ideal for boom mount spraying



PESTICIDES &  
FOLIAR



HERBICIDES &  
BROADCAST



FUNGICIDE  
SPRAYING

CAP

CNQG402901



CODE	BAR	DROP SIZE	L/MIN	L/HA (NOZZLE SPACING: 50CM)								110° PACK 10 RRP inc.
				6 KM/H	8 KM/H	10 KM/H	12 KM/H	14 KM/H	16 KM/H	18 KM/H	20 KM/H	
TFA11002	1.5	UC	0.57	113	85	68	57	48	42	38	34	CNSTFA110020X10 <b>\$192</b>
	2	XC	0.65	131	98	78	65	56	49	44	39	
	3	XC	0.80	160	120	96	80	69	60	53	48	
	4	VC	0.92	185	139	111	92	79	69	62	55	
	6	C	1.13	226	170	136	113	97	85	75	68	
	8	C	1.31	261	196	157	131	112	98	87	78	
TFA11003	1.5	UC	0.85	170	127	102	85	73	64	57	51	CNSTFA110030X10 <b>\$192</b>
	2	XC	0.98	196	147	118	98	84	73	65	59	
	3	XC	1.20	240	180	144	120	103	90	80	80	
	4	XC	1.39	277	208	166	139	119	104	92	83	
	6	VC	1.70	339	255	204	170	145	127	113	102	
	8	C	1.96	392	294	235	196	168	147	131	118	
TFA11004	1.5	UC	1.13	226	170	136	113	97	85	75	68	CNSTFA110040X10 <b>\$192</b>
	2	UC	1.31	261	196	157	131	112	98	87	78	
	3	UC	1.60	320	240	192	160	137	120	117	96	
	4	XC	1.85	370	277	222	185	158	139	123	111	
	6	XC	2.26	453	339	272	226	194	170	151	136	
	8	VC	2.61	523	392	314	261	224	196	174	157	

Image does not show nozzles in action. Image for marketing purposes only.







# NOZZLES

## TEEJET

TeeJet produce some of the most popular nozzles in the industry. Nozzles are precision-engineered for specific applications so it is essential to use the ones best suited for your operations.

### TURBO WIDE ANGLE 110°

#### Pack 10

Available in 110°

Tapered edge wide angle flat spray pattern for uniform coverage in broadcast spraying

Full coverage maintained over a wide pressure range

Ideal for use with machines using auto application rate controllers

Precision moulded in polyacetal - superior wear life

Large rounded internal passage to minimise clogging

Larger droplets for less drift (1 - 6 bar)

**NOTE:** Always double check your application rates. Tabulations are based on spraying water at 21°C (70°F)



PESTICIDES &  
FOLIAR



HERBICIDES &  
BROADCAST



FUNGICIDE  
SPRAYING



	BAR	DROP SIZE	L/ MIN	L/HA (NOZZLE SPACING: 50CM)												110° PACK 10 RRP inc.	
				4 KM/H	5 KM/H	6 KM/H	7 KM/H	8 KM/H	10 KM/H	12 KM/H	16 KM/H	18 KM/H	20 KM/H	25 KM/H	30 KM/H	35 KM/H	
TT11001	1.0	C	0.23	69.0	55.2	46.0	39.4	34.5	27.6	23.0	17.3	15.3	13.8	11.0	9.2	7.9	CNSTT110010X10 \$185
	2.0	M	0.32	96.0	76.8	64.0	54.9	48.0	38.4	32.0	24.0	21.3	19.2	15.4	12.8	11.0	
	3.0	M	0.39	117	93.6	78.0	66.9	58.5	46.8	39.0	29.3	26.0	23.4	18.7	15.6	13.4	
	4.0	F	0.45	135	108	90.0	77.1	67.5	54.0	45.0	33.8	30.0	27.0	21.6	18.0	15.4	
	5.0	F	0.50	150	120	100	85.7	75.0	60.0	50.0	37.5	33.3	30.0	24.0	20.0	17.1	
	6.0	F	0.55	165	132	110	94.3	82.5	66.0	55.0	41.3	36.7	33.0	26.4	22.0	18.9	
TT110015	1.0	VC	0.34	102	81.6	68.0	58.3	51.0	40.8	34.0	25.5	22.7	20.4	16.3	13.6	11.7	CNSTT110015X10 \$185
	2.0	M	0.48	144	115	96.0	82.3	72.0	57.6	48.0	36.0	32.0	28.8	23.0	19.2	16.5	
	3.0	M	0.59	177	142	118	101	88.5	70.8	59.0	44.3	39.3	35.4	28.3	23.6	20.2	
	4.0	F	0.68	204	163	136	117	102	81.6	68.0	51.0	45.3	40.8	32.6	27.2	23.3	
	5.0	F	0.76	228	182	152	130	114	91.2	76.0	57.0	50.7	45.6	36.5	30.4	26.1	
	6.0	F	0.83	249	199	166	142	125	99.6	83.0	62.3	55.3	49.8	39.8	33.2	28.5	
TT11002	1.0	VC	0.46	138	110	92.0	78.9	69.0	55.2	46.0	34.5	30.7	27.6	22.1	18.4	15.8	CNSTT110020X10 \$185
	2.0	C	0.65	195	156	130	111	97.5	78.0	65.0	48.8	43.3	39.0	31.2	26.0	22.3	
	3.0	M	0.79	237	190	158	135	119	94.8	79.0	59.3	52.7	47.4	37.9	31.6	27.1	
	4.0	M	0.91	273	218	182	156	137	109	91.0	68.3	60.7	54.6	43.7	36.4	31.2	
	5.0	F	1.02	306	245	204	175	153	122	102	76.5	68.0	61.2	49.0	40.8	35.0	
	6.0	F	1.12	336	269	224	192	168	134	112	84.0	74.7	67.2	53.8	44.8	38.4	
TT110025	1.0	VC	0.57	171	137	114	97.7	85.5	68.4	57.0	42.8	38.0	34.2	27.4	22.8	19.5	CNSTT110025X10 \$185
	2.0	C	0.81	243	194	162	139	122	97.5	81.0	60.8	54.0	48.6	38.9	32.4	27.8	
	3.0	M	0.99	297	238	198	170	149	119	99.0	74.3	66.0	59.4	47.5	39.6	33.9	
	4.0	M	1.14	342	274	228	195	171	137	114	85.5	76.0	68.4	54.7	45.6	39.1	
	5.0	F	1.28	384	307	256	219	192	154	128	96.0	85.3	76.8	61.4	51.2	43.9	
	6.0	F	1.40	420	336	280	240	210	168	140	105	93.3	84.0	67.2	56.0	48.0	
TT11003	1.0	VC	0.68	204	163	136	117	102	81.6	68.0	51.0	45.3	40.8	32.6	27.2	23.3	CNSTT110030X10 \$185
	2.0	C	0.96	288	230	192	165	144	115	96.0	72.0	64.0	57.6	46.1	38.4	32.9	
	3.0	M	1.18	354	283	236	202	177	142	118	88.5	78.7	70.8	56.6	47.2	40.5	
	4.0	M	1.36	408	326	272	233	204	163	136	102	90.7	81.6	65.3	54.4	46.6	
	5.0	M	1.52	456	365	304	261	228	182	152	114	101	91.2	73.0	60.8	52.1	
	6.0	M	1.67	501	401	334	286	251	200	167	125	111	100	80.2	66.8	57.3	
TT11004	1.0	XC	0.91	273	218	182	156	137	109	91.0	68.3	60.7	54.6	43.7	36.4	31.2	CNSTT110040X10 \$185
	2.0	C	1.29	387	310	258	221	194	155	129	96.8	86.0	77.4	61.9	51.6	44.2	
	3.0	C	1.58	474	379	316	271	237	190	158	119	105	94.8	75.8	63.2	54.2	
	4.0	M	1.82	546	437	367	312	273	218	182	137	121	109	87.4	72.8	62.4	
	5.0	M	2.04	612	490	408	350	306	245	204	153	136	122	97.9	81.6	69.9	
	6.0	M	2.23	669	535	446	382	335	268	223	167	149	134	107	89.2	76.5	
TT11005	1.0	XC	1.14	342	274	228	195	171	137	114	85.5	76.0	68.4	54.7	45.6	39.1	CNSTT110050X10 \$185
	2.0	VC	1.61	483	386	322	276	242	193	161	121	107	96.6	77.3	64.4	55.2	
	3.0	C	1.97	591	473	394	338	296	236	197	148	131	118	94.6	78.8	67.5	
	4.0	C	2.27	681	545	454	389	341	272	227	170	151	136	109	90.8	77.8	
	5.0	M	2.54	762	610	508	435	381	305	254	191	169	152	122	102	87.1	
	6.0	M	2.79	837	670	558	478	419	335	279	209	186	167	134	112	95.7	
TT11006	1.0	XC	1.37	411	329	274	235	206	164	137	103	91.3	82.2	65.8	54.8	47.0	CNSTT110060X10 \$185
	2.0	VC	1.94	582	466	388	333	291	233	194	146	129	116	93.1	77.6	66.5	
	3.0	VC	2.37	711	569	474	406	356	284	237	178	158	142	114	94.8	81.3	
	4.0	C	2.74	822	658	548	470	411	329	274	206	183	164	132	110	93.9	
	5.0	C	3.06	918	734	612	525	459	367	306	230	204	184	147	122	105	
	6.0	M	3.35	1005	804	670	574	503	402	335	251	223	201	161	134	115	
TT11008	1.0	XC	1.82	546	437	364	312	273	218	182	137	121	109	87.4	72.8	62.4	CNSTT110080X10 \$185
	2.0	VC	2.58	774	619	516	442	387	310	258	194	172	155	124	103	88.5	
	3.0	C	3.16	948	758	632	542	474	379	316	237	211	190	152	126	108	
	4.0	C	3.65	1095	876	730	626	548	438	365	274	243	219	175	146	125	
	5.0	M	4.08	1224	979	816	699	612	490	408	306	272	245	196	163	140	
	6.0	M	4.47	1341	1073	894	766	671	536	447	335	298	268	215	179	153	



## TURBO TWINJET®

### Pack 10

Dual outlet with 60° forward and 60° back spray pattern  
Best for broadcast spraying - superior leaf coverage and canopy penetration


Ideal for use with automatic control sprayers

Moulded in polymer - excellent chemical and wear resistance

Slightly larger droplet size range - drift reducing

**NOTE:** Always double check your application rates.

Tabulations are based on spraying water at 21°C (70°F)



PESTICIDES &  
FOLIAR



HERBICIDES &  
BROADCAST



FUNGICIDE  
SPRAYING




	BAR	DROP SIZE	L/MIN	L/HA (NOZZLE SPACING: 50CM)													110° PACK 10 RRP inc.
				4 KM/H	5 KM/H	6 KM/H	7 KM/H	8 KM/H	10 KM/H	12 KM/H	16 KM/H	18 KM/H	20 KM/H	25 KM/H	30 KM/H	35 KM/H	
TTJ6011002	1.5	C	0.56	168	134	112	96.0	84.0	67.2	56.0	42.0	37.3	33.6	26.9	22.4	19.2	CNSTTJ110020X10 \$224
	2.0	C	0.65	195	156	130	111	97.5	78.0	65.0	48.8	43.3	39.0	31.2	26.0	22.3	
	3.0	C	0.79	237	190	158	135	119	94.8	79.0	59.3	52.7	47.4	37.9	31.6	27.1	
	4.0	M	0.91	273	218	182	156	137	109	91.0	68.3	60.7	54.6	43.7	36.4	31.2	
	5.0	M	1.02	306	245	204	175	153	122	102	76.5	68.0	61.2	49.0	40.8	35.0	
	6.0	M	1.12	336	269	224	192	168	134	112	84.0	47.7	67.2	53.8	44.8	38.4	
TTJ6011025	1.5	VC	0.70	210	168	140	120	105	84.0	70.0	52.5	46.7	42.0	33.6	28.0	24.0	CNSTTJ110025X10 \$224
	2.0	C	0.81	243	194	162	139	122	97.2	81.0	60.8	54.0	48.6	38.9	32.4	27.8	
	3.0	C	0.99	297	238	198	170	149	119	99.0	74.3	66.0	59.4	47.5	39.6	33.9	
	4.0	C	1.14	342	274	228	195	171	137	114	85.5	76.0	68.4	54.7	45.6	39.1	
	5.0	M	1.28	384	307	256	219	192	154	128	96.0	85.3	76.8	61.4	51.2	43.9	
	6.0	M	1.40	420	336	280	240	210	168	140	105	93.3	84.0	67.2	56.0	48.0	
TTJ6011003	1.5	VC	0.83	249	199	166	142	125	99.6	83.0	62.3	55.3	49.8	39.8	33.2	28.5	CNSTTJ110030X10 \$224
	2.0	C	0.96	288	230	192	165	144	115	96.0	72.0	64.0	57.6	46.1	38.4	32.9	
	3.0	C	1.18	354	283	236	202	177	142	118	88.5	78.7	70.8	56.6	47.2	40.5	
	4.0	C	1.36	408	326	272	233	204	163	136	102	90.7	81.6	65.3	54.4	46.6	
	5.0	C	1.52	456	365	304	261	228	182	152	114	101	91.2	73.0	60.8	52.1	
	6.0	M	1.67	501	401	334	286	251	200	167	125	111	100	80.2	66.8	57.3	
TTJ6011004	1.5	VC	1.12	336	269	224	192	168	134	112	84.0	74.7	67.2	53.8	44.8	38.4	CNSTTJ110040X10 \$224
	2.0	C	1.29	387	310	258	221	194	155	129	96.8	86.0	77.4	61.9	51.6	44.2	
	3.0	C	1.58	474	379	316	271	237	190	158	119	105	94.8	75.8	63.2	54.2	
	4.0	C	1.82	546	437	364	312	273	218	182	137	121	109	87.4	72.8	62.4	
	5.0	C	2.04	612	4790	408	350	306	245	204	153	136	122	97.9	81.6	69.9	
	6.0	M	2.23	669	535	446	382	335	268	223	167	149	134	107	89.2	76.5	
TTJ6011005	1.5	VC	1.39	417	334	278	238	209	167	139	104	92.7	83.4	66.7	55.6	47.7	CNSTTJ110050X10 \$224
	2.0	C	1.61	483	386	322	276	242	193	161	121	107	96.6	77.3	64.4	55.2	
	3.0	C	1.97	591	473	394	338	296	236	197	148	131	118	94.6	78.8	67.5	
	4.0	C	2.27	681	545	454	389	341	272	227	170	151	136	109	90.8	77.8	
	5.0	C	2.54	762	610	508	435	381	305	254	191	169	152	122	102	87.1	
	6.0	C	2.79	837	670	558	478	419	335	279	209	186	167	134	112	95.7	
TTJ6011006	1.5	XC	1.68	504	403	336	288	252	202	168	126	112	101	80.6	67.2	57.6	CNSTTJ110060X10 \$224
	2.0	VC	1.94	582	466	388	333	291	233	194	146	129	116	93.1	77.6	66.5	
	3.0	C	2.37	711	569	474	406	356	284	237	178	158	142	114	94.8	81.3	
	4.0	C	2.74	822	658	548	470	411	329	274	206	183	164	132	110	93.9	
	5.0	C	3.06	918	734	612	525	459	367	306	230	204	184	147	122	105	
	6.0	C	3.35	1005	804	670	574	503	402	335	251	223	201	161	134	115	

## AIR INDUCTION TURBO TWINJET 110°

### Pack 10

Air induction with dual 110° flat fan patterns  
Increased canopy penetration and best drift control  
Best suited for post-emergence applications  
Pressure ranges from 20 - 90psi (1.5 - 6 bar)  
Excellent drift control with coarse to very coarse droplets



PESTICIDES &  
FOLIAR



HERBICIDES &  
BROADCAST



FUNGICIDE  
SPRAYING



**NOTE:** Always double check your application rates. Tabulations are based on spraying water at 21°C (70°F)

	BAR	DROP SIZE	L/MIN	L/HA (NOZZLE SPACING: 50CM)												110° PACK 10 RRP inc.	
				4 KM/H	5 KM/H	6 KM/H	7 KM/H	8 KM/H	10 KM/H	12 KM/H	16 KM/H	18 KM/H	20 KM/H	25 KM/H	30 KM/H	35 KM/H	
AITTJ11002	1.5	XC	0.56	168	134	112	96.0	84.0	67.2	56.0	42.0	37.3	33.6	26.9	22.4	19.2	CNSAITTJ110020X10 \$286
	2.0	VC	0.65	195	156	130	111	97.5	78.0	65.0	48.8	43.3	39.0	31.2	26.0	22.3	
	3.0	VC	0.79	237	190	158	135	119	94.8	79.0	59.3	52.7	47.4	37.9	31.6	27.1	
	4.0	C	0.91	273	218	182	156	137	109	91.0	68.3	60.7	54.6	43.7	36.4	31.2	
	5.0	C	1.02	306	245	204	175	153	122	102	76.5	68.0	61.2	49.0	40.8	35.0	
	6.0	C	1.12	336	269	224	192	168	134	112	84.0	74.7	67.2	53.8	44.8	38.4	
AITTJ110025	1.5	XC	0.70	210	168	140	120	105	84.0	70.0	52.5	46.7	42.0	33.6	28.0	24.0	CNSAITTJ110025X10 \$286
	2.0	VC	0.81	243	194	162	139	122	97.5	81.0	60.8	54.0	48.6	38.9	32.4	27.8	
	3.0	VC	0.99	297	238	198	170	149	119	99.0	74.3	66.0	59.4	47.5	39.6	33.9	
	4.0	C	1.14	342	274	228	195	171	137	114	85.5	76.0	68.4	54.7	45.6	39.1	
	5.0	C	1.28	384	307	256	219	192	154	128	96.0	85.3	76.8	61.4	51.2	43.9	
	6.0	C	1.40	420	336	280	240	210	168	140	105	93.3	84.0	67.2	56.0	48.0	
AITTJ11003	1.5	UC	0.83	249	199	166	142	125	99.6	83.0	62.3	55.3	49.8	39.8	33.2	28.5	CNSAITTJ110030X10 \$286
	2.0	XC	0.96	288	230	192	165	144	115	96.0	72.0	64.0	57.6	46.1	38.4	32.9	
	3.0	VC	1.18	354	283	236	202	177	142	118	88.5	78.7	70.8	56.6	47.2	40.5	
	4.0	VC	1.36	408	326	272	233	204	163	136	102	90.7	81.6	65.3	54.4	46.6	
	5.0	C	1.52	456	365	304	261	228	182	152	114	101	91.2	73.0	60.8	52.1	
	6.0	C	1.67	501	401	334	286	251	200	167	125	111	100	80.2	66.8	57.3	
AITTJ11004	1.5	UC	1.12	336	269	224	192	168	134	112	84.0	74.7	67.2	53.8	44.8	38.4	CNSAITTJ110040X10 \$286
	2.0	XC	1.29	387	310	258	221	194	155	129	96.8	86.0	77.4	61.9	51.6	44.2	
	3.0	VC	1.58	474	379	316	271	237	190	158	119	105	94.8	75.8	63.2	54.2	
	4.0	VC	1.82	546	437	367	312	273	218	182	137	121	109	87.4	72.8	62.4	
	5.0	C	2.04	612	490	408	350	306	245	204	153	136	122	97.9	81.6	69.9	
	6.0	C	2.23	669	535	446	382	335	268	223	167	149	134	107	89.2	76.5	
AITTJ11005	1.5	UC	1.39	417	334	278	238	209	167	139	104	92.7	83.4	66.7	55.6	47.7	CNSAITTJ110050X10 \$286
	2.0	XC	1.61	483	386	322	276	242	193	161	121	107	96.6	77.3	64.4	55.2	
	3.0	XC	1.97	591	473	394	338	296	236	197	148	131	118	94.6	78.8	67.5	
	4.0	VC	2.27	681	545	454	389	341	272	227	170	151	136	109	90.8	77.8	
	5.0	C	2.54	762	610	508	435	381	305	254	191	169	152	122	102	87.1	
	6.0	C	2.79	837	670	558	478	419	335	279	209	186	167	134	112	95.7	
AITTJ11006	1.5	UC	1.68	504	403	336	288	252	202	168	126	112	101	80.6	67.2	57.6	CNSAITTJ110060X10 \$286
	2.0	XC	1.94	582	466	388	333	291	233	194	146	129	116	93.1	77.6	66.5	
	3.0	XC	2.37	711	569	474	406	356	284	237	178	158	142	114	94.8	81.3	
	4.0	VC	2.74	822	658	548	470	411	329	274	206	183	164	132	110	93.9	
	5.0	C	3.06	918	734	612	525	459	367	306	230	204	184	147	122	105	
	6.0	C	3.35	1005	804	670	574	503	402	335	251	223	201	161	134	115	



AIR INDUCTION XR

Pack 10

110° wide - taped flat spray angle  
Two piece polymer construction  
Compact size - prevents damage  
Removable pre-orifice



NOTE: Always double check your application rates. Tabulations are based on spraying water at 21°C (70°F)

	BAR	DROP SIZE	L/MIN	L/HA (NOZZLE SPACING: 50CM)												110°	
				4 KM/H	5 KM/H	6 KM/H	7 KM/H	8 KM/H	10 KM/H	12 KM/H	16 KM/H	18 KM/H	20 KM/H	25 KM/H	30 KM/H	35 KM/H	PACK 10 RRP inc.
AIR110015	1.0	XC	0.34	102	81.6	68.0	58.3	51.0	40.8	34.0	25.5	22.7	20.4	16.3	13.6	11.7	CNSAIXR110015X10 \$224
	2.0	VC	0.48	144	115	96.0	82.3	72.0	57.6	48.0	36.0	32.0	28.8	23.0	19.2	16.5	
	3.0	C	0.59	177	142	118	101	88.5	70.8	59.0	44.3	39.3	35.4	28.3	23.6	20.2	
	4.0	C	0.68	204	163	136	117	102	81.6	68.0	51.0	45.3	40.8	32.6	27.2	23.3	
	5.0	M	0.76	228	182	152	130	114	91.2	76.0	57.0	50.7	45.6	36.5	30.4	26.1	
	6.0	M	0.83	249	199	166	142	125	99.6	83.0	62.3	55.3	49.8	39.8	33.2	28.5	
AIR11002	1.0	XC	0.46	138	110	92.0	78.9	69.0	55.2	46.0	34.5	30.7	27.6	22.1	18.4	15.8	CNSAIXR110020X10 \$224
	2.0	VC	0.65	195	156	130	111	97.5	78.0	65.0	48.8	43.3	39.0	31.2	26.0	22.3	
	3.0	C	0.79	237	190	158	135	119	94.8	79.0	59.3	52.7	47.4	37.9	31.6	27.1	
	4.0	C	0.91	273	218	182	156	137	109	91.0	68.3	60.7	54.6	43.7	36.4	31.2	
	5.0	C	1.02	306	245	204	175	153	122	102	76.5	68.0	61.2	49.0	40.8	35.0	
	6.0	M	1.12	336	269	224	192	168	134	112	84.0	74.7	67.2	53.8	44.8	38.4	
AIR110025	1.0	XC	0.57	171	137	114	97.7	85.5	68.4	57.0	42.8	38.0	34.2	27.4	22.8	19.5	CNSAIXR110025X10 \$224
	2.0	XC	0.81	243	194	162	139	122	97.5	81.0	60.8	54.0	48.6	38.9	32.4	27.8	
	3.0	VC	0.99	297	238	198	170	149	119	99.0	74.3	66.0	59.4	47.5	39.6	33.9	
	4.0	C	1.14	342	274	228	195	171	137	114	85.5	76.0	68.4	54.7	45.6	39.1	
	5.0	C	1.28	384	307	256	219	192	154	128	96.0	85.3	76.8	61.4	51.2	43.9	
	6.0	C	1.40	420	336	280	240	210	168	140	105	93.3	84.0	67.2	56.0	48.0	
AIR11003	1.0	UC	0.68	204	163	136	117	102	81.6	68.0	51.0	45.3	40.8	32.6	27.2	23.3	CNSAIXR110030X10 \$224
	2.0	XC	0.96	288	230	192	165	144	115	96.0	72.0	64.0	57.6	46.1	38.4	32.9	
	3.0	VC	1.18	354	283	236	202	177	142	118	88.5	78.7	70.8	56.6	47.2	40.5	
	4.0	VC	1.36	408	326	272	233	204	163	136	102	90.7	81.6	65.3	54.4	46.6	
	5.0	C	1.52	456	365	304	261	228	182	152	114	101	91.2	73.0	60.8	52.1	
	6.0	C	1.67	501	401	334	286	251	200	167	125	111	100	80.2	66.8	57.3	
AIR11004	1.0	UC	0.91	273	218	182	156	137	109	91.0	68.3	60.7	54.6	43.7	36.4	31.2	CNSAIXR110040X10 \$224
	2.0	XC	1.29	387	310	258	221	194	155	129	96.8	86.0	77.4	61.9	51.6	44.2	
	3.0	XC	1.58	474	379	316	271	237	190	158	119	105	94.8	75.8	63.2	54.2	
	4.0	VC	1.82	546	437	367	312	273	218	182	137	121	109	87.4	72.8	62.4	
	5.0	C	2.04	612	490	408	350	306	245	204	153	136	122	97.9	81.6	69.9	
	6.0	C	2.23	669	535	446	382	335	268	223	167	149	134	107	89.2	76.5	
AIR11005	1.0	UC	1.14	342	274	228	195	171	137	114	85.5	76.0	68.4	54.7	45.6	39.1	CNSAIXR110050X10 \$224
	2.0	XC	1.61	483	386	322	276	242	193	161	121	107	96.6	77.3	64.4	55.2	
	3.0	XC	1.97	591	473	394	338	296	236	197	148	131	118	94.6	78.8	67.5	
	4.0	VC	2.27	681	545	454	389	341	272	227	170	151	136	109	90.8	77.8	
	5.0	C	2.54	762	610	508	435	381	305	254	191	169	152	122	102	87.1	
	6.0	C	2.79	837	670	558	478	419	335	279	209	186	167	134	112	95.7	
AIR11006	1.0	UC	1.37	411	329	274	235	206	164	137	103	91.3	82.2	65.8	54.8	47.0	CNSAIXR110060X10 \$224
	2.0	XC	1.94	582	466	388	333	291	233	194	146	129	116	93.1	77.6	66.5	
	3.0	XC	2.37	711	569	474	406	356	284	237	178	158	142	114	94.8	81.3	
	4.0	VC	2.74	822	658	548	470	411	329	274	206	183	164	132	110	93.9	
	5.0	C	3.06	918	734	612	525	459	367	306	230	204	184	147	122	105	
	6.0	C	3.35	1005	804	670	574	503	402	335	251	223	201	161	134	115	


## BRASS OFF-CENTRE FLAT SPRAY

### Pack 10

Highly durable brass construction

Commonly installed in double and single swivel nozzle bodies

Wide spray swath attained with adjustable nozzle bodies



**NOTE:** Always double check your application rates.

Tabulations are based on spraying water at 21°C (70°F)

	BAR	L/MIN	L/HA (HEIGHT = 45CM)					L/HA (HEIGHT = 60CM)					RRP inc.
			"W" cm	4 KM/H	6 KM/H	8 KM/H	10 KM/H	"W" cm	4 KM/H	6 KM/H	8 KM/H	10 KM/H	
OC-03	2.0	0.96	195	73.8	49.2	36.9	29.5	203	70.9	47.3	35.5	28.4	CNSOC030 <b>\$56</b>
	3.0	1.18	203	87.2	58.1	43.6	34.9	210	84.3	56.2	42.1	33.7	
	4.0	1.36	208	98.1	65.4	49.0	39.2	215	94.9	63.3	47.4	38.0	
OC-04	2.0	1.29	231	83.8	55.8	41.9	33.5	236	82.0	54.7	41.0	32.8	CNSOC040 <b>\$56</b>
	3.0	1.58	236	100	66.9	50.2	40.2	238	99.6	66.4	49.8	39.8	
	4.0	1.82	238	115	76.5	57.4	45.9	241	113	75.5	56.6	45.3	
OC-08	2.0	2.58	254	152	102	76.2	60.9	279	139	92.5	69.4	55.5	CNSOC080 <b>\$56</b>
	3.0	3.16	259	183	122	91.5	73.2	284	167	111	83.5	66.8	
	4.0	3.65	264	207	138	104	83.0	287	191	127	95.4	76.3	
OC-10													CNSOC100 <b>\$76</b>
OC-20													CNSOC200 <b>\$117</b>
OC-40													CNSOC400 <b>\$117</b>

See BoomJet Nozzle for more information. Page 78

## FIRE / WASH DOWN NOZZLES

A.



B.



	CODE	DESCRIPTION	RRP inc.
A.	CNAFB20F	<b>Brass 3/4 Adjustable</b> fire fighting nozzle	<b>\$184</b>
B.	CNAFP20F	<b>20mm Adjustable</b> fire fighting nozzle	<b>\$105</b>
B.	CNAFP25F	<b>25mm Adjustable</b> fire fighting nozzle	<b>\$105</b>
B.	CNAFP38F	<b>38mm Adjustable</b> fire fighting nozzle	<b>\$105</b>





# NOZZLE HOLDERS

## WET / DRY BOOM NOZZLE BODIES

### WET BOOM NOZZLE BODIES

DESCRIPTION		RRP inc.		
		CAP, GASKET & BOLTS	SINGLE	PACK 4
A.	Clamp Non-Drip Nozzle Holder with check valve, suits ½" pipe		ATPNCVQ12S \$13.10	ATPNCVQ12SX4 \$65
B.	Clamp Non-Drip Nozzle Holder with check valve, suits ½" pipe, fittings inc.	✓	ATPNCVQ12CGB \$18.30	ATPNCVQ12CGBX4 \$84
C.	Hinged Non-Drip Nozzle Holder with check valve, suits ½" pipe		ATPNHVQ12S \$14.10	ATPNHVQ12SX4 \$67
D.	Hinged Non-Drip Nozzle Holder with check valve, suits ½" pipe, fittings inc.	✓	ATPNHVQ12CGB \$18.90	ATPNHVQ12CGBX4 \$87


### DRY BOOM NOZZLE BODIES

A.	B.	C.	D.	E.	F.	G.	CAP & GASKET
DESCRIPTION		WITHOUT CAP & GASKET		WITH CAP & GASKET			
		SINGLE	PACK 4	SINGLE	PACK 4		
A.	Nozzle Holder Elbow (1-way) with 10mm hose barb (10mm hose)	ATPNDQE10 \$11.20	-	ATPNDQE10C \$15.30	-		
B.	Elbow Nozzle Holder with check valve, 10mm hose barb	ATPNDVQE10 \$24.50	ATPNDVQE10X4 \$102	ATPNDVQE10C \$28.80	ATPNDVQE10CX4 \$120		
C.	Nozzle Holder Tee (2-way) with 10mm hose barb (10mm hose)	ATPNDQT10 \$11.20	-	ATPNDQT10C \$15.30	-		
D.	Tee Nozzle Holder with check valve, 10mm hose barb	ATPNDVQT10 \$24.50	ATPNDVQT10X4 \$102	ATPNDVQT10C \$28.80	ATPNDVQT10CX4 \$120		
E.	Nozzle Holder Cross (3-way) with 10mm hose barb (10mm hose)	ATPNDQX10 \$11.90	-	ATPNDQX10C \$16.20	-		
F.	Cross Nozzle Holder with check valve, 10mm hose barb	ATPNDVQX10 \$25.20	ATPNDVQX10X4 \$102	ATPNDVQX10C \$29.30	ATPNDVQX10CX4 \$120		
G.	Vari Spacing Clamp suits 1" (25mm) square tube	ATPNV25 \$8.40	-	-	-		

# NOZZLE HOLDERS


## THREADED & SWIVEL

### THREADED NOZZLE BODIES



DESCRIPTION	RRP inc.	
	SINGLE	PACK 2
THREADED NOZZLE BODIES		
A. Nozzle Holder Cross with 10mm barb	ATPNDTX10AC \$18.30	-
B. Nozzle Body Assembly Elbow with 10mm barb, nut and threaded cap	ATPNDTE10C \$11.20	ATPNDTE10CX2 \$27.90
C. Nozzle Body Assembly Tee with 10mm barb, nut and threaded cap	ATPNDTT10C \$14.10	ATPNDTT10CX2 \$30.90
D. Threaded Nozzle Holder with check valve, ¼" BSP, quick couple cap	ATPNTVQ08C \$32.10	-

### SWIVEL NOZZLE BODIES



DESCRIPTION	RRP inc.	
	SINGLE	PACK 2
THREADED NOZZLE BODIES		
A. Poly Single Swivel Nozzle Holder - ⅜" BSPF	ATPNSQ10 \$21	-
B. Poly Single Swivel Nozzle Holder with Quick Couple Cap - ⅜" BSPF   Pack 2	-	ATPNSQ10CX2 \$61
C. Single Swivel Nozzle Holder - ¼" BSPF, threaded cap	ATPNST08C \$26.70	-
D. Swivel Nozzle Body with Ball Valve - ⅜" BSPF, Brass off-centre end jet nozzle, ¼" ball valve	ATPNSV100C \$153	-
E. Threaded Nozzle Holder - ⅜" elbow hose barb, Brass off-centre end jet nozzle, ¼" ball valve (Suits Versatile Boom)	ATPNSVE100C \$168	-



# NOZZLE ACCESSORIES

## CAPS & FILTERS

### CAPS


Suits ARAG (ASJ) nozzles



DESCRIPTION	RRP inc.	
	SINGLE	PACK 4
A. Cap & Washer suits SF, EF, WR, TLT, AFC, SFA, LD nozzles	CNQG40290003 \$4.20	CNQG40290003X4 \$16.80
B. Cap & Washer suits TFLD, TFA, PSP nozzles	CNQG40290103 \$4.20	CNQG40290103X4 \$16.80
C. Cap & Washer suits DEF nozzles	CNQG40290803 \$4.20	CNQG40290803X4 \$16.80
D. Cap & Washer suits HC nozzles	CNQG40291703 \$4.20	CNQG40291703X4 \$16.80
E. Blank Cap & gasket - shut off nozzle	CNQG40290901 \$4.90	-

### FILTERS

#50 mesh = 297 microns  
#100 mesh = 149 microns



DESCRIPTION	RRP inc.	
	SINGLE	PACK 10
A. #50 Mesh Ball Check nozzle filter	CNRB424210 \$11.20	CNRB424210X10 \$106
B. #100 Mesh Ball Check nozzle filter	CNRB424211 \$11.20	CNRB424211X10 \$106
A. #50 Mesh Cylindrical Non-Drip nozzle filter	CNRC424310 \$3.90	CNRC424310X10 \$36.40
B. #100 Mesh Cylindrical Non-Drip nozzle filter	CNRC424311 \$3.90	CNRC424311X10 \$36.40



# SPRAY PARTS & COMPONENTS

**BACK YOUR SPRAYER**

## **AN EXTENSIVE RANGE**

Stocking a wide range of sprayer parts and accessories to ensure no time lost whilst spraying. View our full range on [parts.rapidspray.net](http://parts.rapidspray.net)




# HOSE ACCESSORIES

## HOSE, HOSE FITTINGS & GAUGES




### HOSE FITTINGS



CODE	DESCRIPTION	RRP inc.
A. CFBS08B08B	8mm Brass Hose Joiner	\$20
A. CFBS10B10B	10mm Brass Hose Joiner	\$21.40
B. CFBDS1208NS	Nut & Tail ½" BSPF x 8mm Compression fitting suits Buddy Reel spray gun end	\$29.80
B. CFBS12F10MN	Nut & Tail ½" BSPF x 10mm Compression fitting suits Buddy Reel spray gun end	INACTIVE
C. CFBW12B	Brass Suction Line Weight for 12mm hose	\$35.70
D. CFCWZ1016MM	10-16mm Hose Clamp - worm drive	\$4.70
D. CFCWZ1222MM	12-22mm Hose Clamp - worm drive	\$4.70
D. CFCWZ2032MM	20-32mm Hose Clamp - worm drive	\$6.20
E. CFCWZ3550MM	35-50mm Hose Clamp - worm drive	\$6.20
F. CYGTE12	Hose Top Hat Grommet suits ½" (10mm) ID	\$11.80
F. CYGTE20	Hose Top Hat Grommet suits ¾" (12mm) ID	\$13.10


### GAUGES



CODE	DESCRIPTION	RRP inc.
A. CFGD100P08BRP	0-7 bar / 0-100psi Gauge with ¼" Bottom Port suits 12V Spot Sprayers	\$45.20
CFGD200P06SRP	0-14 bar / 0-200psi Gauge with ⅛" Rear Port suits Quick Attach Regulators	\$80
CFGG100P06BRP	0-7 bar / 0-100psi Gauge with SS Bottom Port	INACTIVE



## HOSE



CODE	DESCRIPTION	RRP inc.
<b>A.</b> CUF14519MMX36N	<b>36m x 19mm Fire Hose</b> with adjustable fire nozzle	<b>\$309</b>
<b>B.</b> CUNB10MMX50	<b>50m x 10mm Nylon Spray Hose</b> for Buddy Smart Reel®	<b>\$529</b>
CUNB10MMX100	<b>100m x 10mm Nylon Spray Hose</b> for Buddy Smart Reel®	<b>\$1,052</b>
CUNB10MMX150	<b>150m x 10mm Nylon Spray Hose</b> for Buddy Smart Reel®	<b>\$1,512</b>
<b>C.</b> CUUC19MM	<b>19mm Clear Suction Hose</b> (not for pressure lines) - PRICE PER METRE	<b>\$32.30/m</b>
CUUC25MM	<b>25mm Clear Suction Hose</b> (not for pressure lines) - PRICE PER METRE	<b>\$38.10/m</b>
CUUC32MM	<b>32mm Clear Suction Hose</b> (not for pressure lines) - PRICE PER METRE	<b>\$45.90/m</b>
CUUC38MM	<b>38mm Clear Suction Hose</b> (not for pressure lines) - PRICE PER METRE	<b>\$51.00/m</b>
CUUC50MM	<b>50mm Clear Suction Hose</b> (not for pressure lines) - PRICE PER METRE	<b>\$79.00/m</b>
<b>D.</b> CUY58008MM	<b>8mm Spray Hose</b> 40 bar 580psi - PRICE PER METRE	<b>\$11.20/m</b>
CUY58010MM	<b>10mm Spray Hose</b> 40 bar 580psi - PRICE PER METRE	<b>\$12.00/m</b>
CUY58012MM	<b>12mm Spray Hose</b> 40 bar 580psi - PRICE PER METRE	<b>\$15.20/m</b>
CUY58019MM	<b>19mm Spray Hose</b> 40 bar 580psi - PRICE PER METRE	<b>\$32.30/m</b>
CUY58025MM	<b>25mm Spray Hose</b> 40 bar 580psi - PRICE PER METRE	<b>\$64.00/m</b>



# HOSE ACCESSORIES

## CAMLOCKS & FITTINGS



### CAMLOCK FITTINGS



CODE	DESCRIPTION	RRP inc.
A. CFFCP040A	1 1/2" Camlock adaptor - Female Thread	\$17.10
CFFCP050A	2" Camlock adaptor - Female Thread	\$30
B. CFFCP040C	1 1/2" Female Camlock adaptor with 38mm hosetail	\$51
CFFCP050C	2" Female Camlock adaptor with 50mm hosetail	\$72
C. CFFCP040H	1 1/2" Female Camlock dust cap	\$53
CFFCP050H	2" Female Camlock dust cap	\$62

### HEX PLUG


Suits boom pipes  
Threaded  
BSPT



CODE	THREAD SIZE	RRP inc.
CFNB10MRP	3/8"	\$8.00

### DRAIN PLUG


Threaded with EPDM gasket



CODE	THREAD SIZE	RRP inc.
A. CFNB20M	3/4"	\$8.30
B. CFNB50M	2"	\$13.00


### THREADED STRAIGHT & ELBOW FITTINGS

CODE	THREAD SIZE	BARB	PACK 2	RRP inc.
A. CFNE10M10BX2	3/8"	10mm	✓	\$25.80
A. CFNE12M10B	1/2"	10mm		\$13.00
A. CFNE10M12BX2	3/8"	12mm	✓	\$23.80
B. CFNS10M10BX2	3/8"	10mm	✓	\$23.80
B. CFNS12M12B	1/2"	12mm		\$13.50



## ELBOWS

Barb swivel elbows  
NPTF  
Suits Shurflo pumps



	CODE	THREAD SIZE	BARB	PACK 2	RRP inc.
A.	CFNE12NF10B	½"	10mm		<b>\$21.40</b>
A.	CFNE12NF10BX2	½"	10mm	✓	<b>\$45.40</b>
B.	CFNE12NF12B	½"	12mm		<b>\$21.40</b>

## STRAIGHTS


Barb straight  
NPTF  
Suits Shurflo pumps



	CODE	THREAD SIZE	BARB	RRP inc.
A.	CFNS12NF10B	½"	10mm	<b>\$18.70</b>
B.	CFNS12NF12B	½"	12mm	<b>\$28.90</b>

## POLY TEE

	CODE	THREAD SIZE	BARB	RRP inc.
A.	CFNT10B10B10BRP	-	10mm	<b>\$10.70</b>
B.	CFNT10M10B10BRP	⅜"	10mm	<b>\$13.30</b>
A.	CFNT12B12B12BRP	-	12mm	<b>\$13.30</b>
C.	CFNT12M10B10BRP	½"	10mm	<b>\$14.80</b>



## THREADED FITTINGS



	CODE	DESCRIPTION	THREAD SIZE	RRP inc.
A.	CFNN20M12M	½" NPTM ¾" GHT Adaptor	½"	<b>\$10.20</b>
B.	CFYT12F12F12F	Female Equal Tee	½"	<b>\$22.30</b>






# HOSE ACCESSORIES

## SWIVELS & BALL VALVES




### SWIVELS





	CODE	DESCRIPTION	PRESSURE	RRP inc.
A.	CFSBA20M20F	¾" BSPM to ¾" BSPF Aluminium Swivel	7 bar / 100psi	<b>\$31.60</b>
B.	CFSBS20M20F	¾" BSPM to ¾" MF Swivel	20 bar / 300psi	<b>\$107</b>
C.	CFSBB12M10M	½" BSPM to ¾" NPTM Swivel for PowerJet spray guns	40 bar / 600psi	<b>\$57</b>
D.	CFSBB12M12F	½" BSPM to ½" BSPF Swivel for AHG104 spray gun	40 bar / 600psi	<b>\$51</b>
E.	CFSBBF05	Buddy Smart Reel® Swivel & Bearing	70 bar / 1000psi	<b>\$240</b>
F.	CFSPB20F12MK	¾" F to ½" M Swivel for 30 / 50m Manual Hose Reels (pre May 2012)	40 bar / 600psi	<b>\$141</b>
G.	CFSBB10F06FA	¾" - ¼" BSP Swivel for 30 / 50m Manual Hose Reels (post April 2012)	40 bar / 600psi	<b>\$116</b>
H.	CFSBB12M13T	Fire Fighting Knapsack Swivel	3.5 bar / 50psi	<b>\$51</b>
I.	CFSPB25M25F	1" BSPM to 1" BSPF Brass Swivel for Fire Fighting Hose Reels	20 bar / 300psi	<b>\$128</b>

### BALL VALVES

	CODE	DESCRIPTION	RRP inc.
A.	CFVBB006M006FRP	¼" (6mm) Miniball valve M/F	<b>\$21.20</b>
A.	CFVBB010F010FRP	¾" (10mm) Miniball valve M/F	<b>\$22.80</b>
B.	CFVBB012F012FRP	½" (12mm) Miniball valve F/F	<b>\$30.90</b>
B.	CFVBB012M012FRP	½" (12mm) Miniball valve M/F	<b>\$30.90</b>
C.	CFVBB020M020F	¾" (20mm) Miniball valve F/F	<b>\$48.10</b>
C.	CFVBB025F025F	1" (25mm) Miniball valve F/F	<b>\$61</b>
C.	CFVBB032F032F	1 ¼" (32mm) Miniball valve F/F	<b>\$77</b>
C.	CFVBB040F040F	1 ½" (40mm) Miniball valve F/F	<b>\$103</b>
D.	CFVBB050F050F	2" (50mm) Miniball valve F/F	<b>\$119</b>
D.	CFVBB080F080F	3 ¼" (80mm) Miniball valve F/F	<b>\$287</b>
E.	CFVBP025M025FRP	1" (25mm) GHT M/F Poly Ball valve	<b>\$18.80</b>
F.	CFVTP20M	¾" (20mm) Poly tap	<b>\$14.30</b>
G.	CFVTB20M	¾" (20mm) Brass bibcock	<b>\$36.40</b>







# SPR

CHAPIN



# SPREADERS

## **EASY APPLICATION OF FERTILISER & SEED WITH EVEN CONSISTENT SPREADING**

---

Ideal for targeted fertilising or seeding with the small hand crank spreader, or large scale spreading across lawns or gardens with the tow-behind dual stop impeller spreader. Built tough, this spreader range with adjustable triggers, quick change rate settings and durable poly construction will become your first port of call for spreading fertiliser and seed.



# HANDHELD & CHEST MOUNT

**EASY APPLICATION**



## **LIGHTWEIGHT & EASY TO USE**

With easy hand crank controls, adjustable gates and side baffles, the handheld and chest mount spreaders make spreading fertiliser and seed easy!

1 YEAR  
WARRANTY

# HAND CRANK

1.6L

**The easy-crank, scoop design makes the Hand Crank spreader easy to use and maintain, ideal for small areas larger spreaders can't go.**

## FEATURES

- 1.6L capacity scoop
- Compatible with fertiliser & seeds
- Easy hand crank design
- Enclosed gears - protected from debris
- Trigger gate control
- 3 rate adjustment gate settings
- Even spread impeller
- Lightweight - less than 1kg!
- Small compact design

MATERIALS	GATE SETTING
Fine grain	1
Medium grain	2
Coarse grain	3

CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
A. SMSCH0002L	1.6L Hand Crank Spreader	304 L x 158 W x 177 H	0.45kg	\$35.10



Strong, poly construction





# CHEST MOUNT


11L



With padded shoulder straps, side baffles for controlled spreading and adjustable gate trigger, spreading fertiliser and seed has never been easier!

### FEATURES

- Front, wide-mouth opening reduces spillage
- Enclosed hopper protects from weather
- Compatible with fertiliser and seed
- Trigger control to adjust gate opening
- Adjustable gate control for direction of spread
- Easy hand crank
- Side baffles deflect product spread
- Padded adjustable shoulder straps
- Strong poly construction



### TRIGGER CONTROL

Adjustable for even fertiliser / seed spreading



**GATE CONTROL**  
for direction fo spread

CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
A. SMSCK0011L	11L Chest Mount spreader	267 L x 254 W x 482 H	2.6kg	\$217





A man wearing a light blue long-sleeved shirt, blue jeans, and a tan cowboy hat is driving a red tow-behind spreader on a green lawn. The spreader has a large red hopper with a black liner and the word "CHAPIN" in white. The man is seen from behind, driving towards a tall green hedge. The spreader has large, treaded tires and a black discharge chute. The background shows a clear blue sky and more greenery.

# PUSH & TOW BEHIND

**DURABLE & TOUGH**

**BUILT TO OUTLAST THE REST**

With powder-coated steel frames, the push and tow-behind spreader ranges are ideal for larger gardens, grass areas or fields.



# PUSH SPREADER

36KG



Boasting a tough powder-coated steel frame, fully adjustable gate dial and enclosed gears to withstand the elements.

**FEATURES**

- 36kg capacity hopper
- Enclosed acetal gear system
- Powder-coated steel frame
- Compatible with fertiliser and seed
- Adjustable gate with adjustable dial
- Side baffles to prevent over-spread
- 12" pneumatic tyres
- Easy hand-pull gate trigger
- Enclosed gears - protected from weather

*\*Not compatible with lime products*



**12" PNEUMATIC TYRES**  
ideal for grassy surfaces



CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
A. SMSCR0036	36kg Push spreader	965 L x 610 W x 914 H	11kg	\$623



# TOW-BEHIND SPREADER

70KG

1 YEAR  
WARRANTY

**No more wasted seed or fertilizer, no more reaching back and straining or no more burnt lawns and uneven applications with the auto-stop impeller when not in motion.**

## FEATURES

70kg capacity hopper

Auto-stop impeller - stops when not in motion!

Oiled bronze bearings - minimise axle and gearbox friction

11 incremental rate adjustment settings

14" wide pneumatic tyres

Heavy duty trailer hitch

Powder-coated steel frame

Spiked auger to break-up heavier chucks

Back baffle to control spread

Compatible with fertiliser and seed

Rain proof transparent cover

*\*Not compatible with lime products*

*\*Do not exceed 10km/h*



CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
A. SMSCT0070	70kg To-behind Spreader	660 L x 914 W x 914 H	18.5kg	<b>\$1,038</b>







## **SPOT FIRE, PROPERTY PROTECTION, BACK BURNING CONTROL, TREE WATERING & STOCK WATER TRANSFER**

We know how quickly a fire can spread and change direction. Make sure you have the first stage of protection at hand with our range of fire fighting equipment from pump and motor kits to compact UTV units to large ute mount slide-ons or fire fighting trailers. Our versatile fire fighting range can be used year round for tree watering, stock water transfer etc. not just in emergency situations. When it comes to protecting your family and property from fire, our fire fighting equipment enhances your initial response to fire protection.



A large pile of broken concrete slabs, likely from a damaged structure, sits on a grassy hillside. The slabs are of various sizes and shapes, some showing rebar. In the foreground, a black corrugated hose lies on the ground, partially submerged in a small pool of water. To the left, the rear of a white vehicle with an orange light is visible. The word "FIRE" is overlaid in large white letters across the center of the image.

# FIRE



# COMPACT FIRE FIGHTERS

QUICK DEPLOY

## BE FIRE READY

Compact, space saving fire fighting equipment designed to fit into the back of your UTV for rapid action when you need it. Tough and durable – great for equipment wash down, tree watering and anywhere you need a powerful portable water source.

# FIRE MARSHAL

250L | 400L

15YR TANK  
3YR ENGINE  
1YR PUMP  
3YR REEL  
WARRANTY

**A compact, easy to use fire fighter great for back burning, tree watering, stock water supply - all from the back of your UTV!**

## FEATURES

UV stabilised polyethylene tank  
120L/min 75psi F/F pump  
GX35 Honda motor  
36m x 19mm fire fighting hose  
Poly manual hose reel  
Adjustable fire fighting nozzle  
Compact moulded design with tie-down points at front and rear  
250mm screw lid  
Anti-spill lip around lid opening  
Front drain bung



A.



## VERSATILE USE

Also great for use in plant watering or stock water transfer



## COMPACT DIMENSIONS

Ideal for use in the back of most UTVs with room spare for other equipment




B.



	CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
A.	SF0200ALZ	<b>250L</b> Fire Marshal w/ 120L/min F/F pump	910 L x 760 W x 700 H	-	<b>\$3,014</b>
	SF0200ALZH4	<b>250L</b> Fire Marshal w/ 120L/min F/F pump, 30m Poly reel	910 L x 730 W x 1035 H	39.7kg	<b>\$3,789</b>
	SF0400BLZ	<b>400L</b> Fire Marshal w/ 120L/min F/F pump	1440 L x 760 W x 700 H	-	<b>\$3,452</b>
B.	SF0400BLZH4	<b>400L</b> Fire Marshal w/ 120L/min F/F pump, 30m Poly reel	1440 L x 730 W x 1035 H	52.7kg	<b>\$4,243</b>







# FIRESOUT CORE

360L | 600L

15YR TANK  
3YR ENGINE  
5YR PUMP  
WARRANTY

**The ultimate portable fire fighter, the FireScout Core has been built tough and lightweight, perfect for quick deployment in an emergency situation.**

## FEATURES

UV stabilised polyethylene tank  
490L/min 75psi Aussie FireChief 2" pump  
GX160 Honda motor  
36m x 19mm fire fighting hose  
Poly manual hose reel  
Adjustable fire fighting nozzle  
Forklift pockets for easy loading  
250mm screw lid  
Moulded tie-down points  
Anti-spill lip around lid



A.

**HIGH FLOW PUMP**  
with GX160 Honda  
engine



**ADJUSTABLE FIRE FIGHTING NOZZLE**  
Ideal for adjusting spray  
depending on task



**COMPACT DIMENSIONS**  
Ideal for use in the back of most  
UTVs / Dual cab utes

**FORKLIFT POCKETS**  
In-built for quick and  
easy deployment

CODE	DESCRIPTION	DIMENSIONS	RRP inc.
A. SFS0360LZ	360L FireScout Core with 490L/min Aussie FireChief pump	910 L x 1100 W x 840 H	\$4,753
SFS0600LZ	600L FireScout Core with 490L/min Aussie FireChief pump	1300 L x 1100 W x 840 H	\$5,586







# FIRESCOUT

360L | 600L

15YR TANK  
3YR ENGINE  
5YR PUMP  
WARRANTY

**Equipped with a bottom fill kit, the FireScout is a powerful fire fighting unit with the Aussie FireChief pump and GX160 Honda motor for durability, reliability and performance!**

## FEATURES

- UV stabilised polyethylene tank
- 490L/min Aussie FireChief 2" pump
- Pressure relief valve
- GX160 Honda motor
- 36m x 19mm fire fighting hose
- Poly manual hose reel
- Adjustable fire fighting nozzle
- 6m Bottom fill kit
- Forklift pockets for easy loading
- 250mm screw lid
- Moulded tie-down points
- Anti-spill lip around lid



**UPGRADE WITH FOAM KIT AND NOZZLE**  
Enhance your fire fighting effectiveness - ask in-store for more information.

**PRESSURE RELIEF VALVE**  
with return line to relieve pump pressure



**QUICK DRAIN**  
Empty fast for quick liquid transfer

**BOTTOM FILL KIT**  
Enables quick refill from dams, rivers or troughs. Unit refills in less than 5 minutes.

	CODE	DESCRIPTION	DIMENSIONS	RRP inc.
	PFS0360LZ	360L FireScout with 490L/min Aussie FireChief pump	910 L x 1100 W x 840 H	\$5,934
A.	PFS0600LZ	600L FireScout with 490L/min Aussie FireChief pump	1300 L x 1100 W x 840 H	\$6,925

Dimensions and weight may vary due to the manufacturing process.  
For confirmed weights and dimensions, please contact Rapid Spray.



# TRAY MOUNT FIRE FIGHTERS

**HIGH CAPACITY**

## **POWERFUL FIRE FIGHTING PERFORMANCE**

Designed, manufactured and built in Australia by Australians who understand the power and pace of bushfires all too well. With powerful fire fighting pumps, easy deploy frames and quick fill features, these are the complete fire fighting package!

600L - 1000L

**15YR TANK  
3YR ENGINE  
5YR PUMP  
WARRANTY**

## FEATURES

- UV stabilised polyethylene tank
- 490L/min Aussie FireChief 2" pump
- Pressure relief valve & return line
- GX160 Honda motor
- 36m x 19mm fire fighting hose
- Poly manual hose reel
- Adjustable fire fighting nozzle
- Galvanised steel frame
- Forklift pockets for easy loading at front and side
- Sling points
- 250mm screw lid
- Anti-spill lip around lid

## UPGRADE WITH BOTTOM FILL KIT

Quick fill unit from any water source. See page 165 for more info.

## UPGRADE WITH BALL BAFFLE SYSTEM

Increased stability and safety when driving

**A.**

**EASY ACCESS  
BALL VALVE**

For bottom filling

## FORKLIFT & SLING POINTS

Side or rear forklift access  
with four lifting lugs for slings

CODE	DESCRIPTION	DIMENSIONS	RRP inc.	
A.	SFU0600LZ	600L Ultimate Fire Core with 490L/min Aussie FireChief pump	1950 L x 1360 W x 700 H	\$5,814
	SFU0800LZ	800L Ultimate Fire Core with 490L/min Aussie FireChief pump	1950 L x 1360 W x 890 H	\$6,353
	SFU1000LZ	1000L Ultimate Fire Core with 490L/min Aussie FireChief pump	1950 L x 1360 W x 1045 H	\$6,522



# FIRE RANGER

1,200L - 2,500L

15YR TANK  
3YR ENGINE  
5YR PUMP  
WARRANTY

When you need a larger water supply, the Fire Ranger - complete with Ball Baffle system, powerful Aussie FireChief pump and reliable Honda engine - is the ideal fire fighter for emergency situations.



WITH BALL BAFFLE SYSTEM


Increased stability to ensure safety of crew and others

FEATURES

- UV stabilised polyethylene tank
- 490L/min Aussie FireChief 2" pump
- Pressure relief valve & return line
- GX160 Honda motor
- 36m x 19mm fire fighting hose
- Poly manual hose reel
- Adjustable fire fighting nozzle
- 6m x Bottom fill kit
- Ball Baffle system fitted
- Galvanised steel frame
- 455mm hinge lid
- Anti-spill lip around lid

POWERFUL FIRE FIGHTING PUMP & MOTOR

High water flow for high performance fire fighting



CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
PFU1200LZ	1200L Fire Ranger with 490L/min Aussie FireChief pump	2150 L x 1700 W x 850 H	155kg	\$8,479
PFU1500LZ	1500L Fire Ranger with 490L/min Aussie FireChief pump	2150 L x 1700 W x 1100 H	175kg	\$8,609
PFU2000LZ	2000L Fire Ranger with 490L/min Aussie FireChief pump	2950 L x 2000 W x 1050 H	200kg	\$10,952
A. PFU2500LZ	2500L Fire Ranger with 490L/min Aussie FireChief pump	2800 L x 2000 W x 1250 H	215kg	\$11,316

# FIRE FIGHTING TRAILERS

**THE ULTIMATE WATER SOURCE**



## **HITCH & GO FIRE FIGHTING SOLUTION**

Rapid Spray puts precedence on safety. As such, every fire fighting trailer we have for sale is available throughout Australia. These robust machines have been designed and built to help you effectively and efficiently put out grassfires and bushfires. Although these road-registerable trailers share a basic design, each comes with different accessories that can be modified to specific needs.



# FIRE MARSHAL TRAILER

ON-FARM | ADR COMPLIANT

15YR TANK  
5YR CHASSIS  
3YR ENGINE  
5YR PUMP  
WARRANTY

Experience the convenience of “Hitch & Go” with the reliable and effective Fire Marshal Trailers. Commonly used for tree watering, stock water transfer and/or cleaning tasks - you’ll find a job for your fire trailer all year round!

### FEATURES

- UV stabilised polyethylene tank
- 490L/min Aussie FireChief 2" pump
- Pressure relief valve & return line
- GX160 Honda motor
- 36m x 19mm fire fighting hose
- Poly manual hose reel
- Adjustable fire fighting nozzle
- Galvanised steel single axle trailer
- Leaf suspension springs
- 14" wheels with Ford hub pattern
- 50mm tow hitch and jockey wheel
- 6m x Bottom fill kit
- 455mm hinge lid
- Anti-spill lip around lid

### ADR COMPLIANT FEATURES

- Waterproof LED lights
- Hydraulic over-ride brakes
- \*Registration not included.*




UPGRADE WITH  
BALL BAFFLES FITTED

ARB355F x 25 **\$357.50**

See page 219 for more information.

### EASY ATTACH BOTTOM FILL KIT

refills unit from  
any water source!



ADR COMPLIANT OPTION  
with LED lights and  
hydraulic brakes

LEAF SPRINGS  
controlled axle  
damping and  
increased stability

CODE	DESCRIPTION	DIMENSIONS	RRP inc.
SRFX1000LZ	1000L On-Farm Marshal Trailer - Single Axle	3480 L x 1770 W x 1375 H	<b>\$10,164</b>
A. SRFQ1000LZ	1000L ADR Compliant Marshal Trailer - Single Axle	3480 L x 1770 W x 1375 H	<b>\$12,327</b>

15YR TANK  
5YR CHASSIS  
3YR ENGINE  
5YR PUMP  
WARRANTY

# FIRE RANGER TRAILER

ADR COMPLIANT

Used by councils and government bodies across Australia, the Fire Ranger is our most durable, tough fire fighting trailer, prepared for any on or off-road duties as needed.

## FEATURES

UV stabilised polyethylene tank  
490L/min Aussie FireChief 2" pump  
Pressure relief valve & return line  
GX160 Honda motor  
36m x 19mm fire fighting hose  
Poly manual hose reel  
Adjustable fire fighting nozzle  
Hot gal dipped steel dual axle trailer  
Front & rear pump plates  
Waterproof LED lights  
Hydraulic over-ride brakes  
Leaf suspension springs  
15" wheels with Landcruiser hub pattern  
50mm tow hitch and jockey wheel  
6m x Bottom fill kit



WITH BALL BAFFLE SYSTEM  
increased stability to ensure  
safety of crew and others

LEVEL VIEW  
vital in an  
emergency  
situation

A.



CHEQUER PLATE MUD GUARDS  
with rolled edges for safety

\*Registration not included.

CODE	DESCRIPTION	DIMENSIONS	RRP inc.
PRFQD1200LZ	<b>1200L ADR Compliant</b> Ranger Trailer - Dual Axle	5000 L x 2150 W x 1410 H	<b>\$22,118</b>
PRFQD1500LZ	<b>1500L ADR Compliant</b> Ranger Trailer - Dual Axle	5000 L x 2150 W x 1600 H	<b>\$22,848</b>
PRFQD2000LZ	<b>2000L ADR Compliant</b> Ranger Trailer - Dual Axle	5000 L x 2150 W x 1620 H	<b>\$24,101</b>
A. PRFQD2500LZ	<b>2500L ADR Compliant</b> Ranger Trailer - Dual Axle	5400 L x 2150 W x 1810 H	<b>\$24,882</b>



# FIRE FIGHTING ACCESSORIES



## READY TO GO AT ANYTIME

Pump kits, fire fighting hose reels, pumps, nozzles and more - make it easy to keep your fire fighting unit ready to go at all times!



# FIRE FIGHTING KITS

## PUMPS | SKIDS

### FIRE RANGER FIRE FIGHTING KIT

2" 490L/min Aussie FireChief pump  
GX160 Honda motor  
36m x 19mm fire fighting hose  
Poly manual hose reel  
Adjustable fire fighting nozzle  
Suction hose  
Ball Valve with fittings  
Bottom fill kit



CODE	DESCRIPTION	RRP inc.
AFR4900ZH4	Fire Ranger Fire Fighting kit	<b>\$5,228</b>

### QUICK RESPONSE SKID UNIT

2" 490L/min Aussie FireChief pump  
GX160 Honda motor  
36m x 19mm fire fighting hose  
Poly manual hose reel  
Adjustable fire fighting nozzle  
Galvanised skid frame  
Suction kit  
Ball Valve with fittings  
Bottom fill kit



CODE	DESCRIPTION	RRP inc.
AFR4900ZH4K	Quick Response Skid	<b>\$5,379</b>





# FIRE FIGHTING HOSE REEL

36M



## POLY FIRE FIGHTING HOSE REEL

36m x 19mm poly fire fighting hose  
Adjustable fire fighting nozzle  
Poly manual hose reel  
Galvanised steel base mount  
15yr poly warranty



CODE	DESCRIPTION	RRP inc.
AFHW10B036M19	36m Poly Fire Fighting Hose Reel	\$1,058

## BLACK ROTATING HANDLE

Suits Poly fire fighting hose reel



CODE	DESCRIPTION	RRP inc.
CHHRB10M080	Black rotating handle	\$30.20



**1 YEAR**  
COMPONENTRY  
WARRANTY

# FIRE FIGHTING ACCESSORIES

## FOAM KIT | BOTTOM FILL KIT

### FOAM UNIT

10L UV resistant polyethylene tank  
Foam nozzle  
Adaptor  
Hose & fittings



CODE	DESCRIPTION	RRP inc.
PFF0010L	Foam unit	\$2,636

### BOTTOM FILL KIT

6m hose  
Camlock fittings  
Foot strainer



**FILL ANYWHERE**  
Quickly fill up  
fire unit from any  
water source!



CODE	DESCRIPTION	RRP inc.
AFK006	38mm Hydrant filler kit	\$512

## FIRE FIGHTING SPARES

### VALVE | NOZZLES

#### PRESSURE RELIEF VALVE

3/4" to suit fire fighters  
200psi max pressure



CODE	RRP inc.
ATRV150PT20	\$70

#### FIRE FIGHTING NOZZLE

3/4" brass  
Adjustable nozzle



CODE	RRP inc.
CNAFB20F	\$184

#### BRASS SWIVEL

Suits 36m Poly hose reel  
1" BSPM to 1" BSPF



CODE	RRP inc.
CFSPB25M25F	\$128





## PORTABLE DIESEL PODS FOR UTES, TRUCKS AND TRAILERS FOR ON-SITE DIESEL REFUELLING

---

The diesel refuelling range covers solutions for truck mounted diesel transport tanks, and ute and trailer mounted portable units. Have diesel always on hand with the stationary diesel refuelling tank. All our diesel tanks are moulded from diesel grade certified material and all components sourced from industry leading suppliers. Our diesel refuelling products come with transfer pumps that make refuelling quick and easy.



# DIESEL

A man in a plaid shirt and dark pants is refueling a green tractor with a large white tank. The tractor has a large black tire with a yellow rim. The word "DIESEL" is overlaid in large white letters across the top of the image.



# MOBILE REFUELLING

## TAMPER PROOF



### PORTABLE DIESEL REFUELLING

Choose from the DieselPod, Genius and Active ranges of portable refuelling tanks. Manufactured in Australia from diesel grade polyethylene, our diesel tanks are backed by a full-term 15-year warranty. When you use our diesel tanks, your fuel will be protected from the elements and is guaranteed not to spill during transport.

# DIESELPD

200L / 400L

15YR TANK  
1YR PUMP  
WARRANTY

**Tight for space but need to carry diesel for on-site refuelling? Look no further than the quick access Dieselpod.**

## FEATURES

UV stabilised polyethylene tank  
40L/min 12V Dieselflo pump  
4m x 20mm diesel grade hose  
Heavy duty auto shut-off nozzle  
Diesel gun holder bracket  
2" filler, mesh filter and cap  
4m battery cables  
Dust & splash proof diesel breather  
Moulded grooves for secure mounting



**OPTIONAL ADD-ON**  
with 5 Digit Flow Electronic  
Meter - see page 176 for more  
details. *\*Fitting required.*



CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
DSU0200ALD040V1	<b>200L</b> DieselPod Compact with 40L/min 12V Dieselflo pump	800 L x 680 W x 710 H	30kg	<b>\$1,210</b>
<b>A.</b> DSU0400LD040V1	<b>400L</b> DieselPod Compact with 40L/min 12V Dieselflo pump	1150 L x 820 W x 780 H	40kg	<b>\$1,544</b>









# GENIUS DIESEL REFUELLING

100L - 1200L

**15YR TANK  
1-2YR PUMP  
WARRANTY**

**Available in a range of sizes, the Genius Diesel refuelling units are compact, efficient and tamper proof!**

## FEATURES

Diesel grade UV stabilised polyethylene tank  
40L/min - 80L/min pump options\*  
Padlockable weatherproof pump cover  
4m - 6m x 20mm diesel grade hose\*  
Heavy duty auto shut-off nozzle  
Diesel gun holder bracket  
2" filler, mesh filter and cap  
4m battery cables  
Dust proof diesel breather

\*Not all options available on all models

## SPILL & DUST PROOF BREATHER

For clean fuel

## WEATHER PROOF LID

Protects pump  
and nozzle access



## DIESEL GRADE ONLY

Not suitable for petrol

## PADLOCKABLE COVER

Tamper proof and theft  
protection  
(padlock not included)



## PUMP OPTIONS & WARRANTY

12V 40L/min DieselFlo - 1yr warranty  
12V 45L/min Fluid - 2yr warranty  
12V 60L/min Fluid - 2yr warranty  
12V 80L/min Svelto - 2yr warranty

## SECURE MOUNTING

Moulded grooves for strap  
mounting and brass inserts  
under tank for direct mounting





100L GENIUS DIESEL

- Low Profile tank design
- 40L/min - 45L/min pump options
- Padlockable weatherproof pump cover
- 4m - 6m x 20mm diesel grade hose
- Heavy duty auto shut-off nozzle
- Diesel gun holder bracket
- 2" filler and cap
- 4m battery cables
- Dust & spill proof diesel breather



15YR TANK  
1-2YR PUMP  
WARRANTY

	CODE	DESCRIPTION	12V PUMP	DIMENSIONS	DRY WT	RRP inc.
A.	DUL0100LD040V1	100L Low Genius Diesel with 4m hose	40L/min DieselFlo	800 L x 680 W x 465 H	28kg	\$1,240
A.	DUL0100LF045V1	100L Low Genius Diesel with 6m hose	45L/min Fluid	800 L x 680 W x 465 H	30kg	\$1,595

200L GENIUS DIESEL

- Compact tank designs
- 40L/min - 45L/min pump options
- Padlockable weatherproof pump cover
- 4m - 6m x 20mm diesel grade hose
- Heavy duty auto shut-off nozzle
- Diesel gun holder bracket
- 2" filler and cap
- 4m battery cables
- Dust & spill proof diesel breather



15YR TANK  
1-2YR PUMP  
WARRANTY

	CODE	DESCRIPTION	12V PUMP	DIMENSIONS	DRY WT	RRP inc.
A.	DUL0200ALD040V1	200L Compact Genius Diesel with 4m hose	40L/min DieselFlo	800 L x 680 W x 710 H	34kg	\$1,356
A.	DUL0200ALF045V1	200L Compact Genius Diesel with 6m hose	45L/min Fluid	800 L x 680 W x 710 J	36kg	\$1,726

## 300L GENIUS DIESEL

Slim tank design  
40L/min - 45L/min pump options  
Padlockable weatherproof pump cover  
4m - 6m x 20mm diesel grade hose  
Heavy duty auto shut-off nozzle  
Diesel gun holder bracket  
2" filler and cap  
4m battery cables  
Dust & spill proof diesel breather

A.



**15YR TANK  
1-2YR PUMP  
WARRANTY**

	CODE	DESCRIPTION	12V PUMP	DIMENSIONS	DRY WT	RRP inc.
A.	DUL0300LD040V1	<b>300L Slim</b> Genius Diesel with 4m hose	40L/min DieselFlo	1290 L x 600 W x 770 H	40kg	<b>\$1,629</b>
A.	DUL0300LF045V1	<b>300L Slim</b> Genius Diesel with 6m hose	45L/min Fluid	1290 L x 600 W x 770 H	42kg	<b>\$2,172</b>

## 400L GENIUS DIESEL

Compact and Slim tank designs  
40L/min - 60L/min pump options  
Padlockable weatherproof pump cover  
4m - 6m x 20mm diesel grade hose  
Heavy duty auto shut-off nozzle  
Diesel gun holder bracket  
2" filler and cap  
4m battery cables  
Dust & spill proof diesel breather

A.



B.



**15YR TANK  
1-2YR PUMP  
WARRANTY**

	CODE	DESCRIPTION	12V PUMP	DIMENSIONS	DRY WT	RRP inc.
A.	DUL0400LD040V1	<b>400L Compact</b> Genius Diesel with 4m hose	40L/min DieselFlo	1150 L x 820 W x 780 H	45kg	<b>\$1,851</b>
A.	DUL0400LF045V1	<b>400L Compact</b> Genius Diesel with 6m hose	45L/min Fluid	1150 L x 820 W x 780 H	46kg	<b>\$2,356</b>
A.	DUL0400LF060V1	<b>400L Compact</b> Genius Diesel with 6m hose	60L/min Fluid	1150 L x 820 W x 780 H	48kg	<b>\$2,765</b>
B.	DUL0400ALD040V1	<b>400L Slim</b> Genius Diesel with 4m hose	40L/min DieselFlo	1290 L x 600 W x 965 H	45kg	<b>\$1,851</b>
B.	DUL0400ALF045V1	<b>400L Slim</b> Genius Diesel with 6m hose	45L/min Fluid	1290 L x 600 W x 965 H	46kg	<b>\$2,356</b>



600L GENIUS DIESEL

- 40L/min - 60L/min pump options
- Padlockable weatherproof pump cover
- 4m - 6m x 20mm diesel grade hose
- Heavy duty auto shut-off nozzle
- Diesel gun holder bracket
- 2" filler and cap
- 4m battery cables
- Dust & spill proof diesel breather



CODE	DESCRIPTION	12V PUMP	DIMENSIONS	DRY WT	RRP inc.
A. DUL0600LD040V1	600L Genius Diesel with 4m hose	40L/min DieselFlo	1700 L x 1000 W x 860 H	63kg	\$2,305
A. DUL0600LF045V1	600L Genius Diesel with 6m hose	45L/min Fluid	1700 L x 1000 W x 860 H	65kg	\$2,570
A. DUL0600LF060V1	600L Genius Diesel with 6m hose	60L/min Fluid	1700 L x 1000 W x 860 H	68kg	\$2,906

800L GENIUS DIESEL

- 40L/min - 80L/min pump options
- Padlockable weatherproof pump cover
- 4m - 6m x 20mm diesel grade hose
- Heavy duty auto shut-off nozzle
- 1" high flow nozzle (60 - 80L/min pumps)
- Diesel gun holder bracket
- 2" filler, mesh filter and cap
- 4m battery cables
- Dust & spill proof diesel breather



OPTIONAL BALL BAFFLES  
ARB355F x 20 FITTED  
\$286 RRP inc. GST

CODE	DESCRIPTION	12V PUMP	DIMENSIONS	RRP inc.
A. DUL0800LD040V1	800L Genius Diesel with 4m hose	40L/min DieselFlo	1700 L x 1000 W x 860 H	\$2,526
A. DUL0800LF045V1	800L Genius Diesel with 6m hose	45L/min Fluid	1700 L x 1000 W x 860 H	\$3,031
A. DUL0800LF060V1	800L Genius Diesel with 6m hose	60L/min Fluid	1700 L x 1000 W x 860 H	\$3,371
A. DUL0800LT080V1	800L Genius Diesel with 4m hose	80L/min Svelto	1700 L x 1000 W x 860 H	\$3,855

## 1000L GENIUS DIESEL

40L/min - 80L/min pump options  
 Padlockable weatherproof pump cover  
 4m - 6m x 20mm diesel grade hose  
 Heavy duty auto shut-off nozzle  
 1" high flow nozzle (60 - 80L/min pumps)  
 Diesel gun holder bracket  
 2" filler, mesh filter and cap  
 4m battery cables  
 Dust & spill proof diesel breather

A.



**15YR TANK  
1-2YR PUMP  
WARRANTY**

**OPTIONAL BALL BAFFLES**  
 ARB355F x 25 FITTED  
**\$357.50 RRP inc. GST**

	CODE	DESCRIPTION	12V PUMP	DIMENSIONS	RRP inc.
A.	DUL1000LD040V1	<b>1000L</b> Genius Diesel with 4m hose	40L/min DieselFlo	1700 L x 1000 W x 1025 H	<b>\$2,704</b>
A.	DUL1000LF045V1	<b>1000L</b> Genius Diesel with 6m hose	45L/min Fluid	1700 L x 1000 W x 1025 H	<b>\$3,220</b>
A.	DUL1000LF060V1	<b>1000L</b> Genius Diesel with 6m hose	60L/min Fluid	1700 L x 1000 W x 1025 H	<b>\$3,556</b>
A.	DUL1000LT080V1	<b>1000L</b> Genius Diesel with 4m hose	80L/min Svelto	1700 L x 1000 W x 1025 H	<b>\$4,044</b>

## 1200L GENIUS DIESEL

40L/min - 80L/min pump options  
 Padlockable weatherproof pump cover  
 4m - 6m x 20mm diesel grade hose  
 Heavy duty auto shut-off nozzle  
 1" high flow nozzle (60 - 80L/min pumps)  
 Diesel gun holder bracket  
 2" filler, mesh filter and cap  
 4m battery cables  
 Dust & spill proof diesel breather

A.



**15YR TANK  
1-2YR PUMP  
WARRANTY**

**OPTIONAL BALL BAFFLES**  
 ARB355F x 30 FITTED  
**\$429 RRP inc. GST**

	CODE	DESCRIPTION	12V PUMP	DIMENSIONS	RRP inc.
A.	DUL1200LD040V1	<b>1200L</b> Genius Diesel with 4m hose	40L/min DieselFlo	1700 L x 1000 W x 1190 H	<b>\$2,726</b>
A.	DUL1200LF045V1	<b>1200L</b> Genius Diesel with 6m hose	45L/min Fluid	1700 L x 1000 W x 1190 H	<b>\$3,432</b>
A.	DUL1200LF060V1	<b>1200L</b> Genius Diesel with 6m hose	60L/min Fluid	1700 L x 1000 W x 1190 H	<b>\$3,763</b>
A.	DUL1200LT080V1	<b>1200L</b> Genius Diesel with 4m hose	80L/min Svelto	1700 L x 1000 W x 1190 H	<b>\$4,250</b>





# GENIUS DIESEL ACCESSORIES

STEEL FRAMES | FLOW METER | GAUGES

## GENIUS DIESEL TANK STEEL FRAME

Easy to load convenience  
Forklift pockets\*  
Hot dip galvanised for durability

*\*Check compatibility with forklift tines before ordering.  
Fitting required. Bolts not included.*



CODE	DESCRIPTION	SUITS	DIMENSIONS	RRP inc.
ASFD00100	Steel Frame (not forkliftable)	DUL0100L / DUL0200AL	700 L x 580 W x 50 H	<b>\$526</b>
<b>A.</b> ASFD00200	Steel Frame with Forklift Pockets	DUL0400L (Compact)	860 L x 748 W x 50 H	<b>\$800</b>
ASFD00300	Steel Frame with Forklift Pockets	DUL0300L / DUL0400AL (Slim)	1200 L x 510 W x 50 H	<b>\$812</b>
ASFD00450	Steel Frame with Forklift Pockets	DUL0600L	1500 L x 780 W x 50 H	<b>\$845</b>
ASFD00800	Steel Frame with Forklift Pockets	DUL0800L / DUL1000L / DUL1200L	1480 L x 800 W x 50 H	<b>\$1,097</b>

## 5 DIGIT ELECTRONIC FLOW METER

Suits 40-45L/min or 60-80L/min pumps  
10L - 100L/min flow rate  
70psi max pressure  
1" inlet/outlet  
Polypropylene body  
Compatible with most chemicals & diesel



CODE	SUITS PUMP	RRP inc.
<b>A.</b> ADFPE25D5	60-80L/min	<b>\$336</b>
ADFPE20D5K	40-45L/min Kit, fittings inc.	<b>\$413</b>
ADFPE25D5K	60-80L/min Kit, fittings inc.	<b>\$413</b>



15YR TANK  
2YR PUMP  
WARRANTY

# RAPID BLUE

100L - 400L ADBLUE

**Built for the highly corrosive AdBlue® diesel exhaust fluid, this is the ideal portable tank solution for reducing emissions from diesel equipment.**

## FEATURES

UREA grade polyethylene tank  
35L/min Svelto pump  
Padlockable weatherproof pump cover  
4m x 19mm AdBlue grade hose  
Poly manual delivery handgun  
Diesel gun holder bracket  
2" filler and cap  
Dust & spill proof breather



### ROTARY VANE PUMP

Clogs less, higher flow rate  
and easy maintenance



*\*Metal gun pictured. Marketing purposes only.*

CODE	DESCRIPTION	12V PUMP	DIMENSIONS	DRY WT	RRP inc.
DAL0100LT035AV1	<b>100L</b> RapidBlue unit	35L/min Svelto	800 L x 680 W x 465 H	17.5kg	<b>\$2,406</b>
A. DAL0200ALT035AV1	<b>200L</b> RapidBlue unit	35L/min Svelto	800 L x 680 W x 710 H	34kg	<b>\$2,660</b>
DAL0400LT035AV1	<b>400L</b> RapidBlue unit	35L/min Svelto	1150 L x 820 W x 780 H	43kg	<b>\$3,199</b>



# ACTIVE DIESEL

2,000L - 5,000L

Reduce lost time on-site with the Active Diesel in-field mobile refuelling tanks. Ideal for larger construction sites or farming properties.

### FEATURES

- Diesel grade UV stabilised polyethylene tank
- 45L/min - 80L/min pump options
- 6m x ¾" diesel grade hose (45L/min)
- 6m x 1" diesel grade hose (60L/min)
- 4m x 1" diesel grade hose (80L/min)
- Heavy duty auto shut-off nozzle
- 2" filler, mesh filter and cap
- 4m battery cables
- Dust proof diesel breather
- 'SureFit' mounting pins inc.



**SECURE MOUNTING**  
with SureFit mounting pins  
and framing system  
See frames page 148



**ITALIAN PUMP**  
Peace of mind with 2 year  
warranty on Italian Fluid pumps



**BALL BAFFLES**  
Upgrade with ball  
baffles - see more  
information page 219



DESCRIPTION	DIMENSIONS	DRY WT	45L/MIN FLUID PUMP	60L/MIN FLUID PUMP	80L/MIN SVELTO PUMP
1500L Active Diesel	1700 L x 1320 W x 1280 H	95kg	DUC1500LF045V1 \$3,919	DUC1500LF060V1 \$4,246	DUC1500LT080V1 \$4,688
A. 2000L Active Diesel	2000 L x 1420 W x 1270 H	120kg	DUC2000LF045V1 \$4,841	DUC2000LF060V1 \$5,168	DUC2000LT080V1 \$5,610
2500L Active Diesel	2000 L x 1420 W x 1465 H	135kg	DUC2500LF045V1 \$5,372	DUC2500LF060V1 \$5,699	DUC2500LT080V1 \$6,141
3000L Active Diesel	2340 L x 1420 W x 1400 H	180kg	DUC3000LF045V1 \$7,009	DUC3000LF060V1 \$7,335	DUC3000LT080V1 \$7,779
5000L Active Diesel	2760 L x 2000 W x 1600 H	263kg	DUC5000LF045V1 \$9,137	DUC5000LF060V1 \$9,465	DUC5000LT080V1 \$9,907

# ACTIVE DIESEL ACCESSORIES

## STEEL FRAMES | BALL BAFFLES

### ACTIVE DIESEL TANK STEEL FRAME

Easy to load convenience

Forklift pockets\*

Hot dip galvanised for durability

*\*Check compatibility with forklift tines before ordering.*

*Fitting required. Bolts not included.*



CODE	DESCRIPTION	SUITS	DIMENSIONS	DRY WT	RRP inc.
ASFC01200	Steel Frame with Forklift Pockets	DUC1200L / DUC1500L	1790 L x 1200 W x 120 H	111kg	<b>\$2,176</b>
<b>A.</b> ASFC02000	Steel Frame with Forklift Pockets	DUC2000L / DUC2500L	2100 L x 1200 W x 120 H	143kg	<b>\$3,185</b>
ASFC03000	Steel Frame with Forklift Pockets	DUC3000L	2390 L x 1390 W x 120 H	153kg	<b>\$3,804</b>
ASFC04000	Steel Frame with Forklift Pockets	DUC4000L	2800 L x 1755 W x 150 H	165kg	<b>\$4,169</b>

### DIESEL FILTER & CARTRIDGE KIT

Suits 400L and larger (exc. Slim)

70L/min max flow rate

30 micron filtration

Water absorption

1" inlet/outlet

*\*Fitting required*




CODE	DESCRIPTION	RRP inc.
ADC30M25F	Diesel Filter & Cartridge	<b>\$184</b>

### BALL BAFFLES

SUIT 800L - 5000L

Anti-surge system eliminates slosh and surge for better vehicle stability.

*\*Not suitable for petrol*



CODE	SIZE	QTY REQ.	TANK SIZE	RRP inc.
ARB355F	355mm	1 ball per 40L	800L - 5,000L	<b>\$14.30ea</b>



# STATIONARY DIESEL REFUELLING

## BULK STORAGE



### LARGE SCALE REFUELLING NEEDS

---

Bulk on-site diesel can save up to \$0.50 per litre! Ideal for large scale agricultural operations - save time and money with bulk diesel storage with an Italian pump and Australian diesel grade tank.



10YR TANK  
2YR PUMP  
WARRANTY

# STATIONARY DIESEL TANK

5,000L | 10,000L

**Bulk diesel storage tanks give you the convenience of on-site refuelling, ideal for large scale agricultural farms.**

## FEATURES

Diesel grade UV stabilised polyethylene tank  
240V 60L/min Fluid pump  
Heavy duty auto shut-off nozzle  
4-Digit mechanical flow meter  
Mounted lockable cabinet securing access to pump and nozzle  
6m x 25mm diesel grade hose  
1.5" fast fill point with automatic over-fill prevention and anti-splash tube  
Water and particle filter  
Static grounding system  
Tank level gauge for easy viewing



### SECURE LOCKABLE CABINET

For pump and nozzle access



**EASY ACCESS FAST FILL**  
with automatic over-fill protection



\*Picture for illustrative purposes only.

\*Complies with relevant sections AS1940:2016 when correctly installed and operated. Secondary containment (bund) is required for most locations. Rapid Spray accepts no liability for incorrectly installed or operated Stationary Diesel Tanks.

	CODE	DESCRIPTION	240V PUMP	DIMENSIONS	RRP inc.
	DUS05000LF060V3M	<b>5000L</b> Stationary Diesel tank	60L/min Fluid	2200 L x 2100 W x 1800 H	<b>\$11,491</b>
A.	DUS10000LF060V3M	<b>10000L</b> Stationary Diesel tank	60L/min Fluid	2700 L x 2400 W x 2800 H	<b>\$13,197</b>



# DIESEL REFUELLING TRAILERS

**HITCH & GO CONVENIENCE**

## **ADR COMPLIANT**

Built using the popular Genius pod, these trailers are a secure, durable and easy to tow mobile refuelling trailer. Meeting ADR requirements, these are ideal for agricultural or industrial uses.

# GENIUS DIESEL TRAILER

1000L | 1200L

**Australia's favourite Genius Diesel refuelling just got an upgrade with the Australian Made ADR compliant / road registrable trailer.**

## FEATURES

Diesel grade UV stabilised polyethylene tank  
60L/min 12V Fluid pump  
Padlockable weatherproof pump cover  
6m x 25mm diesel grade hose  
Heavy duty auto shut-off nozzle  
Road registerable single axle trailer  
15" wheels with Landcruiser hub  
50mm tow hitch & jockey wheel  
Ball baffles system  
2" filler, mesh filter and cap  
4m battery cables  
Dust proof diesel breather

## LIGHTS & BRAKES

ADR compliant  
for safe on-road  
operation



## UPGRADE WITH DIESEL HOSE REEL

See page 184



## BALL BAFFLE SYSTEM

Increased stability



## 50MM TOW HITCH

Easy towing for  
most vehicles



**15YR TANK  
5YR CHASSIS  
2YR PUMP  
WARRANTY**



## HIGH CLEARANCE

ideal for rough terrain

	CODE	DESCRIPTION	12V PUMP	DIMENSIONS	RRP inc.
	DGQ1000LF060V1	<b>1000L</b> Genius Diesel trailer	60L/min Fluid	3700 L x 1900 W x 1540 H	<b>\$13,209</b>
<b>A.</b>	DGQ1200LF060V1	<b>1200L</b> Genius Diesel trailer	60L/min Fluid	3700 L x 1900 W x 1705 H	<b>\$13,503</b>



# GENIUS DIESEL TRAILER UPGRADES

HOSE REEL | FIRE EXTINGUISHER | SPARE WHEEL | WHEEL CHOCK

## DIESEL HOSE REEL

Spring retractable hose  
8m x 25mm hose



CODE	DESCRIPTION	RRP inc.
ADHR008M25	8 x 25mm Diesel hose reel	\$1,727

## SPARE WHEEL & MOUNT

15" LandCruiser models  
Mounting bracket



CODE	DESCRIPTION	RRP inc.
AQW015L	15" Spare wheel only - 600L - 3000L	\$846
AQW015LK	15" Spare wheel & mount - 600L - 3000L	\$1,278

## FIRE EXTINGUISHER

Dry powder ABE  
Supplied with galvanised vehicle  
mounting bracket



CODE	DESCRIPTION	RRP inc.
A. AQSFD045K	4.5kg ABE Fire Extinguisher	\$919
B. AQSFD090K	9kg ABE Fire Extinguisher	\$1,016

## WHEEL CHOCK

Supplied as pair  
Heavy duty polyethylene wheel chocks  
Stainless steel mounting brackets



CODE	DESCRIPTION	RRP inc.
AQCW001K	Pair Wheel Chock & mount	\$596

# DIESEL PUMPS & SPARES

**MAXIMISE YOUR DIESEL UNIT**



## **AN EXTENSIVE RANGE**

We always want to make sure you get the most from our range of products. Rapid Spray offers a comprehensive selection of diesel tank accessories. To enhance your tank's functionality, you can purchase extra pumps, flow meters, filters and other accessories.



# DIESEL PUMPS

## DIESELFLO | FLUID



### 40L/MIN DIESELFLO

- Kit includes:
- 40L/min pump
  - Auto shut-off nozzle
  - 4m x 19mm hose
  - 25mm Suction hose
  - Hose fittings

1 year warranty



PUMP	VOLT	PUMP ONLY RRP inc.	PUMP KIT RRP inc.
40L/min DieselFlo	12V	ADPX040V1P \$358	ADPX040V1K \$579

### 60L/MIN FLUID

- Kit includes:
- 60L/min pump
  - High flow auto shut-off nozzle
  - 6m x 25mm hose
  - 25mm Suction hose
  - Hose fittings

2 year warranty



PUMP	VOLT	PUMP ONLY RRP inc.	PUMP KIT RRP inc.
60L/min Fluid	12V	ADPF060V1P \$1,025	ADPF060V1K \$1,360
60L/min Fluid	24V	ADPF060V2P \$1,080	ADPF060V2K \$1,464

### 45L/MIN FLUID

- Kit includes:
- 45L/min pump
  - Auto shut-off nozzle
  - 6m x 19mm hose
  - 25mm Suction hose
  - Hose fittings

2 year warranty



PUMP	VOLT	PUMP ONLY RRP inc.	PUMP KIT RRP inc.
45L/min Fluid	12V	ADPF045V1P \$739	ADPF045V1K \$1,024
45L/min Fluid	24V	ADPF045V2P \$811	ADPF045V2K \$1,127

### 60L/MIN 240V FLUID

- Kit includes:
- 60L/min pump
  - High flow auto shut-off nozzle
  - 6m x 25mm hose
  - 25mm Suction hose
  - Hose fittings

2 year warranty



PUMP	VOLT	PUMP ONLY RRP inc.	PUMP KIT RRP inc.
60L/min DieselFlo	240V	ADPX060V3P \$1,189	ADPX060V3K \$1,862

# PUMPS & SPARES

SVELTO BLUE | HOSE & HOSE REELS | HANDGUNS | FILTERS



## 35L/MIN SVELTO BLUE

Suitable for AdBlue

Kit includes:

35L/min pump

S/S manual nozzle

4m x 19mm hose

25mm Suction hose


Hose fittings

**2 year warranty**



PUMP	VOLT	PUMP ONLY RRP inc.	PUMP KIT RRP inc.
35L/min Svelto	12V	ADPT035V1P <b>\$1,041</b>	ADPT035AV1K <b>\$1,538</b>

## DIESEL HOSE REEL



CODE	DESCRIPTION	RRP inc.
A. ADHW020M25	20 x 25mm Manual Poly Diesel hose reel with handle	<b>\$1,462</b>
B. ADHR008M25	8 x 25mm Spring Retractable Diesel hose reel	<b>\$1,727</b>

## DIESEL HOSE

DieselFlo or Fluid hose

20mm - 25mm hose

Crimped ends



\*Picture for illustrative purposes only.

Not all hose supplied with springs.

CODE	DESCRIPTION	RRP inc.
A. ADZ04M20	4m x 19mm DieselFlo hose	<b>\$124</b>
ADZF6M20	6m x 19mm Fluid hose	<b>\$193</b>
ADZF10M20	10m x 19mm Fluid hose	<b>\$241</b>
ADZF6M25	6m x 25mm Fluid hose	<b>\$299</b>
ADZF10M25	10m x 25mm Fluid hose	<b>\$375</b>

## DIESEL AUTO SHUT-OFF HANDGUN



CODE	DESCRIPTION	RRP inc.
A. ADGA20	3/4" (20mm) Auto shut-off handgun	<b>\$186</b>
B. ADGA25	1" (25mm) High flow auto shut-off gun	<b>\$254</b>



DIESEL CARTRIDGE FILTER KIT

1" inlet / outlet  
70L/min max flow  
30 micron filtration  
Water absorbing  
Suitable for all units  
above 400L capacity



A.

CODE	DESCRIPTION	RRP inc.
A. ADC30M25F	Diesel Cartridge Complete	\$184
ADC30M25C	Filter Cartridge only	\$132
ADC30M25H	Filter Holder only	\$46.60

5 DIGIT MECHANICAL FLOW METER

000.0L  
1" inlet/outlet  
Polypropylene body  
Compatible with most  
chemicals



CODE	SUITS PUMP	RRP inc.
ADFMM25D4	4 Digit Mechanical flow meter	\$443

5 DIGIT ELECTRONIC FLOW METER

000.00L  
Suits 40-45L/min or 60-80L/min pumps  
10L - 100L/min  
70psi max pressure  
1" inlet/outlet  
Polypropylene body  
Compatible with most



A.

CODE	SUITS PUMP	RRP inc.
A. ADFPE25D5	60-80L/min	\$336
ADFPE20D5K	40-45L/min Kit, fittings inc.	\$414
ADFPE25D5K	60-80L/min Kit, fittings inc.	\$414









## **OUTLAST THE REST - RAPID SPRAY TANKS WITH UNPARALLELED 15YR WARRANTY!**

---

Built to stand the test of time - manufactured to Australian standards and made with food-grade Australian manufactured poly, Rapid Spray tanks are the toughest and most durable tanks available on the market. As a trusted tank manufacturer, we see to it that our products are proven and tested to offer quality performance in the field everyday, ensuring they are with you for the long haul.



# TANKS





# CARTAGE TANKS

**SUITABLE FOR MOST LIQUIDS**



## **THE TOUGHEST TANKS!**

---

With the in-built Flexi-link technology in each tank structure, Rapid Spray tanks are made to withstand the twisting and turning of vehicle chassis movements. Our specialised manufacturing processes maximises strength with minimal weight resulting in greater payload opportunities.

# CARTAGE TANK

400L - 15,000L

**15 YEAR  
TANK  
WARRANTY**

**Manufactured in Australia, from Australian materials, our cartage tanks are built to withstand even the toughest of conditions.**

## FEATURES

UV stabilised polyethylene  
All models food grade poly material  
Extra thick tank structures for different load capacities  
Graduation markings (\*not on all models)  
Sun blocking to prevent algae growth  
No spill containment lips (over 400L)  
255mm - 455mm diameter lids  
455mm hinged lids (over 800L)  
SureFit mounting pins  
Tank outlet / fittings  
(supplied loose)

## OPAQUE TEAL

UV stabilised to block sunlight to prevent algae growth

## 15 YEAR WARRANTY

Guaranteed full life warranty



## UPGRADE WITH BALL BAFFLE SYSTEM

Increased stability and safety when driving



## LOAD CAPACITIES

Aqua-V rated 1.1 : 1SG  
Active Liquid rated: 1.3 : 1SG  
Mega Molasses rated: 1.6 : 1SG




## STABLE MOUNTING

With specifically design tank legs and SureFit mounting pins



10L - 100L


UV stabilised polyethylene tank  
150mm poly screw lid



	CODE	DESCRIPTION	MOUNTING THREADS	DIMENSIONS	DRY WT	RRP inc.
A.	PTZV00010TT	10L Water Cartage Tank	4 x M8 mounting threads	220 Ø x 460 H	1.5kg	\$176
B.	PTZV00025TT	25L Water Cartage Tank	4 x M8 mounting threads	450 Ø x 400 H	4kg	\$239
C.	PTZV00050TT	50L Water Cartage Tank	4 x M8 mounting threads	450 Ø x 600 H	7kg	\$353
D.	PTZV00100TT	100L Water Cartage Tank	6 x M8 mounting threads	450 Ø x 950 H	10kg	\$545

250L - 400L

UV stabilised polyethylene tank  
250mm poly screw lid  
10L hand wash tank  
¾" poly tank fitting  
4 x M8 mounting threads (base)



	CODE	DESCRIPTION	DIMENSIONS	DRY WT	RRP inc.
A.	PTC00250ATT	250L Water Cartage Tank with 10L Handwash tank	910 L x 730 W x 670 H	22kg	\$946
B.	PTC00400BTT	400L Water Cartage Tank with 10L Handwash tank	1475 L x 755 W x 695 J	34kg	\$1,405

## 400L

250mm poly screw lid  
 ¾" or 1 ½" poly tank fitting (loose)  
 4 x Ø18mm mounting pins



**BALL BAFFLES FITTED**  
 ARB195F x 57 **\$485**



A.

VERSION & DRY WT

TANK OPTIONS - RRP INC. & CODE

		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
<b>400L Squat</b> 1190 L x 1050 W x 735 H	Tank Only 28kg	-	PTC00400ATO <b>\$1,233</b>	-
<b>400L</b> 1190 L x 1050 W x 500 H  <b>A.</b>	Tank Only 23kg   28kg	STC00400TO <b>\$891</b>	PTC00400TO <b>\$1,258</b>	-
	Tank & Frame	STC00400KTO <b>\$1,821</b>	PTC00400KTO <b>\$2,187</b>	
	Tank, Frame & Pump Plate	STC00400KPTO <b>\$2,504</b>	PTC00400KPTO <b>\$2,871</b>	

## 600L

250mm poly screw lid  
 1 ½" poly tank fitting (loose)  
 4 x Ø18mm mounting pins



**BALL BAFFLES FITTED**  
 ARB195F x 85 **\$723**



VERSION & DRY WT

TANK OPTIONS - RRP INC. & CODE

		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
<b>600L</b> 1190 L x 1050 W x 735 H	Tank Only 32kg   37kg	STC00600TO <b>\$1,113</b>	PTC00600TO <b>\$1,489</b>	-
	Tank & Frame	STC00600KTO <b>\$2,062</b>	PTC00600KTO <b>\$2,418</b>	
	Tank, Frame & Pump Plate	STC00600KPTO <b>\$2,747</b>	PTC00600KPTO <b>\$3,102</b>	



800L

450mm poly hinge lid  
1 ½" poly tank fitting (loose)  
4 x Ø18mm mounting pins



**BALL BAFFLES FITTED**  
ARB355F x 20     **\$286**



VERSION & DRY WT		TANK OPTIONS - RRP INC. & CODE		
800L 1350 L x 1200 W x 690 H	Tank Only 50kg   55kg	AQUA-V STC00800TO <b>\$1,521</b>	ACTIVE LIQUID PTC00800TO <b>\$1,834</b>	MEGA MOLASSES
	Tank & Frame	STC00800KTO <b>\$2,465</b>	PTC00800KTO <b>\$2,778</b>	-
	Tank, Frame & Pump Plate	STC00800KPTO <b>\$3,175</b>	PTC00800KPTO <b>\$3,488</b>	

1000L

450mm poly hinge lid  
1 ½" poly tank fitting (loose)  
4 x Ø18mm mounting pins



**BALL BAFFLES FITTED**  
ARB355F x 25     **\$358**



VERSION & DRY WT		TANK OPTIONS - RRP INC. & CODE		
1,000L 1350 L x 1200 W x 900 H	Tank Only 58kg   65kg   72kg	AQUA-V STC01000TO <b>\$1,709</b>	ACTIVE LIQUID PTC01000TO <b>\$2,015</b>	MEGA MOLASSES PTC01000TOH <b>\$2,418</b>
	Tank & Frame	STC01000KTO <b>\$2,653</b>	PTC01000KTO <b>\$2,960</b>	PTC01000KTOH <b>\$3,363</b>
	Tank, Frame & Pump Plate	STC01000KPTO <b>\$3,364</b>	PTC01000KPTO <b>\$3,670</b>	PTC01000KPTOH <b>\$4,073</b>

## 1200L

450mm poly hinge lid  
1 ½" poly tank fitting (loose)  
4 x Ø24mm mounting pins



### BALL BAFFLES FITTED

ARB355F x 30 **\$429**



#### VERSION & DRY WT

#### TANK OPTIONS - RRP INC. & CODE

		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
<b>1,200L</b> 1700 L x 1320 W x 860 H	Tank Only 70kg   77kg		PTC01200TO <b>\$2,162</b>	PTC01200TOH <b>\$2,596</b>
	Tank & Frame		PTC01200KTO <b>\$4,151</b>	PTC01200KTOH <b>\$4,583</b>
	Tank, Frame & Pump Plate		PTC01200KPTO <b>\$4,744</b>	PTC01200KPTOH <b>\$5,177</b>

## 1500L

450mm poly hinge lid  
1 ½" poly tank fitting (loose)  
4 x Ø24mm mounting pins



### BALL BAFFLES FITTED

ARB355F x 37 **\$503**



#### VERSION & DRY WT

#### TANK OPTIONS - RRP INC. & CODE

		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
<b>1,500L</b> 1700 L x 1320 W x 1050 H	Tank Only 75kg   85kg   94kg	STC01500TO <b>\$2,334</b>	PTC01500TO <b>\$2,661</b>	PTC01500TOH <b>\$3,191</b>
	Tank & Frame	STC01500KTO <b>\$4,322</b>	PTC01500KTO <b>\$4,648</b>	PTC01500KTOH <b>\$5,179</b>
	Tank, Frame & Pump Plate	STC01500KPTO <b>\$4,916</b>	PTC01500KPTO <b>\$5,242</b>	PTC01500KPTOH <b>\$5,772</b>



2000L

450mm poly hinge lid  
2" poly tank fitting (loose)  
4 x Ø24mm mounting pins



**BALL BAFFLES FITTED**  
ARB355F x 50     **\$715**



VERSION & DRY WT

TANK OPTIONS - RRP INC. & CODE

		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
<b>2,000L</b> 2000 L x 1420 W x 1070 H	Tank Only 95kg   110kg   120kg	STC02000TO <b>\$3,112</b>	PTC02000TO <b>\$3,503</b>	PTC02000TOH <b>\$4,203</b>
	Tank & Frame	STC02000KTO <b>\$6,022</b>	PTC02000KTO <b>\$6,411</b>	PTC02000KTOH <b>\$7,114</b>
	Tank, Frame & Pump Plate	STC02000KPTO <b>\$6,613</b>	PTC02000KPTO <b>\$7,002</b>	PTC02000KPTOH <b>\$7,702</b>

2500L

450mm poly hinge lid  
2" poly tank fitting (loose)  
4 x Ø24mm mounting pins



**BALL BAFFLES FITTED**  
ARB355F x 62     **\$887**



VERSION & DRY WT

TANK OPTIONS - RRP INC. & CODE

		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
<b>2,500L</b> 2000 L x 1420 W x 1265 H	Tank Only 115kg   125kg   137kg	STC02500TO <b>\$3,335</b>	PTC02500TO <b>\$3,984</b>	PTC02500TOH <b>\$4,779</b>
	Tank & Frame	STC02500KTO <b>\$6,245</b>	PTC02500KTO <b>\$6,894</b>	PTC02500KTOH <b>\$7,689</b>
	Tank, Frame & Pump Plate	STC02500KPTO <b>\$6,837</b>	PTC02500KPTO <b>\$7,483</b>	PTC02500KPTOH <b>\$8,280</b>

## 3000L

450mm poly hinge lid  
2" poly tank fitting (loose)  
4 x Ø24mm mounting pins



**BALL BAFFLES FITTED**  
ARB355F x 75 **\$1,073**



### VERSION & DRY WT

### TANK OPTIONS - RRP INC. & CODE


		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
<b>3,000L</b> 2340 L x 1520 W x 1200 H	Tank Only 145kg   170kg   190kg	STC03000TO <b>\$4,280</b>	PTC03000TO <b>\$5,464</b>	PTC03000TOH <b>\$6,557</b>
	Tank & Frame	STC03000KTO <b>\$7,757</b>	PTC03000KTO <b>\$8,942</b>	PTC03000KTOH <b>\$10,036</b>
	Tank, Frame & Pump Plate	STC03000KPTO <b>\$8,385</b>	PTC03000KPTO <b>\$9,571</b>	PTC03000KPTOH <b>\$10,665</b>

## 3400L

450mm poly hinge lid  
2" Croc-Loc tank fitting (loose)  
4 x Ø24mm mounting pins



**BALL BAFFLES FITTED**  
ARB355F x 85 **\$1,216**



### VERSION & DRY WT

### TANK OPTIONS - RRP INC. & CODE

		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
<b>3,400L</b> 2960 L x 1450 W x 1230 H	Tank Only 190kg   210kg		PTC03400TO <b>\$5,813</b>	PTC03400TOH <b>\$6,996</b>
	Tank & Frame		PTC03400KTO <b>\$9,641</b>	PTC03400KTOH <b>\$10,808</b>
	Tank, Frame & Pump Plate		PTC03400KPTO <b>\$10,262</b>	PTC03400KPTOH <b>\$11,427</b>



4400L

450mm poly hinge lid  
2" Croc-Loc tank fitting (loose)  
4 x Ø24mm mounting pins



**BALL BAFFLES FITTED**  
ARB355F x 110     **\$1,573**



VERSION & DRY WT		TANK OPTIONS - RRP INC. & CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
<b>4,400L</b> 2960 L x 1450 W x 1470 H	Tank Only 170kg   200kg   220kg	STC04400TO <b>\$5,447</b>	PTC04400TO <b>\$6,710</b>	PTC04400TOH <b>\$8,054</b>
	Tank & Frame	STC04400KTO <b>\$9,258</b>	PTC04400KTO <b>\$10,521</b>	PTC04400KTOH <b>\$11,863</b>
	Tank, Frame & Pump Plate	STC04400KPTO <b>\$9,878</b>	PTC04400KPTO <b>\$11,141</b>	PTC04400KPTOH <b>\$12,483</b>

4800L

450mm poly hinge lid  
2" Croc-Loc tank fitting (loose)  
4 x Ø24mm mounting pins



**BALL BAFFLES FITTED**  
ARB355F x 120     **\$1,716**



VERSION & DRY WT		TANK OPTIONS - RRP INC. & CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
<b>4,800L</b> 2340 L x 1550 W x 1880 H	Tank Only 225kg   250kg		PTC04800TO <b>\$7,037</b>	PTC04800TOH <b>\$8,444</b>
	Tank & Frame		PTC04800KTO <b>\$10,515</b>	PTC04800KTOH <b>\$11,922</b>
	Tank, Frame & Pump Plate		PTC04800KPTO <b>\$11,142</b>	PTC04800KPTOH <b>\$12,550</b>

## 5000L

450mm poly hinge lid  
2" Croc-Loc tank fitting (loose)  
4 x Ø24mm mounting pins



**BALL BAFFLES FITTED**  
ARB355F x 125 **\$1,788**



VERSION & DRY WT		TANK OPTIONS - RRP INC. & CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
<b>5,000L</b> 2970 L x 2000 W x 1400 H	Tank Only 195kg   205kg   225kg	STC05000TO <b>\$5,897</b>	PTC05000TO <b>\$7,058</b>	PTC05000TOH <b>\$8,468</b>
	Tank & Frame	STC05000KTO <b>\$10,001</b>	PTC05000KTO <b>\$11,221</b>	PTC05000KTOH <b>\$12,702</b>
	Tank, Frame & Pump Plate	STC05000KPTO <b>\$10,622</b>	PTC05000KPTO <b>\$11,842</b>	PTC05000KPTOH <b>\$13,321</b>

## 6000L

450mm poly hinge lid  
2" Croc-Loc tank fitting (loose)  
4 x Ø24mm mounting pins



**BALL BAFFLES FITTED**  
ARB355F x 150 **\$2,145**



VERSION & DRY WT		TANK OPTIONS - RRP INC. & CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
<b>6,000L</b> 2790 L x 2000 W x 1556 H	Tank Only 275kg   300kg   330kg	STC06000TO <b>\$6,903</b>	PTC06000TO <b>\$9,000</b>	PTC06000TOH <b>\$10,798</b>
	Tank & Frame	STC06000KTO <b>\$11,060</b>	PTC06000KTO <b>\$13,259</b>	PTC06000KTOH <b>\$15,147</b>
	Tank, Frame & Pump Plate	STC06000KPTO <b>\$11,680</b>	PTC06000KPTO <b>\$13,881</b>	PTC06000KPTOH <b>\$15,768</b>



7000L

450mm poly hinge lid  
2" Croc-Loc tank fitting (loose)  
8 x Ø24mm mounting pins



**BALL BAFFLES FITTED**  
ARB355F x 175 **\$2,503**




VERSION & DRY WT		TANK OPTIONS - RRP INC. & CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
<b>7,000L</b> 3250 L x 1920 W x 1640 H	Tank Only 250kg   325kg   360kg	STC07000TO <b>\$8,149</b>	PTC07000TO <b>\$9,562</b>	PTC07000TOH <b>\$11,473</b>
	Tank & Frame	STC07000KTO <b>\$13,299</b>	PTC07000KTO <b>\$14,783</b>	PTC07000KTOH <b>\$16,792</b>
	Tank, Frame & Pump Plate	STC07000KPTO <b>\$14,001</b>	PTC07000KPTO <b>\$15,484</b>	PTC07000KPTOH <b>\$17,491</b>

8000L

450mm poly hinge lid  
2" Croc-Loc tank fitting (loose)  
8 x Ø24mm mounting pins



**BALL BAFFLES FITTED**  
ARB355F x 200 **\$2,860**



VERSION & DRY WT		TANK OPTIONS - RRP INC. & CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
<b>8,000L</b> 3250 L x 1900 W x 1890 H	Tank Only 400kg   440kg		PTC08000TO <b>\$11,769</b>	PTC08000TOH <b>\$14,126</b>
	Tank & Frame		PTC08000KTO <b>\$17,102</b>	PTC08000KTOH <b>\$19,575</b>
	Tank, Frame & Pump Plate		PTC08000KPTO <b>\$17,802</b>	PTC08000KPTOH <b>\$20,727</b>

## 10000L

450mm poly hinge lid  
2" Croc-Loc tank fitting (loose)  
4" Croc-Loc tank fitting (Mega Molasses)  
8 x Ø24mm mounting pins



**BALL BAFFLES FITTED**  
ARB355F x 250 **\$3,575**



### VERSION & DRY WT

### TANK OPTIONS - RRP INC. & CODE

		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
<b>10,000L</b> 3600 L x 2250 W x 1850 H	Tank Only 400kg   475kg   522kg	STC10000TO <b>\$11,115</b>	PTC10000TO <b>\$13,972</b>	PTC10000TOH <b>\$16,765</b>
	Tank & Frame	STC10000KTO <b>\$18,093</b>	PTC10000KTO <b>\$21,091</b>	PTC10000KTOH <b>\$24,026</b>
	Tank, Frame & Pump Plate	STC10000KP TO <b>\$18,764</b>	PTC10000KP TO <b>\$21,762</b>	PTC10000KP TOH <b>\$24,695</b>

## 13000L

450mm poly hinge lid  
3" Croc-Loc tank fitting (loose)  
4" Croc-Loc tank fitting (Mega Molasses)  
8 x Ø24mm mounting pins



**BALL BAFFLES FITTED**  
ARB355F x 325 **\$4,648**



### VERSION & DRY WT

### TANK OPTIONS - RRP INC. & CODE

		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
<b>13,000L</b> 3600 L x 2250 W x 1850 H	Tank Only 575kg   630kg		PTC13000TO <b>\$16,792</b>	PTC13000TOH <b>\$20,150</b>
	Tank & Frame		PTC13000KTO <b>\$24,052</b>	PTC13000KTOH <b>\$27,579</b>
	Tank, Frame & Pump Plate		PTC13000KP TO <b>\$24,723</b>	PTC13000KP TOH <b>\$28,249</b>



13000L LOW PROFILE

- 450mm poly hinge lid
- 3" Croc-Loc tank fitting (loose)
- 4" Croc-Loc tank fitting (Mega Molasses)
- 8 x Ø24mm mounting pins



**BALL BAFFLES FITTED**  
ARB355F x 325 **\$4,648**




VERSION & DRY WT		TANK OPTIONS - RRP INC. & CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
<b>13,000L Low Profile</b> 4000 L x 2350 W x 1900 H	Tank Only 585kg   645kg		PTC13000ATO <b>\$16,792</b>	PTC13000ATOH <b>\$20,150</b>
	Tank & Frame		PTC13000AKTO <b>\$24,450</b>	PTC13000AKTOH <b>\$27,976</b>
	Tank, Frame & Pump Plate		PTC13000AKPTO <b>\$25,184</b>	PTC13000AKPTOH <b>\$28,710</b>

15000L

- 450mm poly hinge lid
- 3" Croc-Loc tank fitting (loose)
- 4" Croc-Loc tank fitting (Mega Molasses)
- 8 x Ø24mm mounting pins



**BALL BAFFLES FITTED**  
ARB355F x 375 **\$5,363**



VERSION & DRY WT		TANK OPTIONS - RRP INC. & CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
<b>15,000L</b> 4000 L x 2350 W x 2120 H	Tank Only 660kg   730kg		PTC15000TO <b>\$19,397</b>	PTC15000TOH <b>\$23,276</b>
	Tank & Frame		PTC15000KTO <b>\$27,186</b>	PTC15000KTOH <b>\$31,260</b>
	Tank, Frame & Pump Plate		PTC15000KPTO <b>\$27,920</b>	PTC15000KPTOH <b>\$1,992</b>





# SPRAY TANKS

## COMPLETE DRAINAGE



### GET THE MOST OUT OF YOUR TANK

---

Extraordinary impact resistant and built with special blended poly, the Spray Tank range is suitable for a broad range of liquids, from water to the harshest chemicals. With a lower sump, you'll be sure to have a flooded suction regardless of terrain, allowing for complete drainage.

# SPRAY TANK

100L - 10,000L

15 YEAR  
TANK  
WARRANTY

**With the positive draining tank, you'll be sure to have a flooded suction regardless of terrain, allowing you to get the most out of your tank.**

## FEATURES

- UV stabilised polyethylene
- All models food grade poly material
- Active Liquid 1.3 : 1SG rating
- Centre sump for full drainage
- Graduation markings (*\*not on all models*)
- Translucent Teal for easy level view
- No spill containment lips
- Breather to prevent tank concaving
- 255mm - 455mm diameter lids
- 455mm hinged lids (over 800L)
- Basket filter reduces debris
- SureFit mounting pins
- Tank outlet / fittings (loose)
- Strap or pin mount



## UPGRADE WITH BALL BAFFLE SYSTEM

Increased stability and  
safety when driving



## BASKET FILTER

To prevent contamination  
of liquid while filling



## HEAVY DUTY GALVANISED STEEL FRAME

Optional steel frame for  
full sump clearance

## STABLE MOUNTING

With specifically design tank legs  
and SureFit mounting pins





## 100L - 600L STRAP MOUNT

250mm poly screw lid & basket filter  
1" poly tank fitting (loose)  
1 ½" poly tank fitting - 200L+ (loose)  
Hot dip gal frame (option)



**UPGRADE WITH BALL  
BAFFLE SYSTEM**  
Call 1800 011 000 for  
fitted costs

## 1200L - 2000L STRAP MOUNT

450mm hinge lid & basket filter  
2" poly tank fitting - 1,200L+ (loose)  
Hot dip gal frame (option)



A.



B.



C.

TANK SIZE	FRAME	DIMENSIONS	DRY WT.	DESCRIPTION	CODE	RRP Inc.
100L	No	815 L x 450 W x 595 H	9kg	1" poly fitting (loose)	PTSS00100TT	<b>\$536</b>
	Yes	815 L x 450 W x 610 H	18kg	1" poly fitting (loose), frame fitted	PTSS00100KTT	<b>\$958</b>
200L	No	940 L x 600 W x 725 H	12kg	1 ½" poly fitting (loose)	PTSS00200TT	<b>\$781</b>
	Yes	940 L x 600 W x 750 H	22kg	1 ½" poly fitting (loose), frame fitted	PTSS00200KTT	<b>\$1,140</b>
300AL	No	940 L x 600 W x 925 H	17kg	1 ½" poly fitting (loose)	PTSS00300ATT	<b>\$967</b>
	Yes	940 L x 600 W x 970 H	27kg	1 ½" poly fitting (loose), frame fitted	PTSS00300AKTT	<b>\$1,385</b>
300L A.	No	1260 L x 590 W x 755 H	17kg	1 ½" poly fitting (loose)	PTSS00300TT	<b>\$967</b>
	Yes	1260 L x 590 W x 850 H	27kg	1 ½" poly fitting (loose), frame fitted	PTSS00300KTT	<b>\$1,385</b>
400L	No	900 L x 820 W x 950 H	20kg	1 ½" poly fitting (loose)	PTSS00400TT	<b>\$1,114</b>
	Yes	900 L x 820 W x 1000 H	37kg	1 ½" poly fitting (loose), frame fitted	PTSS00400KTT	<b>\$1,914</b>
600L B.	No	1250 L x 820 W x 950 H	28kg	1 ½" poly fitting (loose)	PTSS00600TT	<b>\$1,265</b>
	Yes	1250 L x 820 W x 1000 H	42kg	1 ½" poly fitting (loose), frame fitted	PTSS00600KTT	<b>\$2,093</b>
1200L	No	1700 L x 1170 W x 950 H	50kg	2" poly fitting (loose)	PTSS01200TT	<b>\$2,052</b>
	Yes	1700 L x 1170 W x 1060 H	74kg	2" poly fitting (loose), frame fitted	PTSS01200KTT	<b>\$3,389</b>
2000L C.	No	1700 L x 1170 W x 1460 H	90kg	2" poly fitting (loose)	PTSS02000TT	<b>\$3,212</b>
	Yes	1700 L x 1170 W x 1510 H	140kg	2" poly fitting (loose), frame fitted	PTSS02000KTT	<b>\$5,011</b>

## 400L - 1500L PIN MOUNT

Mounting pins x 4  
 250mm poly screw lid & basket filter  
 450mm poly hinge lid & basket filter (800L+)  
 1 ½" poly tank fitting (loose)  
 Hot dip gal frame (option)



**UPGRADE WITH BALL BAFFLE SYSTEM**

Call 1800 011 000 for fitted costs



A.



B.

TANK SIZE	FRAME	DIMENSIONS	DRY WT.	DESCRIPTION	CODE	RRP Inc.
400L A.	No	1140 L x 1050 W x 610 H	26kg	1 ½" poly fitting (loose)	PTSP00400ATT	<b>\$1,184</b>
	Yes	1140 L x 1050 W x 650 H	43kg	1 ½" poly fitting (loose), frame fitted	PTSP00400AKTT	<b>\$2,103</b>
600L	No	1140 L x 1050 W x 800 H	33kg	1 ½" poly fitting (loose)	PTSP00600TT	<b>\$1,368</b>
	Yes	1140 L x 1050 W x 850 H	50kg	1 ½" poly fitting (loose), frame fitted	PTSP00600KTT	<b>\$2,310</b>

TANK SIZE	FRAME	DIMENSIONS	DRY WT.	DESCRIPTION	CODE	RRP Inc.
800L	No	1360 L x 1200 W x 650 H	48kg	1 ½" poly fitting (loose)	PTSP00800TT	<b>\$1,615</b>
	Yes	1360 L x 1200 W x 700 H	71kg	1 ½" poly fitting (loose), frame fitted	PTSP00800KTT	<b>\$2,802</b>
1,000L B.	No	1360 L x 1200 W x 1000 H	53kg	1 ½" poly fitting (loose)	PTSP01000TT	<b>\$1,781</b>
	Yes	1360 L x 1200 W x 1045 H	76kg	1 ½" poly fitting (loose), frame fitted	PTSP01000KTT	<b>\$2,991</b>
1,200L	No	1640 L x 1320 W x 870 H	61kg	1 ½" poly fitting (loose)	PTSP01200TT	<b>\$2,041</b>
	Yes	1640 L x 1320 W x 950 H	85kg	1 ½" poly fitting (loose), frame fitted	PTSP01200KTT	<b>\$3,440</b>
1,500LAL	No	1800 L x 1320 W x 920 H	76kg	1 ½" poly fitting (loose)	PTSP01500ATT	<b>\$2,519</b>
	Yes	1800 L x 1320 W x 970 H	91kg	1 ½" poly fitting (loose), frame fitted	PTSP01500AKTT	<b>\$3,966</b>
1,500L	No	1640 L x 1320 W x 1100 H	76kg	1 ½" poly fitting (loose)	PTSP01500TT	<b>\$2,519</b>
	Yes	1640 L x 1320 W x 1150 H	91kg	1 ½" poly fitting (loose), frame fitted	PTSP01500KTT	<b>\$3,966</b>



## 2000L - 4400L PIN MOUNT

Mounting pins x 4/6  
450mm poly hinge lid & basket filter  
1 ½" poly tank fitting (loose)  
2" Croc-Loc tank fitting(3400L+, loose)  
Hot dip gal frame (option)



### UPGRADE WITH BALL BAFFLE SYSTEM

Call 1800 011 000 for  
fitted costs



A.



B.

TANK SIZE	FRAME	DIMENSIONS	DRY WT.	DESCRIPTION	CODE	RRP Inc.
2,000AL A.	No	1640 L x 1320 W x 1300 H	90kg	2" poly fitting (loose)	PTSP02000ATT	<b>\$3,212</b>
	Yes	1640 L x 1320 W x 1350 H	105kg	2" poly fitting (loose), frame fitted	PTSP02000AKTT	<b>\$5,240</b>
2,000L	No	2000 L x 1420 W x 1150 H	90kg	2" poly fitting (loose)	PTSP02000TT	<b>\$3,212</b>
	Yes	2000 L x 1420 W x 1215 H	149kg	2" poly fitting (loose), frame fitted	PTSP02000KTT	<b>\$5,240</b>
2,500L	No	2000 L x 1480 W x 1310 H	105kg	2" poly fitting (loose)	PTSP02500TT	<b>\$3,771</b>
	Yes	2000 L x 1480 W x 1360 H	145kg	2" poly fitting (loose), frame fitted	PTSP02500KTT	<b>\$5,844</b>
3,000L	No	2340 L x 1500 W x 1310 H	150kg	2" poly fitting (loose)	PTSP03000TT	<b>\$5,005</b>
	Yes	2340 L x 1500 W x 1350 H	250kg	2" poly fitting (loose), frame fitted	PTSP03000KTT	<b>\$8,364</b>
3,400L	No	2960 L x 1450 W x 1280 H	170kg	2" Croc-Loc fitting (loose)	PTSP03400TT	<b>\$5,352</b>
	Yes	2960 L x 1450 W x 1330 H	350kg	2" Croc-Loc fitting (loose), frame fitted	PTSP03400KTT	<b>\$9,127</b>
4,400L B.	No	2960 L x 1450 W x 1600 H	175kg	2" Croc-Loc fitting (loose)	PTSP04400TT	<b>\$5,828</b>
	Yes	2960 L x 1450 W x 1650 H	355kg	2" Croc-Loc fitting (loose), frame fitted	PTSP04400KTT	<b>\$9,667</b>

## 4800L - 10000L PIN MOUNT

Mounting pins x 4/6  
450mm poly hinge lid & basket filter  
2" Croc-Loc tank fitting (loose)  
Hot dip gal frame (option)



**UPGRADE WITH BALL  
BAFFLE SYSTEM**

Call 1800 011 000 for  
fitted costs



A.



B.

TANK SIZE	FRAME	DIMENSIONS	DRY WT.	DESCRIPTION	CODE	RRP Inc.
4,800L	No	2340 L x 1550 W x 2080 H	200kg	2" Croc-Loc fitting (loose)	PTSP04800TT	<b>\$6,280</b>
A.	Yes	2340 L x 1550 W x 2130 H	300kg	2" Croc-Loc fitting (loose), frame fitted	PTSP04800KTT	<b>\$10,013</b>
5,000L	No	2760 L x 2000 W x 1520 H	245kg	2" Croc-Loc fitting (loose)	PTSP05000TT	<b>\$6,569</b>
	Yes	2760 L x 2000 W x 1570 H	425kg	2" Croc-Loc fitting (loose), frame fitted	PTSP05000KTT	<b>\$10,055</b>
6,000AL	No	2760 L x 2000 W x 1670 H	275kg	2" Croc-Loc fitting (loose)	PTSP06000ATT	<b>\$7,577</b>
	Yes	2760 L x 2000 W x 1782 H	455kg	2" Croc-Loc fitting (loose), frame fitted	PTSP06000AKTT	<b>\$12,152</b>
6,000L	No	3250 L x 2000 W x 1860 H	240kg	2" Croc-Loc fitting (loose)	PTSP06000TT	<b>\$7,577</b>
B.	Yes	3250 L x 2000 W x 1930 H	440kg	2" Croc-Loc fitting (loose), frame fitted	PTSP06000KTT	<b>\$12,152</b>
7,000L	No	3250 L x 1900 W x 1740 H	300kg	2" Croc-Loc fitting (loose)	PTSP07000TT	<b>\$9,221</b>
	Yes	3250 L x 1900 W x 1790 H	525kg	2" Croc-Loc fitting (loose), frame fitted	PTSP07000KTT	<b>\$14,550</b>
10,000L	No	3600 L x 2250 W x 2140 H	475kg	2" Croc-Loc fitting (loose)	PTSP10000TT	<b>\$14,041</b>
	Yes	3750 L x 2250 W x 2240 H	925kg	2" Croc-Loc fitting (loose), frame fitted	PTSP10000KTT	<b>\$21,390</b>



# MODULAR TANKS

## EXPANDABLE TANK SYSTEM



### LIMITLESS POSSIBILITIES

---

Now available in two versions to give you more options and greater flexibility, our FlexConnex Modular Tank System is an innovative liquid transport system with limitless possibilities. Each tank section can be drained individually to allow for cartage of different fluids or linked together to allow equalised filling and draining.



# MODULAR TANK SYSTEMS

## THE FLEXCONNEX RANGE

**The most innovative liquid transport system now available in two versions ideal for getting the most out of your liquid transport requirements, no matter how small or large!**

### FEATURES

UV stabilised polyethylene  
All models food grade poly material  
Active Liquid 1.3 : 1SG rating  
V1 Modular - 2000L Sections  
V2 Modular - 4000L Sections  
Unique 2-way baffle system  
455mm hinged lids  
Breather to prevent tank concaving  
SureFit mounting pins



### LARGE LID & BREATHER

455mm hinge lid on each section




### TAPERED SEAL FITTINGS

Allows for internal movement of joiner without leaking

### INDIVIDUAL TANK DRAINAGE

Sections can be drained individually or linked together to allow equal filling and draining.



### 2-WAY BAFFLE SYSTEM

Limits longitudinal and sideways movement for max fluid stability and control

### FULL DRAIN SUMP UPGRADE OPTION

V2 models only

### 255MM INTERNAL DIAMETER FLOW

Allows rapid fluid transfer between sections and baffled to prevent surcharge



### FILLING FUNNEL UPGRADE OPTION

Galvanised for easy filling



## V1 FLEXCONNEX MODULAR TANKS

2000L sections / modules  
Compact width 2160mm for smaller trucks

CODE	MODULES	DESCRIPTION	DIMENSIONS	DRY WT*	RRP inc.
PTM04000TO	2	<b>4,200L</b> V1 Modular Tank	1825 L x 2160 W x 1680 H	260kg	<b>\$7,514</b>
PTM06000TO	3	<b>6,200L</b> V1 Modular Tank	2665 L x 2160 W x 1680 H	390kg	<b>\$11,267</b>
PTM08000TO	4	<b>8,200L</b> V1 Modular Tank	3505 L x 2160 W x 1680 H	520kg	<b>\$15,014</b>
PTM10000TO	5	<b>10,200L</b> V1 Modular Tank	4345 L x 2160 W x 1680 H	650kg	<b>\$18,768</b>
PTM12000TO	6	<b>12,200L</b> V1 Modular Tank	5185 L x 2160 W x 1680 H	780kg	<b>\$22,521</b>
PTM14000TO	7	<b>14,200L</b> V1 Modular Tank	6025 L x 2160 W x 1680 H	910kg	<b>\$26,275</b>
PTM16000TO	8	<b>16,200L</b> V1 Modular Tank	6865 L x 2160 W x 1680 H	1040kg	<b>\$30,029</b>
PTM18000TO	9	<b>18,200L</b> V1 Modular Tank	7705 L x 2160 W x 1680 H	1170kg	<b>POA</b>
PTM20000TO	10	<b>20,200L</b> V1 Modular Tank	8545 L x 2160 W x 1680 H	1300kg	<b>POA</b>
PTM22000TO	11	<b>22,200L</b> V1 Modular Tank	9385 L x 2160 W x 1680 H	1430kg	<b>POA</b>
PTM24000TO	12	<b>24,200L</b> V1 Modular Tank	10225 L x 2160 W x 1680 H	1560kg	<b>POA</b>
PTM26000TO	13	<b>26,200L</b> V1 Modular Tank	11065 L x 2160 W x 1680 H	1690kg	<b>POA</b>
PTM28000TO	14	<b>28,200L</b> V1 Modular Tank	11910 L x 2160 W x 1680 H	1820kg	<b>POA</b>
PTM30000TO	15	<b>30,200L</b> V1 Modular Tank	12750 L x 2160 W x 1680 H	1950kg	<b>POA</b>

## V2 FLEXCONNEX MODULAR TANKS

4000L sections / modules  
2350mm wide for maximum deck use and low height

CODE	MODULES	DESCRIPTION	DIMENSIONS	DRY WT*	RRP inc.
PTM08000ATO	2	<b>8,000L</b> V2 Modular Tank	2795 L x 2350 W x 1650 H	480kg	<b>\$12,732</b>
PTM12000ATO	3	<b>12,000L</b> V2 Modular Tank	4160 L x 2350 W x 1650 H	720kg	<b>\$19,145</b>
PTM16000ATO	4	<b>16,000L</b> V2 Modular Tank	5525 L x 2350 W x 1650 H	960kg	<b>\$25,957</b>
PTM20000ATO	5	<b>20,000L</b> V2 Modular Tank	6890 L x 2350 W x 1650 H	1200kg	<b>POA</b>
PTM24000ATO	6	<b>24,000L</b> V2 Modular Tank	8255 L x 2350 W x 1650 H	1440kg	<b>POA</b>
PTM28000ATO	7	<b>28,000L</b> V2 Modular Tank	9620 L x 2350 W x 1650 H	1680kg	<b>POA</b>
PTM32000ATO	8	<b>30,000L</b> V2 Modular Tank	10965 L x 2350 W x 1650 H	1920kg	<b>POA</b>



15 YEAR  
TANK  
WARRANTY





# RINSE MASTER



## DRUM RINSE CHEMICAL BINS

### RINSE MASTER

Ideal for triple rinsing chemical drums!



**Ensure thorough cleaning of empty chemical drums with the Australian Made erosion resistant Rinse Master!**

### FEATURES

- UV stabilised polyethylene
- Optional upgrades inc:
  - Galvanised steel frame
  - Rotating drum rinse nozzle
  - Venturi fittings



## ROTATING NOZZLE

Comes standard with complete unit for faster cleaning - spins at 3000rpm at 3 bar pressure

50L



120L



200L



TANK SIZE	FRAME	DESCRIPTION	DIMENSIONS	CODE	RRP Inc.
50L	No	Tank only, no fittings	500 L x 500 W x 430 H	PJR0050LNA	\$383
	Yes	Tank, frame, no fittings	600 L x 500 W x 600 H	PJR0050LKNA	\$749
	Yes	Tank, frame w/ complete drum rinse rotating nozzle & outlet	600 L x 500 W x 600 H	PJR0050LKCNA	\$1,212
	Yes	Tank, frame, drum rinse w/ rotating nozzle, outlet & 5mm ventruri	600 L x 500 W x 600 H	PJR0050LKV5NA	\$1,266
	Yes	Tank, frame, drum rinse w/ rotating nozzle, outlet & 9mm venturi	600 L x 500 W x 600 H	PJR0050LKV9NA	\$1,266
120L	No	Tank only, no fittings	595 L x 600 W x 600 H	PJR0120LNA	\$494
	Yes	Tank, frame, no fittings	695 L x 600 W x 800 H	PJR0120LKNA	\$1,034
	Yes	Tank, frame w/ complete drum rinse rotating nozzle & outlet	695 L x 600 W x 800 H	PJR0120LKCNA	\$1,304
	Yes	Tank, frame, drum rinse w/ rotating nozzle, outlet & 5mm ventruri	695 L x 600 W x 800 H	PJR0120LKV5NA	\$1,342
	Yes	Tank, frame, drum rinse w/ rotating nozzle, outlet & 9mm venturi	695 L x 600 W x 800 H	PJR0120LKV9NA	\$1,342
200L	No	Tank only, no fittings	595 L x 600 W x 922 H	PJR0200LNA	\$799
	Yes	Tank, frame, no fittings	695 L x 600 W x 1120 H	PJR0200LKNA	\$1,301
	Yes	Tank, frame w/ complete drum rinse rotating nozzle & outlet	695 L x 600 W x 1120 H	PJR0200LKCNA	\$1,482
	Yes	Tank, frame, drum rinse w/ rotating nozzle, outlet & 5mm ventruri	695 L x 600 W x 1120 H	PJR0200LKV5NA	\$1,533
	Yes	Tank, frame, drum rinse w/ rotating nozzle, outlet & 9mm venturi	695 L x 600 W x 1120 H	PJR0200LKV9NA	\$1,533
300L	No	Tank only, no fittings	655 L x 655 W x 920 H	PJR0300LNA	\$953
	Yes	Tank, frame, no fittings	755 H x 655 L x 1155 H	PJR0300LKNA	\$1,520
	Yes	Tank, frame w/ complete drum rinse rotating nozzle & outlet	755 L x 655 W x 1155 H	PJR0300LKCNA	\$1,702
	Yes	Tank, frame drum rinse w/ rotating nozzle, outlet & 5mm ventruri	755 L x 655 W x 1155 H	PJR0300LKV5NA	\$1,752
	Yes	Tank, frame, drum rinse w/ rotating nozzle, outlet & 9mm venturi	755 L x 655 W x 1155 H	PJR0300LKV9NA	\$1,752







# BALL BAFFLE SYSTEM

GREATER SAFETY & STABILITY

**Independently tested and verified by LoadSafe Australia, the Ball Baffle system is lightweight, rust proof and fully baffles the whole tank to reduce liquid movement for safer loads during transit.**

## FEATURES

Food grade polypropylene

Australian Made!

Suitable for water and aggressive chemicals (i.e diesel\*)

Suitable for steel and fibreglass tanks

Fitted or non-fitted options

7-second assembly time

*\*Not suitable for petrol.*

## REDUCES BRAKING DISTANCE

Independent testing has demonstrated the Ball Baffle system reduces braking by up to 46%

## MINIMAL LIQUID DISPLACEMENT

195mm : 150ml / ball  
355mm : 428ml / ball

## 195MM OR 355MM


Different size Ball Baffles to suit different lid widths and tank capacities



CODE	DESCRIPTION	LIQUID DISPLACEMENT	DRY WT	QTY REQUIRED	RRP inc.
ARB195B	Ø195mm Ball Baffle - 44/box (baffles 308L)	150ml / ball	126gm / ball	1 ball / 7L tank capacity	<b>\$313</b>
ARB195F	Ø195mm Ball Baffle Fitted*	150ml / ball	126gm / ball	1 ball / 7L tank capacity	<b>\$8.50ea</b>
ATB355B	Ø355mm Ball Baffle - 25/box (baffles 1,000L)	428ml / ball	478gm / ball	1 ball / 40L tank capacity	<b>\$321</b>
ARB355F	Ø355mm Ball Baffle Fitted*	428ml / ball	478gm / ball	1 ball / 40L tank capacity	<b>\$14.30ea</b>







**1 YEAR**  
COMPONENTRY  
WARRANTY

# TANK SPARES

## LIDS & BASKET FILTERS

### 150MM SCREW LID

150mm diameter  
Female thread  
Spring lever valve & gasket



CODE	DESCRIPTION	RRP inc.
ARLP150AV	150mm Screw Lid	\$40.60

### 250MM POLY SCREW LID

255mm diameter  
Male thread  
Fixed labyrinth breather valve  
Gasket  
Suits tank openings: 215 - 225mm



CODE	DESCRIPTION	RRP inc.
ARLP250VSR	250mm Screw Lid with Rim	\$85

### 455MM HINGE LID

455mm diameter  
Hinge style  
Fixed ring labyrinth breather valve  
Rim & gasket seal  
Suits tank openings: 415 - 430mm



CODE	DESCRIPTION	RRP inc.
ARLP450VSR	150mm Screw Lid	\$145

### 455MM STAINLESS STEEL


455mm diameter  
Hinge style  
Twin labyrinth breather valve  
Fixing ring with screw holes  
Stainless Steel construction  
Lockable with gasket seal



CODE	DESCRIPTION	RRP inc.
ARLS450VSR	250mm Screw Lid	\$573

### BASKET FILTER

#18 mesh screen



CODE	SUITS PUMP	RRP inc.
A. ARK200	Suits 250mm Screw Lid	\$78
B. ARK400	Suits 455mm Hinge Lid	\$106





# TANK SPARES

## TANK FITTINGS



### POLY FLANGED TANK OUTLET FITTINGS

	CODE	DESCRIPTION	RRP inc.
A.	ARFP020	¾" poly tank outlet	\$20.10
	ARFP025	1" poly tank outlet	\$20.10
	ARFP032	1 ¼" poly tank outlet	\$26.30
	ARFP038	1 ½" poly tank outlet	\$36.40
	ARFP050	2" poly tank outlet	\$44.80
	ARFP050R	2" poly tank outlet reverse thread	\$67.00



### BRASS FLANGED TANK OUTLET FITTINGS

	CODE	DESCRIPTION	RRP inc.
A.	ARFB020	¾" brass tank outlet	\$62
	ARFB025	1" brass tank outlet	\$79
	ARFB032	1 ¼" brass tank outlet	\$103
	ARFB038R	1 ½" brass tank outlet reverse thread	\$120
	ARFB050R	2" brass tank outlet reverse thread	\$149
	ARFB080R	3" brass tank outlet reverse thread	\$281
	ARFB100R	4" brass tank outlet reverse thread	\$427




### CROC-LOC BOLTED TANK FITTINGS

304 Stainless Steel  
EPDM gasket standard on 2"  
VITON standard on 3" & 4"  
BUNA optional

	CODE	DESCRIPTION	RRP inc.
A.	ARBS050	2" SS 4-bolt Croc-loc outlet	\$296
B.	ARBS080	3" SS 6-bolt Croc-loc outlet	\$345
	ARBS100	4" SS 8-bolt Croc-loc outlet	\$471

Suitable for liquid fertiliser, molasses and most liquids.  
Easy to tighten, superior leak free performance!



RAPID SPRAY  
EXCLUSIVE!

# TANK SPARES

## ADD-ONS

**1 YEAR**  
COMPONENTRY  
WARRANTY

### TANK LEVEL KIT

Clear tube with red floating ball  
1.5m / 2m tube length



CODE	DESCRIPTION	RRP inc.
ARN001	Tank level kit - 1.5m	\$124
ARN002	Tank level kit - 2m	\$278

### TOP FILL FUNNEL

Suits 450mm tank opening  
Galvanised top fill funnel



CODE	DESCRIPTION	RRP inc.
ARU450	Top fill funnel	\$2,391

### HYDRANT FILLER KIT

Easy filling without need to climb on vehicle.  
Complies with air gap for safety back flow regulations,  
protecting water source.  
Comes with camlock fittings and lid.



CODE	DESCRIPTION	RRP inc.
ARH038	38mm Hydrant filler kit	\$2,006
ARH050	50mm Hydrant filler kit	\$2,082
ARH080	80mm Hydrant filler kit	\$2,261














# FREIGHT

## ZONES & COSTING

All orders valued at less than \$500RRP will incur a \$25 freight and handling charge for zones 1, 2, 3 and 4. For all other zones, please contact us.

Urgent deliveries may incur a freight charge. Please contact us to discuss.



AusPost Parcel service available for parts. Please specify when you order if you want to use this service:

Small Post Parcels ( $\leq 500\text{gm}$ ) - \$12

Medium Post Parcels ( $\leq 1\text{kg}$ ) - \$15

Large Post Parcels ( $\leq 3\text{kg}$ ) - \$20

Airbag service for items under 3kg to the Northern Territory is available at \$36 / bag.

Airbag service for items under 5kg to the Northern Territory is available at \$55 / bag.

	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 7
<b>SPRAYERS</b>							
Parts, Accessories & Booms ≤ 4m	FIS	FIS	FIS	FIS	POA	POA	POA
Booms > 4m	\$200	POA	POA	POA	POA	POA	POA
Compression & Backpack Sprayers	FIS	FIS	FIS	FIS	\$25	\$35	POA
Spot Sprayers 20L - 95L	FIS	FIS	FIS	FIS	\$35	\$75	POA
Marshal Range	FIS	FIS	FIS	FIS	\$85	\$200	POA
SprayScout Range	FIS	FIS	FIS	FIS	\$150	\$350	POA
FarmMax ATV Trailers	\$150	\$225	\$400	\$200	\$250	\$450	POA
Ultimate Field Sprayers	\$200	\$275	\$450	\$225	\$300	\$500	POA
Single Axle Spray Trailers	\$400	POA	POA	POA	POA	POA	POA
Dual Axle Spray Trailers	\$600	POA	POA	POA	POA	POA	POA
3-Point Linkage Sprayers (excl. boom)	FIS	FIS	FIS	FIS	\$300	POA	POA

<b>FIRE FIGHTING</b>							
Fire Marshal Range	FIS	FIS	FIS	FIS	\$85	\$150	POA
FireScout Range	FIS	FIS	FIS	FIS	\$150	\$300	POA
Ultimate Fire Ranger 400 - 1,000L	\$200	\$275	\$450	\$225	\$300	\$500	POA
Fire Ranger 1,200 - 2,500L	\$250	\$400	POA	\$350	\$550	POA	POA
Single Axle Trailers	\$400	POA	POA	POA	POA	POA	POA
Dual Axle Trailers	\$600	POA	POA	POA	POA	POA	POA
Fire Kits / Hose Reels	FIS	FIS	FIS	FIS	\$65	POA	POA

<b>DIESEL</b>							
Diesel Units 50 - 400L	FIS	FIS	FIS	FIS	\$75	\$125	POA
Diesel Units 450 - 1,200L	\$75	\$125	\$175	\$100	\$150	\$250	POA
Diesel Units 1,500 - 5,000L	\$200	\$350	\$500	\$350	\$650	\$700	POA
Single Axle Diesel Trailers	\$400	POA	POA	POA	POA	POA	POA
Dual Axle Diesel Trailers	\$600	POA	POA	POA	POA	POA	POA
Stationary Diesel Tanks 5,000 - 10,000L	POA	POA	POA	POA	POA	POA	POA
Diesel Accessories	FIS	FIS	FIS	FIS	POA	POA	POA

<b>TANKS</b>							
All bare tanks 100 - 1,000L	FIS	FIS	FIS	FIS	\$200	\$200	POA
All bare tanks 1,200 - 2,000L	FIS	\$200	\$300	\$175	\$350	\$450	POA
All bare tanks 2,500 - 4,800L	\$200	\$350	\$500	\$350	\$650	\$700	POA
All bare tanks 5,000 - 15,000L	\$300	\$500	POA	\$650	POA	POA	POA
Modular Tanks	POA	POA	POA	POA	POA	POA	POA
Tank Accessories	FIS	FIS	FIS	FIS	POA	POA	POA
Ball Baffles (per box)	FIS	FIS	FIS	FIS	\$50	\$50	POA

\*Tanks with pump plate frames, increase freight cost by 1.1





## NOTES

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.





1800 011 000



[www.rapidspray.net](http://www.rapidspray.net)



35 Enterprise Crescent  
Singleton NSW 2330



#### DISCLAIMER

*In this catalogue, there may be typographical errors or inaccuracies related to product information, images and pricing.*

*All weights and dimensions are approximate only. Please confirm with Rapid Spray before purchase. All information is a general guide only.*

*Rapid Spray retain the right to modify or remove product specifications, images or prices provided without prior notice.*