



FULL RANGE CATALOGUE

1ST EDITION





WELCOME

With over 30 years of experience in agricultural and industrial equipment, Rapid Spray is proud to deliver innovative, industry-leading solutions for tanks, diesel systems, spraying, and fire protection.

Solutions trusted across agriculture, helping farmers with reliable water storage, chemical spraying solutions tailored to different applications, diesel refuelling systems and fire fighting equipment for asset and property protection.

In council and government sectors, our equipment supports essential services, from civil construction and infrastructure projects to vegetation management, ensuring safety and efficiency in community maintenance.

Our Australian-made and expertly designed products stand out for their reliability and resilience, backed by industry-leading warranties and rigorous quality control. Built to withstand the harshest Australian conditions, Rapid Spray products are engineered to perform consistently in the field. We also offer an extensive selection of accessories and upgrades, designed to enhance all sprayers, firefighting units, diesel refueling systems, and tanks.

Our Dealer network spans the nation, providing expert guidance and exceptional service to ensure you have the right solutions for every application. For more information, call 1800 011 000 or visit www.rapidspray.net.

Kind Regards,

Rapid Spray

GROWING STRONGER: INTRODUCING THE RAPID SPRAY GROUP

At the Rapid Spray Group, we are more than just a company - we're a dedicated team providing robust solutions for Australia's most essential industries.

With Rapid Spray, Rapid Vehicle Systems, and Rapid Logix under one banner, we bring a full spectrum of expertise to agriculture, government, and commercial sectors. Each brand plays a unique role in our goals, delivering quality, innovation, and reliability for Australia's toughest jobs.



- Provides range of popular products to the Rural, Agriculture and OEM industries
- Offers an extensive range through a network of local dealers
- Experts in Tanks, Trailers, Sprayers, Firefighters, and Diesel Refuelling units

www.rapidspray.net



- Fleet solutions direct to the Government, Commercial and Civil industries
- Offers a process to Scope, Design, Manufacture, and Deliver Fleet projects to customer specific requirements
- Experts in Modular and Configurable vehicle fit out solutions for Spraying, Fire fighting, and Cleaning

www.rapidvehiclesystems.com.au



- Spray tracking and mapping technology direct to the Government and Commercial industries
- Offers GPS tracked flow sensor technology and cloud-based software-as-a-service (SaaS) solutions
- Experts in automated data capture to simplify compliance, streamline reporting, and provide proof of service

www.rapidlogix.com



**INNOVATION IS AT THE HEART OF
THE RAPID SPRAY GROUP AND IT'S A
TESTAMENT TO OUR MANUFACTURING
OPERATIONS AND FACILITY.**

SCAN TO
WATCH



OUR MANUFACTURING PROCESS



PREMIUM RAW MATERIALS

We source only the highest quality materials from Australia to ensure the durability and reliability of our different products.



METICULOUS MOLDING PROCESS

Our state-of-the-art moulding plant guarantees precision and consistency in every poly tank we produce.



STRINGENT QUALITY CHECK

Each product undergoes rigorous quality checks post-moulding to meet our uncompromising industry standards.



EXPERT ASSEMBLY

Our skilled manufacturing team meticulously assemble each unit, expertly installing pumps, hose reels, and other components with precision and care.



FINAL QUALITY ASSURANCE

Before leaving our facility, every product undergoes a thorough final inspection to ensure flawless performance.



EFFICIENT DISPATCH

Our streamlined dispatch process ensures your order is swiftly shipped, guaranteeing prompt delivery to your doorstep.

TRUSTED QUALITY, EVERY STEP OF THE WAY


Our commitment goes beyond delivering top-quality products. We're here to ensure you have dependable solutions, backed by industry-leading warranties, dedicated support, and an understanding of your unique needs. With the Rapid Spray Group, you can trust that we're with you from start to finish.

We look forward to supporting you every step of the way.



Australian Made for over 30 years

We deliver consistent and reliable quality you can always count on.



Industry leading Manufacturing Capabilities

We guarantee the highest production standards.



Industry-Leading Warranties

Grow with confidence, knowing you're backed by the best in the business.

THE PROOF
IS IN THE
PERFORMANCE





18-38

CARTAGE & SPRAY TANKS



39-42

MODULAR TANKS



43-48

WATER TANKS & RINSE BINS



61-63

FIRE FIGHTING TRAILERS



64-67

SLIP-ON FIRE FIGHTERS



68-71

COMPACT FIRE FIGHTERS



78-85

MOBILE REFUELLING



86-93

DIESEL TRAILERS & TANKS



100-114

FIELD SPRAYERS



115-123

3-POINT LINKAGE SPRAYERS



124-140

UTV COMPACT SPRAYERS



141-152

12V SPOT SPRAYERS



153-161

HANDHELD & BACKPACKS




162-207

SPRAYER ACCESSORIES



208-217

SPREADERS



220-223

WEED MAPPER & TRACKER



224-233

FLEET



234 - 235

FREIGHT MAP & PRICING

CONTENTS



TANKS

12-57

CARTAGE TANKS	18
SPRAY TANKS	32
MODULAR TANKS	39
WATER CARTS	43
RINSE MASTER	46
BALL BAFFLE	49
TANK SPARES	52

FIRE

58-75

FIRE FIGHTING TRAILERS	61
Fire Marshal Trailer	62
Fire Ranger Trailer	63
SLIP-ON FIRE FIGHTERS	64
Fire Ranger	65
Ultimate Fire	66
COMPACT FIRE FIGHTERS	67
FireScout	68
Fire Marshal	70
FIRE FIGHTING ACCESSORIES	72

DIESEL

76 - 97

MOBILE REFUELLING	78
Genius Diesel Range	79
Rapid Blue	85
Active Diesel with Pump	86
DIESEL TANKS	88
DIESEL TRAILERS	90
Diesel Marshal Trailer	91
Diesel Ranger Trailer	92
DIESEL PUMPS & SPARES	94

SPRAYERS

98 - 207

PROFESSIONAL FIELD SPRAYERS

100

GreenMax	101
Ultimate Field Sprayer	103
SprayScout Buddy	109
FieldLink	115
SprayLink	121

UTV SPRAYERS

124

Marshal Pro	126
Marshal Plus	130
12V Marshal-Q	136

12V SPRAYERS & ACCESSORIES

141

RapidLine	142
RapidMix	144
Spot Ranger	148

HANDHELD, BACKPACK & TROLLEY SPRAYERS

153

Compression Sprayers	154
Backpack Sprayers	155
Battery Sprayers	158
Trolley Sprayers	160

BOOMS

162

HOSE REELS & SPRAY GUNS

170

Buddy Smart Reel	171
Rapid Poly Reel	174
Spray Lances & Guns	176

PUMPS, MOTORS & REGULATORS

184

RapidLine - 12V	185
Delavan - 12V	186
Commando	190
Maruyama	192
Bertolini	194
Regulators & Controls	198

NOZZLES

200

SPREADERS

208 - 217

HANDHELD & CHEST MOUNT

210

TOW BEHIND & PUSH SPREADERS

213

COMMERCIAL

218 - 233

WEED MAPPER & TRACKER

220

SPRAY VEHICLE SYSTEM

224

FIRE VEHICLE SYSTEM

232

FREIGHT MAP

234

DIMENSIONS & WEIGHT

Due to the manufacturing process and/or design changes, dimensions and weights could vary from what is listed. Please contact Rapid Spray for confirmed weight and dimensions on 1800 011 000.

CHEMICAL SAFETY

Always follow safe chemical guidelines and local laws including, but not limited to, Personal Protective Equipment use, safe spraying practices, keeping clear of water bodies and correct application rates. Please consult your local agronomist for further information.

VEHICLE LOADING & OPERATION SAFETY

Always follow safe UTV / quad / mower / vehicle loading and operating practices. Always check vehicle weight restrictions. Follow all road laws. Keep clear of children.

Rapid Spray accepts no liability for the unsafe operation of vehicles used in conjunction with Rapid Spray equipment. Rapid Spray accepts no liability for unsafe chemical spraying practices. Please contact Rapid Spray on 1800 011 000 if you have any concerns.



OUTLAST THE REST - RAPID SPRAY TANKS WITH UNPARALLELED FULL 15 YEAR WARRANTY!

Manufactured in Hunter Valley, NSW, the Rapid Spray poly tanks are built tough, designed for rough conditions from the farm to the construction site. With over 30 years of manufacturing experience, their quality and performance is tested in the field everyday. Our poly tanks are tougher and more durable in Australian conditions than steel or fibreglass. They're lightweight, rust-resistant, UV-stabilised, and low-maintenance—built to last without the cracking or corrosion of other materials.

TANKS



MATCH YOUR LOAD: TANKS FOR ALL LIQUID TYPES



The load capacity ratings for our cartage tanks indicate the density or weight of the liquids they can safely carry. Each rating is based on Specific Gravity (SG), a measure that compares the liquid's density to that of water.

Aqua-V (1.1 : 1 SG) – This tank is built for lighter liquids, like water or similar liquids that are only slightly denser than water.

Active Liquid (1.3 : 1 SG) – This tank can handle medium-density liquids, like some fertilisers or chemicals, which are about 30% denser than water.

Mega Molasses (1.6 : 1 SG) – This tank is made for very dense liquids, like molasses, which are up to 60% denser than water.

CARTAGE TANKS

	Aqua-V	Active Liquid	Mega Molasses
Available sizes	10L - 10,000L	200L - 15,000L	1000L - 15,000L
Best for	Suitable for water only	Suitable for water & other non-hazardous liquids up to 1.3 SG	Suitable for molasses & liquid fertilisers up to 1.6 SG
Specific Gravity	1.1 : 1 SG	1.3 : 1 SG	1.6 : 1 SG
Material	All three models are manufactured using opaque food grade poly material - complies with AS4766:2006		
Mounting	All are flat bottom, can be mounted to a flat-deck truck. Mounting pins supplied with tank		



SPRAY TANKS

	Pin Mount	Strap Mount	Drum Rinse
Available sizes	400L - 13,000L	100L, 200L, 300L, 400L, 600L, 1200L, 2000L	50L, 120L, 200L, 300L
Sump	Fully draining sump	Fully draining sump	Fully draining sump
Material	All three models are manufactured using translucent food grade poly material - complies with AS4766:2006		
Specific Gravity	All three models are suitable for liquids up to 1.3:1 Specific Gravity. 1.6:1 SG tanks available on special order		
Notes	All three models available with or without galvanised steel frame		

MODULAR TANKS

	Modular V1	Modular V2
Available sizes	4000L - 30,000L	8000L - 30,000L
Compartment size	2000L	4000L
Specific Gravity	Both models are suitable for liquids up to 1.3:1 Specific Gravity.	
Best for	Semi trucks & off-road tankers	



CUSTOMISE YOUR LOOK: TANKS IN A RANGE OF COLOURS

Our cartage tanks come with the option of custom colours, allowing you to align your tank with your brand's visual identity and help your company get attention.

Please note that a colour charge applies for non-standard colour selections.



Rapid Spray Teal Opaque



Rapid Blue Tank Color

Teal Opaque (TO)



Teal Trans (TT)



Trans Blue (TB)



Rapid Blue (RB)



Light Blue (LB)



Faint Green (FG)



Heritage Green (HG)




Black (BK)



Dark Grey (DG)



Tank White (TW)



Natural (NA)



Trans Yellow (TY)



Rapid Yellow (RY)



Red (RE)



Note: Due to differences in monitor calibration and printing processes, the actual color of the tank may vary slightly from what appears on screen or in print.



WHAT MAKES A POLY TANK THE SMARTER CHOICE?

Discover how poly tanks revolutionise transport with their easy installation, weight-saving design, and superior resistance to corrosion. Poly tanks offer a smarter solution for all your cartage requirements.

FEATURE	POLY TANKS	STEEL/FIBERGLASS TANKS
Weight	Lightweight, increased payload	Heavy
Installation	Easier to install, comes with pre-moulded mounting points	Requires welding or complex fabrication, time-consuming
Construction	One-piece seamless construction, no welding required	Requires welding or complex fabrication, time-consuming, susceptible to leaks
Corrosion Resistance	Rustproof	Susceptible to rust and corrosion
Maintenance	Low maintenance, no painting or internal lining needed to prevent algae growth	Requires additional painting and internal lining
Portability	Easier to transport and relocate due to lighter weight	Difficult to transport due to weight, may require heavy machinery
Flex Impact Resistance	To handle truck chassis movement	More prone to dents and cracks during transport from chassis twist

CARTAGE TANKS

SUITABLE FOR MOST LIQUIDS



“

The products and services we've got out of Rapid Spray—we're really happy with their services and their products. Their service is pretty second to none.

PRESS HAULAGE PTY LTD

THE TOUGHEST TANKS!

With the in-built Flexi-link technology in each tank structure, Rapid Spray tanks are made to withstand the twisting and turning of vehicle chassis movements. Our specialised manufacturing processes maximises strength with minimal weight resulting in greater payload opportunities.

*Why do they prefer
Rapid Spray tanks?
Scan QR to find out.*



CARTAGE TANK

400L - 15,000L




**15 YEAR
TANK
WARRANTY**

Manufactured in Australia, from Australian materials, our cartage tanks are built to withstand even the toughest of conditions.

FEATURES

UV stabilised polyethylene
All models food grade poly material
Graduation markings (**not on all models*)
Sun blocking to prevent algae growth
No spill containment lips (over 400L)
255mm - 455mm diameter lids
455mm hinged lids (over 800L)
SureFit mounting pins
Tank outlet / fittings
(supplied loose)



UPGRADE WITH BALL BAFFLE SYSTEM

Increased stability and
safety when driving

LOAD CAPACITIES


Aqua-V rated 1.1 : 1SG
Active Liquid rated: 1.3 : 1SG
Mega Molasses rated: 1.6 : 1SG

OPAQUE TEAL

UV stabilised to
block sunlight
to prevent algae
growth

15 YEAR WARRANTY

Guaranteed full life
warranty




STABLE MOUNTING

With specifically design tank legs
and SureFit mounting pins*

10L - 100L

UV stabilised polyethylene tank
150mm poly screw lid




SCAN FOR
SPARE
PARTS

CODE	DESCRIPTION	MOUNTING THREADS	DIMENSIONS	DRY WT
A. PTZV00010TT	10L Water Cartage Tank	4 x M8 mounting threads	220 Ø x 460 H	1.5kg
B. PTZV00025TT	25L Water Cartage Tank	4 x M8 mounting threads	450 Ø x 400 H	4kg
C. PTZV00050TT	50L Water Cartage Tank	4 x M8 mounting threads	450 Ø x 600 H	7kg
D. PTZV00100TT	100L Water Cartage Tank	6 x M8 mounting threads	450 Ø x 950 H	10kg

SCAN FOR
PRICING

250L - 325L

UV stabilised polyethylene tank
250mm poly screw lid
10L hand wash tank (250L only)
¾" poly tank fitting
4 x M8 mounting threads (base)



SCAN FOR
SPARE
PARTS

CODE	DESCRIPTION	DIMENSIONS	DRY WT
A. PTC00250ATT	250L Water Cartage Tank with 10L Handwash tank	910 L x 730 W x 670 H	22kg
B. PTC00325TO	325L Water Cartage Tank	900L x 1040 W x 750 H	34kg

SCAN FOR
PRICING

400L

250mm poly screw lid
¾" or 1 ½" poly tank fitting (loose)
4 x Ø18mm mounting pins



BALL BAFFLES REQUIRED
ARB195F x 57

A.



SCAN FOR
SPARE
PARTS



SCAN FOR
PRICING



VERSION & DRY WT

TANK OPTIONS - CODE

		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
400L Squat 1620 L x 710 W x 510 H	Tank Only 28kg	-	PTC00400ATO	-
400L 1190 L x 1050 W x 500 H A.	Tank Only 23kg 28kg	STC00400TO	PTC00400TO	-
	Tank & Frame	STC00400KTO	PTC00400KTO	
	Tank, Frame & Pump Plate	STC00400KPTO	PTC00400KPTO	

600L

250mm poly screw lid
1 ½" poly tank fitting (loose)
4 x Ø18mm mounting pins



BALL BAFFLES REQUIRED
ARB195F x 85



SCAN FOR
SPARE
PARTS



SCAN FOR
PRICING



VERSION & DRY WT

TANK OPTIONS - CODE

		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
600L 1190 L x 1050 W x 735 H	Tank Only 32kg 37kg	STC00600TO	PTC00600TO	-
	Tank & Frame	STC00600KTO	PTC00600KTO	
	Tank, Frame & Pump Plate	STC00600KPTO	PTC00600KPTO	

800L

450mm poly hinge lid
1 ½" poly tank fitting (loose)
4 x Ø18mm mounting pins



BALL BAFFLES REQUIRED
ARB355F x 20



VERSION & DRY WT		TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
800L 1350 L x 1200 W x 690 H	Tank Only 50kg 55kg	STC00800TO	PTC00800TO	-
	Tank & Frame	STC00800KTO	PTC00800KTO	
	Tank, Frame & Pump Plate	STC00800KPTO	PTC00800KPTO	

1000L

450mm poly hinge lid
1 ½" poly tank fitting (loose)
4 x Ø18mm mounting pins



BALL BAFFLES REQUIRED
ARB355F x 25



VERSION & DRY WT		TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
1,000L 1350 L x 1200 W x 900 H	Tank Only 58kg 65kg 72kg	STC01000TO	PTC01000TO	PTC01000TOH
	Tank & Frame	STC01000KTO	PTC01000KTO	PTC01000KTOH
	Tank, Frame & Pump Plate	STC01000KPTO	PTC01000KPTO	PTC01000KPTOH

1200L

450mm poly hinge lid
1 ½" poly tank fitting (loose)
4 x Ø24mm mounting pins



BALL BAFFLES REQUIRED

ARB355F x 30



SCAN FOR
SPARE
PARTS



SCAN FOR
PRICING



VERSION & DRY WT

TANK OPTIONS - CODE

		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
1,200L 1700 L x 1320 W x 860 H	Tank Only 70kg 77kg	-	PTC01200TO	PTC01200TOH
	Tank & Frame		PTC01200KTO	PTC01200KTOH
	Tank, Frame & Pump Plate		PTC01200KPTO	PTC01200KPTOH

1500L

450mm poly hinge lid
1 ½" poly tank fitting (loose)
4 x Ø24mm mounting pins



BALL BAFFLES REQUIRED

ARB355F x 37



SCAN FOR
SPARE
PARTS



SCAN FOR
PRICING



VERSION & DRY WT

TANK OPTIONS - CODE

		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
1,500L 1700 L x 1320 W x 1050 H	Tank Only 75kg 85kg 94kg	STC01500TO	PTC01500TO	PTC01500TOH
	Tank & Frame	STC01500KTO	PTC01500KTO	PTC01500KTOH
	Tank, Frame & Pump Plate	STC01500KPTO	PTC01500KPTO	PTC01500KPTOH

2000L

450mm poly hinge lid
2" poly tank fitting (loose)
4 x Ø24mm mounting pins



BALL BAFFLES REQUIRED
ARB355F x 50



VERSION & DRY WT		TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
2,000L 2000 L x 1420 W x 1070 H	Tank Only 95kg 110kg 120kg	STC02000TO	PTC02000TO	PTC02000TOH
	Tank & Frame	STC02000KTO	PTC02000KTO	PTC02000KTOH
	Tank, Frame & Pump Plate	STC02000KPTO	PTC02000KPTO	PTC02000KPTOH

2500L

450mm poly hinge lid
2" poly tank fitting (loose)
4 x Ø24mm mounting pins



BALL BAFFLES REQUIRED
ARB355F x 62



VERSION & DRY WT		TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
2,500L 2000 L x 1420 W x 1265 H	Tank Only 115kg 125kg 137kg	STC02500TO	PTC02500TO	PTC02500TOH
	Tank & Frame	STC02500KTO	PTC02500KTO	PTC02500KTOH
	Tank, Frame & Pump Plate	STC02500KPTO	PTC02500KPTO	PTC02500KPTOH

3000L

450mm poly hinge lid
2" poly tank fitting (loose)
4 x Ø24mm mounting pins



BALL BAFFLES REQUIRED
ARB355F x 75



SCAN FOR
SPARE
PARTS



SCAN FOR
PRICING




VERSION & DRY WT		TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
3,000L 2340 L x 1520 W x 1200 H	Tank Only 145kg 170kg 190kg	STC03000TO	PTC03000TO	PTC03000TOH
	Tank & Frame	STC03000KTO	PTC03000KTO	PTC03000KTOH
	Tank, Frame & Pump Plate	STC03000KPTO	PTC03000KPTO	PTC03000KPTOH

3400L

450mm poly hinge lid
2" Croc-Loc tank fitting (loose)
4 x Ø24mm mounting pins



BALL BAFFLES REQUIRED
ARB355F x 85



SCAN FOR
SPARE
PARTS



SCAN FOR
PRICING



VERSION & DRY WT		TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
3,400L 2960 L x 1450 W x 1230 H	Tank Only 190kg 210kg	-	PTC03400TO	PTC03400TOH
	Tank & Frame		PTC03400KTO	PTC03400KTOH
	Tank, Frame & Pump Plate		PTC03400KPTO	PTC03400KPTOH

4400L

450mm poly hinge lid
2" Croc-Loc tank fitting (loose)
4 x Ø24mm mounting pins



BALL BAFFLES REQUIRED
ARB355F x 110



VERSION & DRY WT		TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
4,400L 2960 L x 1450 W x 1470 H	Tank Only 170kg 200kg 220kg	STC04400TO	PTC04400TO	PTC04400TOH
	Tank & Frame	STC04400KTO	PTC04400KTO	PTC04400KTOH
	Tank, Frame & Pump Plate	STC04400KPTO	PTC04400KPTO	PTC04400KPTOH

4800L

450mm poly hinge lid
2" Croc-Loc tank fitting (loose)
4 x Ø24mm mounting pins



BALL BAFFLES REQUIRED
ARB355F x 120

*Ideal for drillers
- tank fits neatly
behind the cab
of trucks*



VERSION & DRY WT		TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
4,800L 2340 L x 1550 W x 1880 H	Tank Only 225kg 250kg	-	PTC04800TO	PTC04800TOH
	Tank & Frame		PTC04800KTO	PTC04800KTOH
	Tank, Frame & Pump Plate		PTC04800KPTO	PTC04800KPTOH

5000L

450mm poly hinge lid
2" Croc-Loc tank fitting (loose)
4 x Ø24mm mounting pins



BALL BAFFLES REQUIRED

ARB355F x 125



SCAN FOR
SPARE
PARTS



SCAN FOR
PRICING



VERSION & DRY WT

TANK OPTIONS - CODE

		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
5,000L 2970 L x 2000 W x 1400 H	Tank Only 195kg 205kg 225kg	STC05000TO	PTC05000TO	PTC05000TOH
	Tank & Frame	STC05000KTO	PTC05000KTO	PTC05000KTOH
	Tank, Frame & Pump Plate	STC05000KPTO	PTC05000KPTO	PTC05000KPTOH

6000L

450mm poly hinge lid
2" Croc-Loc tank fitting (loose)
4 x Ø24mm mounting pins



BALL BAFFLES REQUIRED

ARB355F x 150



SCAN FOR
SPARE
PARTS



SCAN FOR
PRICING



VERSION & DRY WT

TANK OPTIONS - CODE

		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
6,000L 2790 L x 2000 W x 1556 H	Tank Only 275kg 300kg 330kg	STC06000TO	PTC06000TO	PTC06000TOH
	Tank & Frame	STC06000KTO	PTC06000KTO	PTC06000KTOH
	Tank, Frame & Pump Plate	STC06000KPTO	PTC06000KPTO	PTC06000KPTOH

7000L

450mm poly hinge lid
2" Croc-Loc tank fitting (loose)
8 x Ø24mm mounting pins



BALL BAFFLES REQUIRED
ARB355F x 175



SCAN FOR
SPARE
PARTS



SCAN FOR
PRICING



VERSION & DRY WT

TANK OPTIONS - CODE


		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
7,000L 3250 L x 1920 W x 1640 H	Tank Only 250kg 325kg 360kg	STC07000TO	PTC07000TO	PTC07000TOH
	Tank & Frame	STC07000KTO	PTC07000KTO	PTC07000KTOH
	Tank, Frame & Pump Plate	STC07000KPTO	PTC07000KPTO	PTC07000KPTOH

8000L SLIM / TIPPER TANK

450mm poly hinge lid
2" Croc-Loc tank fitting (loose)
8 x Ø24mm mounting pins



BALL BAFFLES REQUIRED
ARB355F x 200



SCAN FOR
SPARE
PARTS



SCAN FOR
PRICING



VERSION & DRY WT

TANK OPTIONS - CODE

		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
8,000L 3620 L x 2070 W x 1560 H	Tank Only 400kg 440kg	-	PTC08000ATO	PTC08000ATOH
	Tank & Frame		PTC08000AKTO	PTC08000AKTOH
	Tank, Frame & Pump Plate		PTC08000AKPTO	PTC08000AKPTOH

10000L SLIM / TIPPER TANK

450mm poly hinge lid
2" Croc-Loc tank fitting (loose)
4" Croc-Loc tank fitting (Mega Molasses)
8 x Ø24mm mounting pins



BALL BAFFLES REQUIRED

ARB355F x 250



SCAN FOR
SPARE
PARTS



SCAN FOR
PRICING



VERSION & DRY WT

TANK OPTIONS - CODE

		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
10,000L 3620 L X 2070 W X 1900 H	Tank Only 400kg 475kg 522kg	STC10000ATO	PTC10000ATO	PTC10000ATOH
	Tank & Frame	-	PTC10000AKTO	PTC10000AKTOH
	Tank, Frame & Pump Plate	-	PTC10000AKPTO	PTC10000AKPTOH

12000L SLIM / TIPPER TANK

450mm poly hinge lid
3" Croc-Loc tank fitting (loose)
4" Croc-Loc tank fitting (Mega Molasses)
8 x Ø24mm mounting pins



BALL BAFFLES REQUIRED

ARB355F x 273



SCAN FOR
SPARE
PARTS



SCAN FOR
PRICING



VERSION & DRY WT

TANK OPTIONS - CODE

		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
12,000L 3620 L X 2070 W X 2250 H	Tank Only 575kg 630kg	-	PTC12000TO	PTC13000TOH
	Tank & Frame		PTC12000KTO	PTC13000KTOH
	Tank, Frame & Pump Plate		PTC12000KPTO	PTC13000KPTOH

13000L LOW PROFILE

- 450mm poly hinge lid
- 3" Croc-Loc tank fitting (loose)
- 4" Croc-Loc tank fitting (Mega Molasses)
- 8 x Ø24mm mounting pins



BALL BAFFLES REQUIRED
ARB355F x 325



SCAN FOR
SPARE
PARTS



SCAN FOR
PRICING




VERSION & DRY WT		TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
13,000L Low Profile 4000 L x 2350 W x 1900 H	Tank Only 585kg 645kg	-	PTC13000ATO	PTC13000ATOH
	Tank & Frame		PTC13000AKTO	PTC13000AKTOH
	Tank, Frame & Pump Plate		PTC13000AKPTO	PTC13000AKPTOH

15000L

- 450mm poly hinge lid
- 3" Croc-Loc tank fitting (loose)
- 4" Croc-Loc tank fitting (Mega Molasses)
- 8 x Ø24mm mounting pins



BALL BAFFLES REQUIRED
ARB355F x 375



SCAN FOR
SPARE
PARTS



SCAN FOR
PRICING



VERSION & DRY WT		TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
15,000L 4000 L x 2350 W x 2120 H	Tank Only 660kg 730kg	-	PTC15000TO	PTC15000TOH
	Tank & Frame		PTC15000KTO	PTC15000KTOH
	Tank, Frame & Pump Plate		PTC15000KPTO	PTC15000KPTOH



7000L Aqua-V Cartage Tank and 4800L Cartage Tank featured on custom water tanker built by customer in Blue Mountains, NSW to help bring water supplies in emergency situations.

SPRAY TANKS

COMPLETE DRAINAGE



GET THE MOST OUT OF YOUR TANK

Extraordinary impact resistant and built with special blended poly, the Spray Tank range is suitable for a broad range of liquids, from water to the harshest chemicals. With a lower sump, you'll be sure to have a flooded suction regardless of terrain, allowing for complete drainage.

SPRAY TANK

100L - 10,000L



**15 YEAR
TANK
WARRANTY**

With the centre draining tank, you'll be sure to have a flooded suction regardless of terrain, allowing you to get the most out of your tank.

FEATURES

- UV stabilised polyethylene
- All models food grade poly material
- Active Liquid 1.3 : 1SG rating
- Centre sump for full drainage
- Graduation markings (**not on all models*)
- Translucent Teal
- Breather to prevent tank concaving
- 255mm - 455mm diameter lids
- 455mm hinged lids (over 800L)
- Basket filter reduces debris
- SureFit mounting pins
- Tank outlet / fittings (loose)
- Strap or pin mount



UPGRADE WITH BALL BAFFLE SYSTEM

Increased stability and safety when driving



BASKET FILTER

To prevent contamination of liquid while filling



HEAVY DUTY GALVANISED STEEL FRAME

Optional steel frame for full sump clearance


STABLE MOUNTING

With specifically design tank legs and SureFit mounting pins



100L - 600L STRAP MOUNT

- 250mm poly screw lid & basket filter
- 1" poly tank fitting (loose)
- 1 ½" poly tank fitting - 200L+ (loose)
- Hot dip gal frame (option)




UPGRADE WITH BALL
BAFFLE SYSTEM
Call 1800 011 000 for
fitted costs



TANK SIZE	FRAME	DIMENSIONS	DRY WT.	DESCRIPTION	CODE	FIT WITH BALL BAFFLES
100L	No	815 L x 450 W x 595 H	9kg	1" poly fitting (loose)	PTSS00100TT	ARB195F x 14
	Yes	815 L x 450 W x 610 H	18kg	1" poly fitting (loose), frame fitted	PTSS00100KTT	ARB195F x 14
200L	No	940 L x 600 W x 725 H	12kg	1 ½" poly fitting (loose)	PTSS00200TT	ARB195F x 28
	Yes	940 L x 600 W x 750 H	22kg	1 ½" poly fitting (loose), frame fitted	PTSS00200KTT	ARB195F x 28
300AL	No	940 L x 600 W x 925 H	17kg	1 ½" poly fitting (loose)	PTSS00300ATT	ARB195F x 42
	Yes	940 L x 600 W x 970 H	27kg	1 ½" poly fitting (loose), frame fitted	PTSS00300AKTT	ARB195F x 42
300L A.	No	1260 L x 590 W x 755 H	17kg	1 ½" poly fitting (loose)	PTSS00300TT	ARB195F x 42
	Yes	1260 L x 590 W x 850 H	27kg	1 ½" poly fitting (loose), frame fitted	PTSS00300KTT	ARB195F x 42
400L	No	900 L x 820 W x 950 H	20kg	1 ½" poly fitting (loose)	PTSS00400TT	ARB195F x 57
	Yes	900 L x 820 W x 1000 H	37kg	1 ½" poly fitting (loose), frame fitted	PTSS00400KTT	ARB195F x 57
600L B.	No	1250 L x 820 W x 950 H	28kg	1 ½" poly fitting (loose)	PTSS00600TT	ARB195F x 85
	Yes	1250 L x 820 W x 1000 H	42kg	1 ½" poly fitting (loose), frame fitted	PTSS00600KTT	ARB195F x 85

400L - 1500L PIN MOUNT

Mounting pins x 4
 250mm poly screw lid & basket filter
 450mm poly hinge lid & basket filter (800L+)
 1 ½" poly tank fitting (loose)
 Hot dip gal frame (option)



UPGRADE WITH BALL BAFFLE SYSTEM

Call 1800 011 000 for fitted costs



A.



B.



SCAN FOR
SPARE
PARTS

SCAN FOR
PRICING



TANK SIZE	FRAME	DIMENSIONS	DRY WT.	DESCRIPTION	CODE	FIT W/ BALL BAFFLES
400L A.	No	1140 L x 1050 W x 610 H	26kg	1 ½" poly fitting (loose)	PTSP00400ATT	ARB195F x 57
	Yes	1140 L x 1050 W x 650 H	43kg	1 ½" poly fitting (loose), frame fitted	PTSP00400AKTT	ARB195F x 57
600L	No	1140 L x 1050 W x 800 H	33kg	1 ½" poly fitting (loose)	PTSP00600TT	ARB195F x 85
	Yes	1140 L x 1050 W x 850 H	50kg	1 ½" poly fitting (loose), frame fitted	PTSP00600KTT	ARB195F x 85
800L	No	1360 L x 1200 W x 650 H	48kg	1 ½" poly fitting (loose)	PTSP00800TT	ARB355F x 20
	Yes	1360 L x 1200 W x 700 H	71kg	1 ½" poly fitting (loose), frame fitted	PTSP00800KTT	ARB355F x 20
1,000L B.	No	1360 L x 1200 W x 1000 H	53kg	1 ½" poly fitting (loose)	PTSP01000TT	ARB355F x 25
	Yes	1360 L x 1200 W x 1045 H	76kg	1 ½" poly fitting (loose), frame fitted	PTSP01000KTT	ARB355F x 25
1,200L	No	1640 L x 1320 W x 870 H	61kg	1 ½" poly fitting (loose)	PTSP01200TT	ARB355F x 30
	Yes	1640 L x 1320 W x 950 H	85kg	1 ½" poly fitting (loose), frame fitted	PTSP01200KTT	ARB355F x 30
1,500AL	No	1800 L x 1320 W x 920 H	76kg	1 ½" poly fitting (loose)	PTSP01500ATT	ARB355F x 37
	Yes	1800 L x 1320 W x 970 H	91kg	1 ½" poly fitting (loose), frame fitted	PTSP01500AKTT	ARB355F x 37
1,500L	No	1640 L x 1320 W x 1100 H	76kg	1 ½" poly fitting (loose)	PTSP01500TT	ARB355F x 37
	Yes	1640 L x 1320 W x 1150 H	91kg	1 ½" poly fitting (loose), frame fitted	PTSP01500KTT	ARB355F x 37

2000L - 4400L PIN MOUNT

Mounting pins x 4/6
 450mm poly hinge lid & basket filter
 1 ½" poly tank fitting (loose)
 2" Croc-Loc tank fitting(3400L+, loose)
 Hot dip gal frame (option)



**UPGRADE WITH BALL
 BAFFLE SYSTEM**

Call 1800 011 000 for
 fitted costs



A.



B.



SCAN FOR
 SPARE
 PARTS



SCAN FOR
 PRICING

TANK SIZE	FRAME	DIMENSIONS	DRY WT.	DESCRIPTION	CODE	FIT W/ BALL BAFFLES
2,000AL A.	No	1640 L x 1320 W x 1300 H	90kg	2" poly fitting (loose)	PTSP02000ATT	ARB355F x 50
	Yes	1640 L x 1320 W x 1350 H	105kg	2" poly fitting (loose), frame fitted	PTSP02000AKTT	ARB355F x 50
2,000L	No	2000 L x 1420 W x 1150 H	90kg	2" poly fitting (loose)	PTSP02000TT	ARB355F x 50
	Yes	2000 L x 1420 W x 1215 H	149kg	2" poly fitting (loose), frame fitted	PTSP02000KTT	ARB355F x 50
2,500L	No	2000 L x 1480 W x 1310 H	105kg	2" poly fitting (loose)	PTSP02500TT	ARB355F x 62
	Yes	2000 L x 1480 W x 1360 H	145kg	2" poly fitting (loose), frame fitted	PTSP02500KTT	ARB355F x 62
3,000L	No	2340 L x 1500 W x 1310 H	150kg	2" poly fitting (loose)	PTSP03000TT	ARB355F x 75
	Yes	2340 L x 1500 W x 1350 H	250kg	2" poly fitting (loose), frame fitted	PTSP03000KTT	ARB355F x 75
3,400L	No	2960 L x 1450 W x 1280 H	170kg	2" Croc-Loc fitting (loose)	PTSP03400TT	ARB355F x 85
	Yes	2960 L x 1450 W x 1330 H	350kg	2" Croc-Loc fitting (loose), frame fitted	PTSP03400KTT	ARB355F x 85
4,400L B.	No	2960 L x 1450 W x 1600 H	175kg	2" Croc-Loc fitting (loose)	PTSP04400TT	ARB355F x 110
	Yes	2960 L x 1450 W x 1650 H	355kg	2" Croc-Loc fitting (loose), frame fitted	PTSP04400KTT	ARB355F x 110

4800L - 10000L PIN MOUNT

Mounting pins x 4/6

450mm poly hinge lid & basket filter

2" Croc-Loc tank fitting (loose)

Hot dip gal frame (option)

*Ideal for drillers
- tank fits neatly
behind the cab
of trucks*



**UPGRADE WITH BALL
BAFFLE SYSTEM**

Call 1800 011 000 for
fitted costs



A.



B.



SCAN FOR
SPARE
PARTS

SCAN FOR
PRICING



TANK SIZE	FRAME	DIMENSIONS	DRY WT.	DESCRIPTION	CODE	FIT W/ BALL BAFFLES
4,800L	No	2340 L x 1550 W x 2080 H	200kg	2" Croc-Loc fitting (loose)	PTSP04800TT	ARB355F x 120
A.	Yes	2340 L x 1550 W x 2130 H	300kg	2" Croc-Loc fitting (loose), frame fitted	PTSP04800KTT	ARB355F x 120
5,000L	No	2760 L x 2000 W x 1520 H	245kg	2" Croc-Loc fitting (loose)	PTSP05000TT	ARB355F x 125
	Yes	2760 L x 2000 W x 1570 H	425kg	2" Croc-Loc fitting (loose), frame fitted	PTSP05000KTT	ARB355F x 125
6,000AL	No	2760 L x 1500 W x 1670 H	275kg	2" Croc-Loc fitting (loose)	PTSP06000ATT	ARB355F x 150
B.	Yes	2760 L x 1500 W x 1782 H	455kg	2" Croc-Loc fitting (loose), frame fitted	PTSP06000AKTT	ARB355F x 150
7,000L	No	3250 L x 1900 W x 1740 H	300kg	2" Croc-Loc fitting (loose)	PTSP07000TT	ARB355F x 175
	Yes	3250 L x 1900 W x 1790 H	525kg	2" Croc-Loc fitting (loose), frame fitted	PTSP07000KTT	ARB355F x 175
10,000L	No	3600 L x 2250 W x 2140 H	475kg	2" Croc-Loc fitting (loose)	PTSP10000TT	ARB355F x 250
	Yes	3750 L x 2250 W x 2240 H	925kg	2" Croc-Loc fitting (loose), frame fitted	PTSP10000KTT	ARB355F x 250



Image by Liquid Systems



Image by Liquid Systems

MODULAR TANKS

EXPANDABLE TANK SYSTEM



LIMITLESS POSSIBILITIES

Now available in two versions to give you more options and greater flexibility, our FlexConnex Modular Tank System is an innovative liquid transport system with limitless possibilities. Each tank section can be drained individually to allow for cartage of different fluids or linked together to allow equalised filling and draining.

16,000L Modular water tanker spotted filling from roadside river in Queensland.

MODULAR TANK SYSTEMS

THE FLEXCONNEX RANGE

The most innovative liquid transport system now available in two versions ideal for getting the most out of your liquid transport requirements, no matter how small or large!

FEATURES

- UV stabilised polyethylene
- All models food grade poly material
- Active Liquid 1.3 : 1SG rating
- Unique 2-way baffle system
- 455mm hinged lids
- Breather to prevent tank concaving
- SureFit mounting pins
- V1 Modular - 2000L sections
- V2 Modular - 4000L sections


Dimensions:
V1: 2160 (W) x 1680 (H) per section
V2: 2350 (W) x 1650 (H) per section

INDIVIDUAL TANK DRAINAGE
Sections can be drained individually or linked together to allow equal filling and draining.

2-WAY BAFFLE SYSTEM
Limits longitudinal and sideways movement for max fluid stability and control



FULL DRAIN SUMP UPGRADE OPTION



EXPANDABLE TANK CAPACITY - 2000L/4000L Sections

8000L

12000L

LARGE LID & BREATHER
455mm hinge lid on each section



TAPERED SEAL FITTINGS
Allows for internal movement of joiner without leaking

255MM INTERNAL DIAMETER FLOW
Allows rapid fluid transfer between sections and baffled to prevent surcharge



FILLING FUNNEL UPGRADE OPTION
Galvanised for easy filling

V1 FLEXCONNEX MODULAR TANKS

2000L sections / modules

Compact width 2160mm for smaller trucks

CODE	MODULES	DESCRIPTION	DIMENSIONS	DRY WT*
PTM04000TO	2	4,200L V1 Modular Tank	1825 L x 2160 W x 1680 H	260kg
PTM06000TO	3	6,200L V1 Modular Tank	2665 L x 2160 W x 1680 H	390kg
PTM08000TO	4	8,200L V1 Modular Tank	3505 L x 2160 W x 1680 H	520kg
PTM10000TO	5	10,200L V1 Modular Tank	4345 L x 2160 W x 1680 H	650kg
PTM12000TO	6	12,200L V1 Modular Tank	5185 L x 2160 W x 1680 H	780kg
PTM14000TO	7	14,200L V1 Modular Tank	6025 L x 2160 W x 1680 H	910kg
PTM16000TO	8	16,200L V1 Modular Tank	6865 L x 2160 W x 1680 H	1040kg
PTM18000TO	9	18,200L V1 Modular Tank	7705 L x 2160 W x 1680 H	1170kg
PTM20000TO	10	20,200L V1 Modular Tank	8545 L x 2160 W x 1680 H	1300kg
PTM22000TO	11	22,200L V1 Modular Tank	9385 L x 2160 W x 1680 H	1430kg
PTM24000TO	12	24,200L V1 Modular Tank	10225 L x 2160 W x 1680 H	1560kg
PTM26000TO	13	26,200L V1 Modular Tank	11065 L x 2160 W x 1680 H	1690kg
PTM28000TO	14	28,200L V1 Modular Tank	11910 L x 2160 W x 1680 H	1820kg
PTM30000TO	15	30,200L V1 Modular Tank	12750 L x 2160 W x 1680 H	1950kg

SCAN FOR
PRICING



V2 FLEXCONNEX MODULAR TANKS

4000L sections / modules

2350mm wide for maximum deck use and low height

CODE	MODULES	DESCRIPTION	DIMENSIONS	DRY WT*
PTM08000ATO	2	8,000L V2 Modular Tank	2795 L x 2350 W x 1650 H	480kg
PTM12000ATO	3	12,000L V2 Modular Tank	4160 L x 2350 W x 1650 H	720kg
PTM16000ATO	4	16,000L V2 Modular Tank	5525 L x 2350 W x 1650 H	960kg
PTM20000ATO	5	20,000L V2 Modular Tank	6890 L x 2350 W x 1650 H	1200kg
PTM24000ATO	6	24,000L V2 Modular Tank	8255 L x 2350 W x 1650 H	1440kg
PTM28000ATO	7	28,000L V2 Modular Tank	9620 L x 2350 W x 1650 H	1680kg
PTM32000ATO	8	30,000L V2 Modular Tank	10965 L x 2350 W x 1650 H	1920kg

SCAN FOR
PRICING





12,000L Modular water tank built for the commercial and government sectors

WATER TANKERS

SLIP-ONS



SLIP-ON WATER CARTS FOR EVERY TASK

Equip your tray or tipper truck with our Slip-On Water Carts, engineered for water transfer, tree and turf watering, dust suppression, machinery washdown, fire fighting and bio-security. Built tough to handle a wide range of applications with ease and efficiency.



AQUAFILL

SLIP-ON WATER CARTS FOR TRAY & TIPPER TRUCKS

**15YR TANK
5YR CHASSIS
3YR ENGINE
5YR PUMP
WARRANTY**

Simple, safe and effective. That is what the AquaFill™ range is known for. First choice for bulk water delivery to civil sites, homesteads and for spray contractors.

FEATURES

- UV stabilised chemical resistant poly tank
- Hot dip galvanised frame
- 1000L/min Impellor pump
- Electric start Honda/Yanmar motor
- 36m manual poly hose reel
- Ball baffles included
- 3" suction manifold
- In-cab controls



HEAVY DUTY TANK & FRAME

Hot dip galvanised steel frame



PUMP MOTOR OPTIONS

Petrol or diesel motor options

**LEADING
AUSTRALIAN MADE
CARTAGE TANK**

Guaranteed to last for years



SCAN FOR
QUOTE



AQUAMAX

SLIP-ON WATER CARTS FOR TRAY & TIPPER TRUCKS

**15YR TANK
5YR CHASSIS
3YR ENGINE
5YR PUMP
WARRANTY**

The AquaMax™ range is ideal for dust control, tree and turf watering. These slid-on water carts reliably meet the job requirements everytime!

FEATURES

- UV stabilised chemical resistant poly tank
- Hot dip galvanised frame
- 2" Impellor pump
- Electric start Honda/Yanmar motor
- 36m manual poly hose reel
- 6m bottom fill kit
- 2" suction manifold
- 2" Spray bar | 2 Deflectors
- 1 Actuators | In-cab controls
- Certified check valve



BALL BAFFLE SYSTEM INCLUDED

increased stability to ensure safety and reduce truck wear and tear



HIGH PERFORMANCE DEFLECTOR NOZZLES

Take on dust control



SCAN FOR QUOTE



RINSE MASTER

DRUM RINSE CHEMICAL BINS

RINSE MASTER

Ideal for triple rinsing chemical drums!



Ensure thorough cleaning of empty chemical drums with the Australian Made erosion resistant Rinse Master!

FEATURES

- UV stabilised polyethylene
- Optional upgrades inc:
 - Galvanised steel frame
 - Rotating drum rinse nozzle
 - Venturi fittings



**15 YEAR
TANK
WARRANTY**

RINSE BINS: APPLICATIONS & USES



BATCHING CHEMICALS AND MIXING

Achieve precise chemical measurements for accurate applications.



MIXING GRANULES AND POWDERS

Effortlessly blend dry formulations into liquid solutions.



TRIPLE RINSING CHEMICAL DRUMS

Ensure compliance with safety standards by thoroughly cleaning chemical drums.

CHOOSE THE PERFECT RINSE BIN FOR YOUR APPLICATION


Our range of Rinse Bins is tailored to meet the unique needs of agricultural operations. Whether you're setting up a DIY system or managing advanced chemical batching and cleaning, we have the right solution for you.



BARE RINSE BINS (TANK ONLY OR TANK & FRAME)

Best for: DIY batching systems and custom setups.

A versatile, cost-effective option for users who want to create their own chemical handling system.



TANK, FRAME WITH DRUM RINSE ROTATING NOZZLE & OUTLET

Best for: Simple batching systems.

A ready-to-use solution for straightforward chemical mixing needs, combining durability and ease of use.



COMPLETE TANK, FRAME, DRUM RINSE ROTATING NOZZLE, OUTLET & VENTURI

Best for: Chemical batching with drum cleaning.

A complete system that integrates efficient chemical batching with triple rinsing capability for maximum productivity and safety.



ROTATING NOZZLE

Comes standard with complete unit for faster cleaning - spins at 3000rpm at 3 bar pressure



50L



120L



200L



300L

SCAN FOR PRICING



TANK SIZE	FRAME	DESCRIPTION	DIMENSIONS	CODE
50L	No	Tank only, no fittings	500 L x 500 W x 430 H	PJR0050LNA
	Yes	Tank, frame, no fittings	600 L x 500 W x 600 H	PJR0050LKNA
	Yes	Tank, frame w/ complete drum rinse rotating nozzle & outlet	600 L x 500 W x 600 H	PJR0050LKCNA
	Yes	Tank, frame, drum rinse w/ rotating nozzle, outlet & 5mm venturi	600 L x 500 W x 600 H	PJR0050LKV5NA
	Yes	Tank, frame, drum rinse w/ rotating nozzle, outlet & 9mm venturi	600 L x 500 W x 600 H	PJR0050LKV9NA
120L	No	Tank only, no fittings	595 L x 600 W x 600 H	PJR0120LNA
	Yes	Tank, frame, no fittings	695 L x 600 W x 800 H	PJR0120LKNA
	Yes	Tank, frame w/ complete drum rinse rotating nozzle & outlet	695 L x 600 W x 800 H	PJR0120LKCNA
	Yes	Tank, frame, drum rinse w/ rotating nozzle, outlet & 5mm venturi	695 L x 600 W x 800 H	PJR0120LKV5NA
	Yes	Tank, frame, drum rinse w/ rotating nozzle, outlet & 9mm venturi	695 L x 600 W x 800 H	PJR0120LKV9NA
200L	No	Tank only, no fittings	595 L x 600 W x 922 H	PJR0200LNA
	Yes	Tank, frame, no fittings	695 L x 600 W x 1120 H	PJR0200LKNA
	Yes	Tank, frame w/ complete drum rinse rotating nozzle & outlet	695 L x 600 W x 1120 H	PJR0200LKCNA
	Yes	Tank, frame, drum rinse w/ rotating nozzle, outlet & 5mm venturi	695 L x 600 W x 1120 H	PJR0200LKV5NA
	Yes	Tank, frame, drum rinse w/ rotating nozzle, outlet & 9mm venturi	695 L x 600 W x 1120 H	PJR0200LKV9NA
300L	No	Tank only, no fittings	655 L x 655 W x 920 H	PJR0300LNA
	Yes	Tank, frame, no fittings	755 L x 655 W x 1155 H	PJR0300LKNA
	Yes	Tank, frame w/ complete drum rinse rotating nozzle & outlet	755 L x 655 W x 1155 H	PJR0300LKCNA
	Yes	Tank, frame drum rinse w/ rotating nozzle, outlet & 5mm venturi	755 L x 655 W x 1155 H	PJR0300LKV5NA
	Yes	Tank, frame, drum rinse w/ rotating nozzle, outlet & 9mm venturi	755 L x 655 W x 1155 H	PJR0300LKV9NA

BALL BAFFLES

LIQUID LOAD SAFETY SOLUTION



ELIMINATE LIQUID SLOSH & SURGE

The Ball Baffle improves load stability and reduces wear in liquid transport tanks. Its hollow spheres clip together inside the tank, breaking up waves to prevent dangerous surge effects during braking or turns.

BALL BAFFLE SYSTEM

GREATER SAFETY & STABILITY



A reknown Rapid Spray innovation - independently tested and verified by LoadSafe Australia, the Ball Baffle system is lightweight, rust proof and fully baffles the whole tank to reduce liquid movement for safer loads during transit.

FEATURES

- Food grade polypropylene
- Australian Made!
- Suitable for water and aggressive chemicals (i.e diesel*)
- Suitable for steel and fibreglass tanks
- Fitted or non-fitted options
- 2 piece design - no clips or ties

REDUCES BRAKING DISTANCE

Independent testing has demonstrated the Ball Baffle system reduces braking by up to 46%

7-SECOND ASSEMBLY TIME

Just twist and click and throw them in

195MM OR 355MM
Different size Ball Baffles to suit different lid openings and tank capacities



MINIMAL LIQUID DISPLACEMENT

195mm : 150ml / ball
355mm : 428ml / ball

CODE	DESCRIPTION	LIQUID DISPLACEMENT	DRY WT	QTY REQUIRED
ARB195B	Ø195mm Ball Baffle - 44/box (baffles 308L)	150ml / ball	126gm / ball	1 ball / 7L tank capacity
ARB195F	Ø195mm Ball Baffle Fitted*	150ml / ball	126gm / ball	1 ball / 7L tank capacity
ARB355B	Ø355mm Ball Baffle - 25/box (baffles 1,000L)	428ml / ball	478gm / ball	1 ball / 40L tank capacity
ARB355F	Ø355mm Ball Baffle Fitted*	428ml / ball	478gm / ball	1 ball / 40L tank capacity





BALL BAFFLE ASSEMBLY - ONLY TAKES 7 SECONDS!
Check out the video on rapidspray.net/resources/videos




TESTED AND APPROVED BY LOADSAFE AUSTRALIA
Check out the video on rapidspray.net/resources/videos

LIQUID COMPATIBILITY GUIDE FOR BALL BAFFLES:

Ball Baffles are lightweight, easy to install, and compatible with a variety of liquids. However, not all liquids are suitable for use with Ball Baffles.


Use the chart on the right to quickly determine which liquids work best and ensure optimal performance for your transport needs.



*Cleaning always required when switching from one liquid to another.

LIQUID TYPE	COMPATIBILITY
Water	✓ Suitable
Diesel	✓ Suitable
Liquid Fertiliser	✓ Suitable
Herbicides	✓ Suitable
Pesticides	✓ Suitable
AdBlue® (DEF)	✓ Suitable
Petrol	✗ Not suitable
Acids	✗ Not suitable
Alcohol	✗ Not suitable





TANK SPARES

LIDS & BASKET FILTERS

SCAN FOR
PRICING



1 YEAR
COMPONENTRY
WARRANTY

150MM SCREW LID

150mm diameter
Female thread
Spring lever valve & gasket



CODE	DESCRIPTION
ARLP150AV	150mm Screw Lid

250MM POLY SCREW LID

255mm diameter
Male thread
Fixed labyrinth breather valve
Gasket
Suits tank openings: 215 - 225mm



CODE	DESCRIPTION
ARLP250VSR	250mm Screw Lid with Rim

455MM HINGE LID

455mm diameter
Hinge style
Fixed ring labyrinth
breather valve
Rim & gasket seal
Suits tank openings: 415 - 430mm



CODE	DESCRIPTION
ARLP450VSR	150mm Screw Lid

455MM STAINLESS STEEL

455mm diameter
Hinge style
Twin labyrinth breather valve
Fixing ring with screw holes
Stainless Steel construction
Lockable with gasket seal



CODE	DESCRIPTION
ARLS450VSR	250mm Screw Lid

BASKET FILTER

#18 mesh screen



CODE	SUITS PUMP
A. ARK200	Suits 250mm Screw Lid
B. ARK400	Suits 455mm Hinge Lid



TANK SPARES

TANK FITTINGS



POLY FLANGED TANK OUTLET FITTINGS

CODE	DESCRIPTION
A. ARFP020	¾" poly tank outlet
ARFP025	1" poly tank outlet
ARFP032	1 ¼" poly tank outlet
ARFP038	1 ½" poly tank outlet
ARFP050	2" poly tank outlet
ARFP050R	2" poly tank outlet reverse thread



BRASS FLANGED TANK OUTLET FITTINGS

CODE	DESCRIPTION
A. ARFB020	¾" brass tank outlet
ARFB025	1" brass tank outlet
ARFB032	1 ¼" brass tank outlet
ARFB038R	1 ½" brass tank outlet reverse thread
ARFB050R	2" brass tank outlet reverse thread
ARFB080R	3" brass tank outlet reverse thread
ARFB100R	4" brass tank outlet reverse thread




CROC-LOC BOLTED TANK FITTINGS

304 Stainless Steel
 EPDM gasket standard on 2"
 VITON standard on 3" & 4"
 BUNA optional

CODE	DESCRIPTION
A. ARBS050	2" SS 4-bolt Croc-loc outlet
B. ARBS080	3" SS 6-bolt Croc-loc outlet
ARBS100	4" SS 8-bolt Croc-loc outlet

Suitable for liquid fertiliser, molasses and most liquids.
 Easy to tighten, superior leak free performance!



TANK SPARES

ADD-ONS



TANK LEVEL KIT

Clear tube with red floating ball
1.5m / 2m tube length



CODE	DESCRIPTION
ARN001	Tank level kit - 1.5m
ARN002	Tank level kit - 2m

TOP FILL FUNNEL

Suits 450mm tank opening
Galvanised top fill funnel



CODE	DESCRIPTION
ARU450	Top fill funnel

HYDRANT FILLER KIT

Easy filling without need to climb on vehicle.
Complies with air gap for safety back flow regulations,
protecting water source.
Comes with camlock fittings and lid.




CODE	DESCRIPTION
ARH038	38mm Hydrant filler kit
ARH050	50mm Hydrant filler kit
ARH080	80mm Hydrant filler kit



TANK SPARES

ADD-ONS



TANK MOUNTING PINS

CODE	SIZE	SUITS		ORDER QTY	
		CARTAGE TANKS	SPRAY TANKS		
ASP18X200	18 x 200mm	400L / 600L	400 / 600 / 800/ 1000L	4	
ASP18X230	18 x 230mm	800L / 1000L	-	4	
ASP18X260	18 x 260mm	-	1200L / 1500L	4	
ASP24X260	24 x 260mm	1200L / 1500L / 6000L / 7000L / 8000	2000L / 8000L	4	
ASP24X330	24 x 330mm	2000L - 15000L	3400L - 8000L	4	600 - 6000L Cartage tanks 400L - 3000L Spray tanks
				6	3400L - 8000L Spray tanks
				8	7000L - 15000L Cartage tanks





Proudly making tanks for Australia since 1996



SPOT FIRE, PROPERTY PROTECTION, BACK BURNING CONTROL, TREE WATERING, WASH DOWN, DUST SUPPRESSION & STOCK WATER TRANSFER

The Rapid Spray firefighting range is designed not only for critical fire protection but also for year-round versatility. Our equipment — from compact UTV units to large ute-mounted slip-ons and trailers — offers practical solutions beyond firefighting. Use it for tree and turf irrigation, transferring stock water for livestock, machinery wash down, dust control, and even support bio-security by preventing the spread of weeds and pests. With Rapid Spray, you have reliable, multi-purpose equipment ready for any need on your property.



BEYOND FIRE FIGHTING: VERSATILE SOLUTIONS FOR YOUR NEEDS

Discover the versatility of our slip-on and trailer units, perfect for fire fighting, stock watering, cleaning, and more.



Fire Fighting

Protect your valuable assets. Our powerful pumps and hoses can quickly and effectively combat fires, safeguarding your stock, land, and property.



Stock Water

Keep your livestock hydrated with ease. Our units can efficiently fill troughs in-field, saving you time and effort.



Machinery Wash down

Maintain your equipment and extend its lifespan. Our high-flow pumps can thoroughly clean machinery on-site and prepare it for storage.



Tree & Turf Watering

Precisely target your watering needs. Our units allow for controlled and efficient watering of trees and turf, conserving water and promoting healthy growth.



Dust Control

Reduce dust and improve air quality. Our high-flow pumps can effectively suppress dust on-site and around your yard, creating a cleaner and safer working environment.



Bio-security Wash down

Protect your property from invasive pests and diseases. Our high-flow pumps can be used to thoroughly clean equipment and vehicles, preventing the spread of harmful organisms.

FIRE FIGHTING TRAILERS

THE ULTIMATE WATER SOURCE



HITCH & GO FIRE FIGHTING SOLUTION

These robust machines have been designed and built to help you effectively and efficiently put out grassfires and bushfires. Although these road-registerable trailers share a basic design, each comes with different accessories that can be modified to specific needs.



FIRE MARSHAL TRAILER

ON-FARM | ON-ROAD / ADR COMPLIANT

SCAN FOR
SPARE
PARTS



15YR TANK
5YR CHASSIS
3YR ENGINE
5YR PUMP
WARRANTY

Experience the convenience of “Hitch & Go” with the reliable and effective Fire Marshal Trailers. Commonly used for tree watering, stock water transfer and/or cleaning tasks - you’ll find a job for your fire trailer all year round!

FEATURES

- UV stabilised polyethylene tank
- 450L/min RapidPro 2" fire pump
- Pressure relief valve & return line
- GX200 Honda motor
- 36m x 19mm fire fighting hose
- Poly manual hose reel
- Adjustable fire fighting nozzle
- Galvanised steel single axle trailer
- Leaf suspension springs
- 14" wheels with Ford hub pattern
- 50mm tow hitch and jockey wheel
- 6m x Bottom fill kit
- 455mm hinge lid
- Anti-spill lip around lid

ADR COMPLIANT FEATURES

- Waterproof LED lights
- Hydraulic over-ride brakes
- Ball baffles
- *Registration not included.

EASY ATTACH BOTTOM FILL KIT QUICK CHANGE OVER SYSTEM

refills unit from any water source!

UPGRADE ON-FARM WITH BALL BAFFLES REQUIRED

ARB355F x 25

See page 50 for more information.



LEAF SPRINGS

controlled axle damping and increased stability

CODE	DESCRIPTION	DIMENSIONS
SRFX1000LZ	1000L On-Farm Marshal Trailer - Single Axle	3480 L x 1770 W x 1375 H
A. SRFQ1000LZ	1000L On-Road / ADR Compliant Marshal Trailer - Single Axle	3480 L x 1770 W x 1375 H

SCAN FOR
PRICING



FIRE RANGER TRAILER

ON-ROAD / ADR COMPLIANT

Used by councils and government bodies across Australia, the Fire Ranger is our most durable, tough fire fighting trailer, prepared for any on or off-road duties as needed.


FEATURES

- UV stabilised polyethylene tank
- 450L/min RapidPro 2" fire pump
- Pressure relief valve & return line
- GX200 Honda motor
- 36m x 19mm fire fighting hose
- Poly manual hose reel
- Adjustable fire fighting nozzle
- Hot gal dipped steel dual axle trailer
- Front & rear pump plates
- Waterproof LED lights
- Electric brakes
- Leaf suspension springs
- 15" wheels with Landcruiser hub pattern
- 50mm tow hitch and jockey wheel
- 6m x Bottom fill kit
- Ball baffles fitted

**Registration not included. Trailer may be different to picture.*

LEVEL VIEW

vital in an emergency situation



WITH BALL BAFFLE SYSTEM
increased stability to ensure safety of crew and others

CHEQUER PLATE MUD GUARDS
with rolled edges for safety

CODE	DESCRIPTION	DIMENSIONS
PRFQD1200LZ	1200L ADR Compliant Ranger Trailer - Dual Axle	5000 L x 2150 W x 1410 H
PRFQD1500LZ	1500L ADR Compliant Ranger Trailer - Dual Axle	5000 L x 2150 W x 1600 H
A. PRFQD2000LZ	2000L ADR Compliant Ranger Trailer - Dual Axle	5000 L x 2150 W x 1620 H
PRFQD2500LZ	2500L ADR Compliant Ranger Trailer - Dual Axle	5000 L x 2150 W x 1810 H
PRFQD3000LZ	3000L ADR Compliant Ranger Trailer - Dual Axle	5000 L x 2150 W x 1890 H

SCAN FOR
SPARE
PARTS



**15YR TANK
5YR CHASSIS
3YR ENGINE
5YR PUMP
WARRANTY**

SCAN FOR
PRICING



A white utility truck is shown from the side, parked on a dirt surface. On the truck's bed, there is a large blue cylindrical water tank. To the right of the tank is a large, grey, circular pump unit with a black hose. The truck has a white metal frame and a black tire with a silver hubcap. In the background, there are green trees and a fence.

SLIP-ON FIRE FIGHTERS

HIGH CAPACITY

POWERFUL FIRE FIGHTING PERFORMANCE

Designed, manufactured and built in Australia by Australians who understand the power and pace of bushfires all too well. With powerful fire fighting pumps, easy deploy frames and quick fill features, these are the complete fire fighting package!

Disclaimer: Please note that the pump depicted in the picture may differ from the one provided.

ULTIMATE FIRE

400L - 1000L

With unique side and front loading capacities, the Ultimate Fire Ranger is one of the most versatile fire fighters on the market.

FEATURES

- UV stabilised polyethylene tank
- 450L/min RapidPro 2" fire pump
- Pressure relief valve & return line
- GX200 Honda motor
- 36m x 19mm fire fighting hose
- Poly manual hose reel
- Adjustable fire fighting nozzle
- Galvanised steel frame
- Forklift pockets for easy loading at front and side
- Sling points
- 250mm screw lid
- Anti-spill lip around lid

UPGRADE WITH BOTTOM FILL KIT

Quick fill unit from any water source. See page 74 for more info.



SCAN FOR SPARE PARTS

15YR TANK
3YR ENGINE
5YR PUMP
WARRANTY

CODE	DESCRIPTION	DIMENSIONS
SFU0400LZ	400L Ultimate Fire with 450L/min RapidPro pump	1950 L x 1360 W x 700 H
A. SFU0600LZ	600L Ultimate Fire with 450L/min RapidPro pump	1950 L x 1360 W x 700 H
SFU0800LZ	800L Ultimate Fire with 450L/min RapidPro pump	1950 L x 1360 W x 890 H
SFU1000LZ	1000L Ultimate Fire with 450L/min RapidPro pump	1950 L x 1360 W x 1045 H

SCAN FOR PRICING

FIRE RANGER

1,200L - 2,500L

When you need a larger water supply, the Fire Ranger - complete with Ball Baffle system, powerful pump and reliable Honda engine - is the ideal fire fighter for emergency situations.

FEATURES

UV stabilised polyethylene tank
450L/min RapidPro 2" fire pump
Pressure relief valve & return line
GX200 Honda motor
36m x 19mm fire fighting hose
Poly manual hose reel
Adjustable fire fighting nozzle
6m x Bottom fill kit
Quick change-over system
Ball Baffle system fitted
Galvanised steel frame
455mm hinge lid
Anti-spill lip around lid

POWERFUL FIRE FIGHTING PUMP & MOTOR

High water flow for
high performance
fire fighting

SCAN FOR
SPARE
PARTS




**15YR TANK
3YR ENGINE
5YR PUMP
WARRANTY**



WITH BALL BAFFLE SYSTEM

Increased stability to ensure
safety of crew and others



*** Pump shown different to pump supplied.*

SECURE MOUNTING

with SureFit mounting pins

CODE	DESCRIPTION	DIMENSIONS	DRY WT
PFU1200LZ	1200L Fire Ranger with 450L/min RapidPro Pump	2150 L x 1700 W x 850 H	155kg
PFU1500LZ	1500L Fire Ranger with 450L/min RapidPro Pump	2150 L x 1700 W x 1100 H	175kg
PFU2000LZ	2000L Fire Ranger with 450L/min RapidPro Pump	2950 L x 2000 W x 1050 H	200kg
A. PFU2500LZ	2500L Fire Ranger with 450L/min RapidPro Pump	2800 L x 2000 W x 1250 H	215kg

SCAN FOR
PRICING



COMPACT FIRE FIGHTERS

QUICK DEPLOY

BE FIRE READY

Compact, space saving fire fighting equipment designed to fit into the back of your UTV for rapid action when you need it. Tough and durable – great for equipment wash down, tree watering and anywhere you need a powerful portable water source.




FIRESOUT CORE

360L | 600L

The ultimate portable fire fighter, the FireScout Core has been built tough and lightweight, perfect for quick deployment in an emergency situation.

FEATURES

- UV stabilised polyethylene tank
- 450L/min RapidPro 2" fire pump
- GX200 Honda motor
- 36m x 19mm fire fighting hose
- Poly manual hose reel
- Adjustable fire fighting nozzle
- Forklift pockets for easy loading
- 250mm screw lid
- Moulded tie-down points
- Anti-spill lip around lid




ADJUSTABLE FIRE FIGHTING NOZZLE
Ideal for adjusting spray depending on task



COMPACT DIMENSIONS
Ideal for use in the back of most
UTVs / Dual cab utes



HIGH FLOW PUMP
with GX200 Honda
engine



FORKLIFT POCKETS
In-built for quick and
easy deployment

CODE	DESCRIPTION	DIMENSIONS
A. SFS0360LZ	360L FireScout Core with 490L/min Aussie FireChief pump	910 L x 1100 W x 840 H
SFS0600LZ	600L FireScout Core with 490L/min Aussie FireChief pump	1300 L x 1100 W x 840 H





NEW MANIFOLD UPDATE!
with a 3-way ball valve for
rapid refilling



**UPGRADE WITH
BOTTOM FILL KIT**

Quick fill unit from any
water source. See page
74 for more info.



Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

SCAN FOR
SPARE
PARTS



**15YR TANK
3YR ENGINE
5YR PUMP
WARRANTY**



FIRE MARSHAL

250L | 325L

A compact, easy to use fire fighter great for back burning, tree watering, stock water supply - all from the back of your UTV!

FEATURES

- UV stabilised polyethylene tank
- 120L/min 75psi F/F pump
- GX35 Honda motor
- 36m x 19mm fire fighting hose
- Poly manual hose reel
- Adjustable fire fighting nozzle
- Compact moulded design with tie-down points at front & rear
- 250mm screw lid
- Anti-spill lip around lid opening
- Front drain bung

SCAN FOR
SPARE
PARTS



15YR TANK
3YR ENGINE
1YR PUMP
3YR REEL
WARRANTY



VERSATILE USE

Also great for use in plant watering or stock water transfer


COMPACT DIMENSIONS

Ideal for use in the back of most UTVs with room spare for other equipment (optional feet shown)

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
A.	SF0250ALZ	250L Fire Marshal w/ 120L/min F/F pump	910 L x 760 W x 700 H	29.7kg
	SF0250ALZH4	250L Fire Marshal w/ 120L/min F/F pump, 30m Poly reel	910 L x 730 W x 1035 H	39.7kg
	SF0325LZ	325L Fire Marshal w/ 120L/min F/F pump	910 L x 1050 W x 1035 H	45kg
B.	SF0325LZH4	325L Fire Marshal w/ 120L/min F/F pump, 30m Poly reel	910 L x 1050 W x 1050 H	55kg

SCAN FOR
PRICING





Fire Marshal 325 being used for stock yard cleaning, equipment wash down and emergency spot fire response at Sylvester Pastoral.



FIRE FIGHTING ACCESSORIES



READY TO GO AT ANYTIME

Pump kits, fire fighting hose reels, pumps, nozzles and more - make it easy to keep your fire fighting unit ready to go at all times!

FIRE FIGHTING HOSE REEL

36M

SCAN FOR
PRICING



1YEAR
COMPONENTRY
WARRANTY

POLY FIRE FIGHTING HOSE REEL

36m x 19mm poly fire fighting hose
Adjustable fire fighting nozzle
Poly manual hose reel
Galvanised steel base mount
15yr poly warranty



SCAN
FOR
**SPARE
PARTS**



CODE	DESCRIPTION	DIMENSIONS	BASE PLATE DIMENSION
AFHW10B036M19	36m Poly Fire Fighting Hose Reel	620 L x 340 W x 660 H	240 L x 240 W



Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

Visit your local dealer, call 1800 011 000 or visit rapidspray.net

FIRE FIGHTING ACCESSORIES

BOTTOM FILL KIT

BOTTOM FILL KIT

6m hose
Camlock fittings
Foot strainer



SCAN FOR
PRICING



1 YEAR
COMPONENTRY
WARRANTY

FILL ANYWHERE

Quickly fill up
fire unit from any
water source!



SCAN
FOR
**SPARE
PARTS**



CODE	DESCRIPTION
AFK006	38mm Hydrant filler kit
AFK006FS	38mm Hydrant filler kit with storage bracket *for FireScout only







PORTABLE DIESEL PODS FOR UTES, TRUCKS AND TRAILERS FOR ON-SITE DIESEL REFUELLING

Our diesel refuelling range includes transport tanks, ute and UTV-mounted units, and diesel trailers. Made from certified diesel-grade materials and fitted with high-quality components, our diesel refuelling range is designed for reliability. With efficient transfer pumps, they make refuelling simple and effective for various applications, including farming, civil works, and construction projects.

DIESEL

A man in a plaid shirt and dark pants stands next to a green tractor with a large yellow wheel, holding a black hose. The tractor is equipped with a white tank and various hoses and cables. The word 'DIESEL' is overlaid in large white letters.

MOBILE REFUELLING

TAMPER PROOF



PORTABLE DIESEL REFUELLING

Choose from the DieselPod, Genius and Active ranges of portable refuelling tanks. Manufactured in Australia from diesel grade polyethylene, our diesel tanks are backed by a full-term 15-year warranty. When you use our diesel tanks, your fuel will be protected from the elements and is guaranteed not to spill during transport.



Scan the QR. Watch
our tamper-proof
Diesel Unit in action!



GENIUS DIESEL REFUELLING

100L - 1200L

Available in a range of sizes, the Genius Diesel refuelling units are compact, efficient and tamper proof!

FEATURES

Diesel grade UV stabilised polyethylene tank
40L/min - 60L/min pump options*
Padlockable weatherproof pump cover
4m - 6m x 20mm diesel grade hose*
Heavy duty auto shut-off nozzle
Diesel gun holder bracket
4m battery cables
Dust proof diesel breather

*Not all options available on all models

SCAN FOR
SPARE
PARTS



DUSTBOSS® BREATHER

For clean fuel



WEATHER PROOF LID

Protects pump
and nozzle
access




DIESEL GRADE ONLY

Not suitable for petrol

PADLOCKABLE COVER

Tamper proof and theft
protection
(padlock not included)



PUMP OPTIONS & WARRANTY

12V 40L/min DieselFlo - 1yr warranty
12V 45L/min Fluid Italy - 2yr warranty
12V 60L/min Fluid Italy - 2yr warranty

SECURE MOUNTING

Moulded grooves for strap
mounting and brass inserts
under tank for direct mounting



100L GENIUS DIESEL

- Low Profile tank design
- 40L/min pump options
- Padlockable weatherproof pump cover
- 4m - 6m x 20mm diesel grade hose
- Heavy duty auto shut-off nozzle
- Diesel gun holder bracket
- 2" filler and cap
- 4m battery cables
- Dust & spill proof diesel breather



15YR TANK
1-2YR PUMP
WARRANTY

SCAN FOR PRICING

CODE	DESCRIPTION	12V PUMP	DIMENSIONS	DRY WT
A. DUL0100LD040V1	100L Low Genius Diesel with 4m hose	40L/min DieselFlo	800 L x 680 W x 465 H	28kg

200L GENIUS DIESEL 2.0

- Improved compact tank designs
- 40L/min - 45L/min pump options
- Padlockable weatherproof pump cover
- 4m - 6m x 20mm diesel grade hose
- Heavy duty auto shut-off nozzle
- Diesel gun holder bracket
- Larger filler cup opening
- 4m battery cables
- Dust & spill proof diesel breather



15YR TANK
1-2YR PUMP
WARRANTY

SCAN FOR PRICING

CODE	DESCRIPTION	12V PUMP	DIMENSIONS	DRY WT
A. DUL0200ALD040V1	200L Compact Genius Diesel 2.0 with 4m hose	40L/min DieselFlo	800 L x 680 W x 710 H	31kg
A. DUL0200ALF045V1	200L Compact Genius Diesel 2.0 with 6m hose	45L/min Fluid Italy	800 L x 680 W x 710 H	33kg

300L GENIUS DIESEL

Slim tank design
40L/min - 45L/min pump options
Padlockable weatherproof pump cover
4m - 6m x 20mm diesel grade hose
Heavy duty auto shut-off nozzle
Diesel gun holder bracket
2" filler and cap
4m battery cables
Dust & spill proof diesel breather

A.



**15YR TANK
1-2YR PUMP
WARRANTY**

Great for
fitting between
tool boxes!

	CODE	DESCRIPTION	12V PUMP	DIMENSIONS	DRY WT
A.	DUL0300LD040V1	300L Slim Genius Diesel with 4m hose	40L/min DieselFlo	1290 L x 600 W x 770 H	40kg
A.	DUL0300LF045V1	300L Slim Genius Diesel with 6m hose	45L/min Fluid Italy	1290 L x 600 W x 770 H	42kg

SCAN FOR
PRICING



400L GENIUS DIESEL 2.0

40L/min - 60L/min pump options
Slim or Compact tank styles
Padlockable weatherproof pump cover
4m - 6m x 20mm diesel grade hose
Heavy duty auto shut-off nozzle
Diesel gun holder bracket
Larger filler cup opening
4m battery cables
Dust & spill proof diesel breather

A.



B.



**15YR TANK
1-2YR PUMP
WARRANTY**

	CODE	DESCRIPTION	12V PUMP	DIMENSIONS	DRY WT
A.	DUL0400LD040V1	400L Compact Genius Diesel 2.0 w/ 4m hose	40L/min DieselFlo	1150 L x 820 W x 780 H	38kg
A.	DUL0400LF045V1	400L Compact Genius Diesel 2.0 w/ 6m hose	45L/min Fluid Italy	1150 L x 820 W x 780 H	39kg
B.	DUL0400ALD040V1	400L Slim Genius Diesel with 4m hose	40L/min DieselFlo	1290 L x 600 W x 965 H	38kg
B.	DUL0400ALF045V1	400L Slim Genius Diesel with 6m hose	45L/min Fluid Italy	1290 L x 600 W x 965 H	39kg

SCAN FOR
PRICING



600L GENIUS DIESEL

- 40L/min - 60L/min pump options
- Padlockable weatherproof pump cover
- 4m - 6m x 20mm diesel grade hose
- Heavy duty auto shut-off nozzle
- Diesel gun holder bracket
- 2" filler and cap
- 4m battery cables
- Dust & spill proof diesel breather



CODE	DESCRIPTION	12V PUMP	DIMENSIONS	DRY WT
A. DUL0600LD040V1	600L Genius Diesel with 4m hose	40L/min DieselFlo	1700 L x 880 W x 740 H	63kg
A. DUL0600LF045V1	600L Genius Diesel with 6m hose	45L/min Fluid Italy	1700 L x 880 W x 740 H	65kg
A. DUL0600LF060V1	600L Genius Diesel with 6m hose	60L/min Fluid Italy	1700 L x 880 W x 740 H	68kg



800L GENIUS DIESEL

- 40L/min - 60L/min pump options
- Padlockable weatherproof pump cover
- 4m - 6m x 20mm diesel grade hose
- Heavy duty auto shut-off nozzle
- 1" high flow nozzle (60L/min pumps)
- Diesel gun holder bracket
- 2" filler, mesh filter and cap
- 4m battery cables
- Dust & spill proof diesel breather



OPTIONAL BALL BAFFLES
ARB355F x 20 FITTED



CODE	DESCRIPTION	12V PUMP	DIMENSIONS
A. DUL0800LD040V1	800L Genius Diesel with 4m hose	40L/min DieselFlo	1700 L x 1000 W x 860 H
A. DUL0800LF045V1	800L Genius Diesel with 6m hose	45L/min Fluid Italy	1700 L x 1000 W x 860 H
A. DUL0800LF060V1	800L Genius Diesel with 6m hose	60L/min Fluid Italy	1700 L x 1000 W x 860 H





1000L GENIUS DIESEL

- 40L/min - 60L/min pump options
- Padlockable weatherproof pump cover
- 4m - 6m x 20mm diesel grade hose
- Heavy duty auto shut-off nozzle
- 1" high flow nozzle (60L/min pumps)
- Diesel gun holder bracket
- 2" filler, mesh filter and cap
- 4m battery cables
- Dust & spill proof diesel breather



OPTIONAL BALL BAFFLES
ARB355F x 25 FITTED

CODE	DESCRIPTION	12V PUMP	DIMENSIONS
A. DUL1000LD040V1	1000L Genius Diesel with 4m hose	40L/min DieselFlo	1700 L x 1000 W x 1025 H
A. DUL1000LF045V1	1000L Genius Diesel with 6m hose	45L/min Fluid Italy	1700 L x 1000 W x 1025 H
A. DUL1000LF060V1	1000L Genius Diesel with 6m hose	60L/min Fluid Italy	1700 L x 1000 W x 1025 H



1200L GENIUS DIESEL

- 40L/min - 60L/min pump options
- Padlockable weatherproof pump cover
- 4m - 6m x 20mm diesel grade hose
- Heavy duty auto shut-off nozzle
- 1" high flow nozzle (60L/min pumps)
- Diesel gun holder bracket
- 2" filler, mesh filter and cap
- 4m battery cables
- Dust & spill proof diesel breather



OPTIONAL BALL BAFFLES
ARB355F x 30 FITTED

CODE	DESCRIPTION	12V PUMP	DIMENSIONS
A. DUL1200LD040V1	1200L Genius Diesel with 4m hose	40L/min DieselFlo	1700 L x 1000 W x 1190 H
A. DUL1200LF045V1	1200L Genius Diesel with 6m hose	45L/min Fluid Italy	1700 L x 1000 W x 1190 H
A. DUL1200LF060V1	1200L Genius Diesel with 6m hose	60L/min Fluid Italy	1700 L x 1000 W x 1190 H



GENIUS DIESEL ACCESSORIES

STEEL FRAMES | FLOW METER | GAUGES

GENIUS DIESEL TANK STEEL FRAME

Easy to load convenience
Forklift pockets*
Hot dip galvanised for durability

**Check compatibility with forklift tines before ordering.
Fitting required. Bolts not included.*



CODE	DESCRIPTION	SUITS	DIMENSIONS
ASFD00100	Steel Frame (not forkliftable)	DUL0100L / DUL0200AL	700 L x 580 W x 50 H
A. ASFD00200	Steel Frame with Forklift Pockets	DUL0400L (Compact)	860 L x 748 W x 50 H
ASFD00300	Steel Frame with Forklift Pockets	DUL0300L / DUL0400AL (Slim)	1200 L x 510 W x 50 H
ASFD00450	Steel Frame with Forklift Pockets	DUL0600L	1500 L x 780 W x 50 H
ASFD00800	Steel Frame with Forklift Pockets	DUL0800L / DUL1000L / DUL1200L	1480 L x 800 W x 50 H



5 DIGIT ELECTRONIC FLOW METER

Suits 40-45L/min or 60L/min pumps
10L - 100L/min flow rate
70psi max pressure
1" inlet/outlet
Polypropylene body
Compatible with most chemicals & diesel



CODE	SUITS PUMP
ADFPE20D5K	40-45L/min Kit, fittings inc.
ADFPE25D5K	60L/min Kit, fittings inc.



15YR TANK
2YR PUMP
WARRANTY

RAPIDBLUE

100L - 400L ADBLUE

Built for the highly corrosive AdBlue® diesel exhaust fluid, this is the ideal portable tank solution for reducing emissions from diesel equipment.

FEATURES

UREA grade polyethylene tank
35L/min Svelto pump
Stainless steel rotary vanes
Padlockable weatherproof pump cover
4m x 19mm AdBlue grade hose
Poly manual delivery handgun
Diesel gun holder bracket
2" filler and cap
Dust & spill proof breather



ROTARY VANE PUMP

Clogs less, higher flow rate
and easy maintenance



**Metal gun pictured. Marketing purposes only.*

CODE	DESCRIPTION	12V PUMP	DIMENSIONS	DRY WT
DAL0100LT035AV1	100L RapidBlue unit	35L/min Svelto	800 L x 680 W x 465 H	17.5kg
A. DAL0200ALT035AV1	200L RapidBlue unit	35L/min Svelto	800 L x 680 W x 710 H	34kg
DAL0400LT035AV1	400L RapidBlue unit	35L/min Svelto	1150 L x 820 W x 780 H	43kg

SCAN FOR
PRICING



ACTIVE DIESEL

2,000L - 5,000L

Reduce lost time on-site with the Active Diesel in-field mobile refuelling tanks. Ideal for larger construction sites or farming properties.

FEATURES

Diesel grade UV stabilised polyethylene tank
45L/min - 120L/min pump options
6m x ¾" diesel grade hose (45L/min)
6m x 1" diesel grade hose (60L/min)
6m x 1" diesel grade hose (120L/min)
Heavy duty auto shut-off nozzle
2" filler, mesh filter and cap
4m battery cables
Dust proof diesel breather
'SureFit' mounting pins inc.



ITALIAN PUMP

Peace of mind with 2 year warranty on Italian Fluid pumps

BALL BAFFLES

Upgrade with ball baffles - see more information page 50



A.



SECURE MOUNTING

with SureFit mounting pins and framing system
See frames page 87

SCAN FOR
SPARE
PARTS



SCAN FOR
PRICING



DESCRIPTION	DIMENSIONS	DRY WT	45L/MIN FLUID ITALY PUMP	60L/MIN FLUID ITALY PUMP	120L/MIN HIGH FLOW PUMP
1500L Active Diesel	1700 L x 1320 W x 1280 H	95kg	DUC1500LF045V1	DUC1500LF060V1	DUC1500LH120K
A. 2000L Active Diesel	2000 L x 1420 W x 1270 H	120kg	DUC2000LF045V1	DUC2000LF060V1	DUC2000LH120K
2500L Active Diesel	2000 L x 1420 W x 1465 H	135kg	DUC2500LF045V1	DUC2500LF060V1	DUC2500H120K
3000L Active Diesel	2340 L x 1420 W x 1400 H	180kg	DUC3000LF045V1	DUC3000LF060V1	DUC3000LH120K
5000L Active Diesel	2760 L x 2000 W x 1600 H	263kg	DUC5000LF045V1	DUC5000LF060V1	DUC5000LH120K

ACTIVE DIESEL ACCESSORIES

STEEL FRAMES | BALL BAFFLES

ACTIVE DIESEL TANK STEEL FRAME

Easy to load convenience

Forklift pockets*

Hot dip galvanised for durability

**Check compatibility with forklift tines before ordering.*

Fitting required. Bolts not included.



CODE	DESCRIPTION	SUITS	DIMENSIONS	DRY WT
ASFC01200	Steel Frame with Forklift Pockets	DUC1200L / DUC1500L	1790 L x 1200 W x 120 H	111kg
A. ASFC02000	Steel Frame with Forklift Pockets	DUC2000L / DUC2500L	2100 L x 1200 W x 120 H	143kg
ASFC03000	Steel Frame with Forklift Pockets	DUC3000L	2390 L x 1390 W x 120 H	153kg
ASFC04000	Steel Frame with Forklift Pockets	DUC4000L	2800 L x 1755 W x 150 H	165kg

SCAN FOR PRICING



DIESEL FILTER & CARTRIDGE KIT

Suits 400L and larger (exc. Slim)

70L/min max flow rate

30 micron filtration

Water absorption

1" inlet/outlet

**Fitting required*



SCAN FOR PRICING



CODE

ADC30M25F

BALL BAFFLES

SUIT 800L - 5000L

Anti-surge system eliminates slosh and surge for better vehicle stability.

**Not suitable for petrol*



CODE	SIZE	QTY REQ.	TANK SIZE	BOX QTY.
ARB195B	195mm	1 ball per 7L	400L - 600L	44
ARB355B	355mm	1 ball per 40L	800L - 5,000L	25

SCAN FOR PRICING



DIESEL TANKS

HIGH-QUALITY FUEL STORAGE



AN EXTENSIVE TANK RANGE

Crafted from high-quality, UV-stabilized polyethylene, these tanks offer superior durability and longevity. With features like impact resistance, anti-spill technology, and secure locking mechanisms, you can rest assured that your fuel is safe and secure.

SCAN FOR
SPARE
PARTS




DIESEL TANK

400L - 7,000L

Power your operations with Rapid Spray's Australian-made diesel free standing tanks. These portable, durable tanks ensure safe and efficient fuel storage and transport.

FEATURES

Diesel grade UV stabilised polyethylene
Graduation markings (**not on all models*)
Padlockable filler cap with strainer cap and anti loss chain
Splash resistant breather system
Earth strap for static build-up prevention
Removable plate for easy tank access
2 inch suction tube access



**UPGRADE WITH BALL
BAFFLE SYSTEM**
Increased stability and
safety when driving


**15 YEAR
TANK
WARRANTY**



100% AUSTRALIAN MADE
Guaranteed durability



SCAN FOR
PRICING



CODE	DESCRIPTION	DIMENSIONS	DRY WT
DTC00400L	400L Free Standing Diesel Tank	1190 L x 1050 W x 530 H	28kg
DTC00600L	600L Free Standing Diesel Tank	1190 L x 1050 W x 725 H	37kg
DTC00800L	800L Free Standing Diesel Tank	1350 L x 1200 W x 690 H	55kg
DTC01000L	800L Free Standing Diesel Tank	1400 L x 1200 W x 900 H	65kg
DTC01200L	1200L Free Standing Diesel Tank	1700 L x 1320 W x 860 H	70kg
A. DTC01500L	1500L Free Standing Diesel Tank	1700 L x 1320 W x 1050 H	85kg
DTC02000L	2000L Free Standing Diesel Tank	1400 L x 1200 W x 900 H	65kg
DTC02500L	2500L Free Standing Diesel Tank	2000 L x 1420 W x 1265 H	125kg
DTC03000L	3000L Free Standing Diesel Tank	2340 L x 1520 W x 1200 H	170kg
DTC03400L	3400L Free Standing Diesel Tank	2960 L x 1450 W x 1230 H	190kg
DTC04400L	4400L Free Standing Diesel Tank	2960 L x 1450 W x 1470 H	200kg
DTC04800L	4800L Free Standing Diesel Tank	2340 L x 1550 W x 1880 H	225kg
DTC05000L	5000L Free Standing Diesel Tank	2790 L x 2000 W x 1400 H	250kg
DTC06000L	6000L Free Standing Diesel Tank	2760 L x 2000 W x 1556 H	300kg
B. DTC07000L	7000L Free Standing Diesel Tank	3250 L x 1920 W x 1640 H	325kg

DIESEL TRAILERS

HEAVY DUTY TRANSPORT

RELIABLE FUEL TRANSPORT, ANYWHERE

Our range of diesel trailers is designed to meet the demanding needs of the construction, mining, and agricultural industries. Built to last, these heavy-duty trailers offer superior strength, durability, and versatility. With a focus on safety and efficiency, our diesel trailers are equipped with features to ensure secure and reliable transport of your fuel.



DIESEL MARSHAL TRAILER

ON FARM | ON-ROAD ADR COMPLIANT

SCAN FOR
SPARE
PARTS



15YR TANK
5YR CHASSIS
3YR ENGINE
5YR PUMP
WARRANTY

The Diesel Marshal Trailer gives you the freedom to transport and store diesel wherever you need it. With fuel on hand, you can keep your equipment running smoothly and reduce downtime—no matter where the work takes you.

FEATURES

- Diesel grade UV stabilised polyethylene tank
- 60L/min Italian Fluid pump
- 6m x 1" diesel grade hose
- Heavy duty auto shut-off nozzle
- Leaf suspension springs
- Galvanised steel single axle trailer
- Leaf suspension springs
- 14" wheels with Ford hub pattern
- 50mm tow hitch and jockey wheel
- 4m battery cables

ADR COMPLIANT FEATURES

- Waterproof LED lights
- Hydraulic over-ride brakes
- Ball Baffles



UPGRADE ON-FARM WITH
BALL BAFFLES REQUIRED

ARB355F x 25

See page 50 for more information.




POLY PUMP BOX

Protect pump from weather and secure diesel from thieves!

*Registration not included.

CODE	DESCRIPTION	DIMENSIONS
DSRX1000LF060V1	1000L On-Farm Marshal Trailer - Single Axle	3480 L x 1770 W x 1375 H
DSRQ1000LF060V1	1000L On-Road / ADR Compliant Marshal Trailer - Single Axle	3480 L x 1770 W x 1375 H

SCAN FOR
PRICING



DIESEL RANGER TRAILER

ON-FARM | ON-ROAD ADR COMPLIANT

Used by councils and government bodies across Australia, this Diesel Trailer is built tough for dependable diesel transport and storage, ready for both on- and off-road demands.

FEATURES

- Diesel grade UV stabilised polyethylene tank
- 120L/min pump w. GX35 Honda motor
- 6m x 1" diesel grade hose
- Hot-dip galvanized steel dual-axle trailer
- Front & rear pump plates
- Waterproof LED lights
- 15" wheels with Landcruiser hub pattern
- 50mm tow hitch and jockey wheel
- Electric brakes
- Load sharing suspension
- Ball baffles fitted

OPTIONAL ADD-ONS

- Poly / Steel pump box
- Site level tube
- Spare wheel

SCAN FOR
SPARE
PARTS



15YR TANK
5YR CHASSIS
3YR ENGINE
5YR PUMP
WARRANTY

WITH BALL BAFFLE SYSTEM
greater stability, ensuring the safety of crew members and those nearby.



REAR / FRONT
PUMP PLATE
Mount diesel pump
to suit your needs

**Spare wheel
available as an
optional extra*

DESCRIPTION	DIMENSIONS	60L/MIN PUMP	120L/MIN PUMP
2000L On-Farm Ranger Trailer	5000 L x 2150 W x 1790 H	DRXD2000LF060V1	DRXD2000LH120K
2500L On-Farm Ranger Trailer	5000 L x 2150 W x 1850 H	DRXD2500LF060V1	DRXD2500LH120K
3000L On-Farm Ranger Trailer	5000 L x 2150 W x 1920 H	DRXD3000LF060V1	DRXD3000LH120K
2000L On-Road Ranger Trailer	5000 L x 2150 W x 1410 H	DRQD2000LF060V1	DRQD2000LH120K
2500L On-Road Ranger Trailer	5000 L x 2150 W x 1600 H	DRQD2500LF060V1	DRQD2500LH120K
3000L On-Road Ranger Trailer	5000 L x 2150 W x 1920 H	DRQD3000LF060V1	DRQD3000LH120K

SCAN FOR
PRICING



DIESEL TRAILER ACCESSORIES

FLOW METERS | HOSE REELS | BALL BAFFLES

1 YEAR
COMPONENTRY
WARRANTY

5 DIGIT ELECTRONIC FLOW METER

Suits 40-45L/min or 60L/min pumps
10L - 100L/min flow rate
70psi max pressure
1" inlet/outlet
Polypropylene body
Compatible with most chemicals & diesel



SCAN FOR
PRICING



CODE	SUITS PUMP
ADFP20D5K	40-45L/min Kit, fittings inc.
ADFP25D5K	60L/min Kit, fittings inc.

DIESEL HOSE REEL

Spring retractable hose
8m x 25mm hose



SCAN FOR
PRICING



CODE	DESCRIPTION
ADHR008M25	8 x 25mm Spring Retractable Diesel hose reel

DIESEL FILTER & CARTRIDGE KIT

70L/min max flow rate
30 micron filtration
Water absorption
1" inlet/outlet

**Fitting required*



SCAN FOR
PRICING



CODE
ADC30M25F

BALL BAFFLES

SUIT 800L - 5000L

Anti-surge system eliminates slosh and surge for better vehicle stability.

**Not suitable for petrol*



CODE	SIZE	QTY REQ.	TANK SIZE
ARB195F	195mm	1 ball per 7L	400L - 600L
ARB355F	355mm	1 ball per 40L	800L - 5,000L

SCAN FOR
PRICING



DIESEL PUMPS & ACCESSORIES

MAXIMISE YOUR DIESEL UNIT

AN EXTENSIVE RANGE

We always want to make sure you get the most from our range of products. Rapid Spray offers a comprehensive selection of diesel tank accessories. To enhance your tank's functionality, you can purchase extra pumps, flow meters, filters and other accessories.

DIESEL PUMPS

DIESELFLO | FLUID ITALY

SCAN FOR
PRICING



**1-2 YEAR
PUMP
WARRANTY**

40L/MIN DIESELFLO

Kit includes:

40L/min pump
Auto shut-off nozzle
4m x 19mm hose
25mm Suction hose
Hose fittings
Pump Head Port:
3/4"

1 year warranty



PUMP	VOLT	PUMP ONLY	PUMP KIT
40L/min DieselFlo	12V	ADPX040V1P	ADPX040V1K

60L/MIN FLUID ITALY

Kit includes:

60L/min pump
High flow auto
shut-off nozzle
6m x 25mm hose
25mm Suction hose
Hose fittings
Italian Pump
Pump Head Port: 1"

2 year warranty



PUMP	VOLT	PUMP ONLY	PUMP KIT
60L/min Fluid Italy	12V	ADPF060V1P	ADPF060V1K
60L/min Fluid Italy	24V	ADPF060V2P	ADPF060V2K
A. 60L/min DieselFlo	240V	ADPX060V3P	ADPX060V3K

45L/MIN FLUID ITALY - COMMERCIAL GRADE

Kit includes:

45L/min pump
Auto shut-off nozzle
6m x 19mm hose
25mm Suction hose
Hose fittings
Italian pump
Pump Head Port: 1"

2 year warranty



PUMP	VOLT	PUMP ONLY	PUMP KIT
45L/min Fluid Italy	12V	ADPF045V1P	ADPF045V1K
45L/min Fluid Italy	24V	ADPF045V2P	ADPF045V2K

120L/MIN HIGH FLOW PUMP

Kit includes:

120L/min pump
GX35 Honda motor
6m x 25mm hose
25mm Suction hose
Pressure relief
with 1m hose
Hose fittings
Pump Head Port: 1"

1 year warranty



PUMP	PUMP ONLY	PUMP KIT
120L/min High Flow Pump	ADPX120MP	ADPX120MPK

PUMPS & ACCESORIES

SVELTO BLUE | HOSE & HOSE REELS | HANDGUNS | FILTERS



35L/MIN SVELTO BLUE

Suitable for AdBlue
Kit includes:
35L/min pump
S/S manual nozzle
4m x 19mm hose
25mm Suction hose
Hose fittings

2 year warranty



PUMP	VOLT	PUMP ONLY	PUMP KIT
35L/min Svelto	12V	ADPT035V1P	ADPT035AV1K

DIESEL HOSE REEL

Spring retractable hose
8m x 25mm hose

*Only suitable for
60L/min and above.



CODE	DESCRIPTION
ADHR008M25	8 x 25mm Spring Retractable Diesel hose reel

DIESEL HOSE

DieselFlo or Fluid Italy hose
20mm - 25mm hose
Crimped ends



*Picture for illustrative purposes only.
Not all hose supplied with springs.

CODE	DESCRIPTION
A. ADZ04M20	4m x 19mm DieselFlo hose
ADZF6M20	6m x 19mm Fluid Italy hose
ADZF10M20	10m x 19mm Fluid Italy hose
ADZF6M25	6m x 25mm Fluid Italy hose
ADZF10M25	10m x 25mm Fluid hose

SCAN FOR
PRICING



DIESEL AUTO SHUT-OFF HANDGUN



CODE	DESCRIPTION
A. ADGA20	3/4" (20mm) Auto shut-off handgun
B. ADGA25	1" (25mm) High flow auto shut-off gun

DIESEL CARTRIDGE FILTER KIT

1" inlet / outlet
70L/min max flow
30 micron filtration
Water absorbing
Suitable for all units
above 400L capacity



A.

CODE	DESCRIPTION
A. ADC30M25F	Diesel Cartridge Complete
ADC30M25C	Filter Cartridge only
ADC30M25H	Filter Holder only



5 DIGIT ELECTRONIC FLOW METER

000.00L
Suits 40-45L/min or 60L/min pumps
10L - 100L/min
70psi max pressure
1" inlet/outlet
Polypropylene body
Compatible with most
chemicals



CODE	SUITS PUMP
ADFPE20D5K	40-45L/min Kit, fittings inc.
ADFPE25D5K	60L/min Kit, fittings inc.



1 YEAR
COMPONENTRY
WARRANTY

SPR



AGRICULTURAL & INDUSTRIAL SPRAYERS FOR THE HOME GARDENER, THE PROFESSIONAL LANDSCAPE CONTRACTOR OR LARGE FARM & PROPERTY OWNERS

Rapid Spray provides a wide range of Australian-made sprayers tailored to suit various agricultural and industrial needs. The collection includes handheld and backpack sprayers for precision work, 12-volt spot sprayers and trailers for effective weed control, compact UTV sprayers for flexible use, and larger field and linkage sprayers for broad coverage. Built to endure Australia's tough conditions, these sprayers offer durability and reliable performance across all types of applications.

PRAYERS



PROFESSIONAL FIELD SPRAYERS

THE COMPACT SPRAYER RANGE



HIGH PERFORMANCE SPRAYING POWER

The Ultimates - ideal for the back of your ute - get the right high performing field sprayer to suit your requirements. Giving you the spraying power you need, the capacity required and the features you want, these Australian Made field sprayers are reliable, tough and built to stand all spraying conditions!



GREENMAX TRAILER

400L / 600L / 800L / 1000L



**15YR TANK
3YR ENGINE
3YR PUMP
3YR REEL
WARRANTY**

Australia's reliable weed-spraying solution for farmers and land managers. Mounted on a durable trailer, GreenMax combines efficiency with rugged design, ensuring fast, effective weed control across large areas.

FEATURES

- UV stabilised polyethylene tank
- Pressure regulator & gauge
- Suction filter and drain valve
- Leaf suspension springs
- 15" wheels with Landcruiser hub pattern
- 50mm tow hitch and jockey wheel
- Fully draining sump tank
- Anti-spill lip around lid
- Basket filter to reduce debris

ADR COMPLIANT FEATURES

- Waterproof LED lights
- Hydraulic over-ride brakes
- Ball Baffles (Optional)

**Registration not included.*

FLUSH TANK UPGRADE

Optional fresh water flush tank available for easy cleaning.

HOSE REELS

Poly manual or Buddy Smart Reel options


FULLY DRAIN SUMP TANKS

Easy to clean, gives you full use of your spray mix.

***Trailer pictured is a custom build. Trailer supplied will be different to trailer pictured (only for marketing purposes).*

****Pump pictured (Bertolini) different to standard pump supplied (Maruyama).*

***** The hose reel is not included as standard and must be added when ordering.*



PUMP OPTIONS

- 33L/min 580psi Maruyama
- 45L/min 580psi Maruyama
- 75L/min 218psi Bertolini
- 75L/min 218psi PTO Bertolini

OPTIONAL COMPONENTRY UPGRADES

ask your local dealer or call 1800 011 000

SCAN FOR PRICING



PRODUCT	DIMENSIONS	ON-FARM	ON-ROAD / ADR
A. 400L GreenMax Spray Trailer w. 33L/min Maruyama pump	5000 L x 2150 W x 1220 H	PRAX0400L0330	PRAQ0400L0330
600L GreenMax Spray Trailer w. 33L/min Maruyama pump	5000 L x 2150 W x 1455 H	PRAX0600L0330	PRAQ0600L0330
800L GreenMax Spray Trailer w. 45L/min Maruyama pump	5000 L x 2150 W x 1410 H	PRAX0800L0450	PRAQ0800L0450
1000L GreenMax Spray Trailer w. 75L/min Bertolini pump	5000 L x 2150 W x 1620 H	PRAX1000L0750	PRAQ1000L0750
1000L GreenMax Spray Trailer w. 75L/min Bertolini PTO pump	5000 L x 2150 W x 1620 H	PRAX1000L0750S	PRAQ1000L0750S

GREENMAX SPRAYER UPGRADES

SUITS ALL GREENMAX MODELS

*Fitting
required.

SCAN FOR
PRICING



HONDA ELECTRIC START UPGRADE

Honda GX200E Petrol engine
Electric start

**Upgrade price only*

CODE

Add 'E' to code
before REEL (T/R1)



BOOM CONTROL KIT

To suit GreenMax with 45L/min Maruyama pump
Fitted to trailer

**Required for boom spraying with
Maruyama pump.*

CODE

ADD 'BR' TO END OF CODE



FLAT FOLD STEEL BOOM

6 / 8m width
110° low drift nozzles

See page 167 for more information.



CODE

ABMF060KF

ABMF080KF

24V HATZ DIESEL ENGINE UPGRADE

Hatz 1B30 single cylinder diesel engine
24V electric start
Battery pack inc.

**Upgrade price only*

CODE

Add 'D' to code
before REEL (T/R1)



4M POLY BOOM

Breakaway arms
110° non-drip nozzles
Impact proof poly

See page 166 for more information.

CODE

ABP040





ULTIMATE FIELD SPRAYER

400L / 600L / 800L / 1000L

Mounted to the unique heavy duty galvanised frame with complete drainage sump tank, the Ultimate sprayer makes weed spraying an ease!

FEATURES

- UV stabilised polyethylene tank
- 33L/min 580psi Maruyama pump
- Pressure regulator & gauge
- GX200 Honda motor
- 30m Poly manual hose reel
- Turbo 400 spray gun
- Suction filter and drain valve
- Galvanised steel frame
- Forklift pockets and sling points
- Fully draining sump tank
- 250mm screw lid
- Moulded tie-down points
- Anti-spill lip around lid
- Basket filter to reduce debris



UPGRADE WITH BALL BAFFLE SYSTEM

Increased stability and safety when driving

TOUGH AUSTRALIAN TANK
with 15 year warranty for guaranteed durability



A.



MARUYAMA PUMP
Reliable Japanese pump



GALVANISED STEEL FRAME
made to suit the toughest of Australian conditions

SCAN FOR PRICING



CODE	DESCRIPTION	DIMENSIONS	DRY WT
PUF0400L0330H3	400L Ultimate Field Sprayer with 30m Poly Manual Reel	1890 L x 1200 W x 660 H	123kg
PUF0600L0330H3	600L Ultimate Field Sprayer with 30m Poly Manual Reel	1950 L x 1150 W x 890 H	132kg
A. PUF0800L0330H3	800L Ultimate Field Sprayer with 30m Poly Manual Reel	1950 L x 1200 W x 700 H	140kg
PUF1000L0330H3	1000L Ultimate Field Sprayer with 30m Poly Manual Reel	1950 L x 1200 W x 1045 H	148kg

ULTIMATE BUDDY FIELD SPRAYER

400L / 600L / 800L / 1000L

Take control of your weed spraying with the single Buddy Smart Reel – the remote-controlled solution for fast and hassle-free fieldwork.

FEATURES

- UV stabilised polyethylene tank
- 33L/min 580psi Maruyama pump
- Pressure regulator & gauge
- GX200 Honda motor
- 50m/100m Buddy Smart Reel
- Turbo 400 spray gun
- Suction filter and drain valve
- Galvanised steel frame
- Forklift pockets and sling points
- Fully draining sump tank
- 250mm screw lid
- Moulded tie-down points
- Anti-spill lip around lid
- Basket filter to reduce debris

FULLY DRAINING SUMP TANK

easy to clean and get the most out of your sprayer

**15YR TANK
3YR ENGINE
3YR PUMP
3YR REEL
WARRANTY**

STABLE DESIGN

with tie down points for peace-of-mind spraying

A.

REMOTE CONTROLLED 12V / 24V REEL

See page 172 for more information.

GENUINE HONDA ENGINE

Performance guarantee with 3 year Honda warranty

SLING IT / FORK IT

Easy transfer and storage!

CODE	DESCRIPTION	DIMENSIONS	DRY WT
PUF0400L0330R5	400L Ultimate Field Sprayer with 50m Buddy Smart Reel	1890 L x 1200 W x 660 H	123kg
PUF0600L0330R5	600L Ultimate Field Sprayer with 50m Buddy Smart Reel	1950 L x 1150 W x 890 H	132kg
PUF0800L0330R5	800L Ultimate Field Sprayer with 50m Buddy Smart Reel	1950 L x 1200 W x 700 H	140kg
PUF1000L0330R5	1000L Ultimate Field Sprayer with 50m Buddy Smart Reel	1950 L x 1200 W x 1045 H	148kg
PUF0400L0330R1	400L Ultimate Field Sprayer with 100m Buddy Smart Reel	1890 L x 1200 W x 660 H	137kg
A. PUF0600L0330R1	600L Ultimate Field Sprayer with 100m Buddy Smart Reel	1950 L x 1150 W x 890 H	145kg
PUF0800L0330R1	800L Ultimate Field Sprayer with 100m Buddy Smart Reel	1950 L x 1200 W x 700 H	154kg
PUF1000L0330R1	1000L Ultimate Field Sprayer with 100m Buddy Smart Reel	1950 L x 1200 W x 1045 H	162kg

SCAN FOR PRICING



ULTIMATE TWIN BUDDY FIELD SPRAYER

400L / 600L / 800L / 1000L

15YR TANK
3YR ENGINE
3YR PUMP
3YR REEL
WARRANTY

Make weed spraying easy with double the power of the twin remote controlled Buddy Smart Reel Ultimate Field Sprayer!

FEATURES

- UV stabilised polyethylene tank
- 45L/min 580psi Maruyama pump
- Pressure regulator & gauge
- GX200 Honda motor
- Twin 100 / 150m Buddy Smart Reel
- Turbo 400 spray gun
- Suction filter and drain valve
- Galvanised steel frame
- Forklift pockets and sling points
- Fully draining sump tank



AVAILABLE WITH 54L/MIN
BERTOLINI PUMP UPGRADE

Ring 1800 011 000 or ask
in-store for pricing.



REMOTE
CONTROLLED

TOUGH AUSTRALIAN TANK
with 15 year warranty for
guaranteed peace of mind



DOUBLE SPRAYING POWER
with twin Buddy Smart Reels
for easy tandem spraying

SCAN FOR
PRICING



CODE	DESCRIPTION	DIMENSIONS	DRY WT
PUF0400L0450TR1	400L Ultimate Field Sprayer with Twin 100m Buddy Smart Reel	1890 L x 1200 W x 660 H	179kg
PUF0600L0450TR1	600L Ultimate Field Sprayer with Twin 100m Buddy Smart Reel	2000 L x 1150 W x 890 H	187kg
PUF0800L0450TR1	800L Ultimate Field Sprayer with Twin 100m Buddy Smart Reel	2000 L x 1200 W x 700 H	196kg
A. PUF1000L0450TR1	1000L Ultimate Field Sprayer with Twin 100m Buddy Smart Reel	2000 L x 1200 W x 1045 H	204kg
PUF0400L0450TR6	400L Ultimate Field Sprayer with Twin 150m Buddy Smart Reel	1890 L x 1200 W x 660 H	185kg
PUF0600L0450TR6	600L Ultimate Field Sprayer with Twin 150m Buddy Smart Reel	2000 L x 1150 W x 890 H	193kg
PUF0800L0450TR6	800L Ultimate Field Sprayer with Twin 150m Buddy Smart Reel	2000 L x 1200 W x 700 H	202kg
PUF1000L0450TR6	1000L Ultimate Field Sprayer with Twin 150m Buddy Smart Reel	2000 L x 1200 W x 1045 H	210kg

ULTIMATE FIELD SPRAYER + 6M FLAT FOLD STEEL BOOM

**CALL RAPID SPRAY FOR THE COMPLETE ULTIMATE
FIELD SPRAYER AND BOOM SETUP OPTIONS**

THE ULTIMATE WEED FIGHTING WEAPON

The Ultimate Field Sprayer, featuring a 33L/min 580psi Maruyama pump driven by a GX200 Honda motor, effortlessly simplifies weed spraying, delivering superior performance and efficiency.



FLAT FOLD STEEL BOOM

Available in 6, 8 and 10m width complete with stainless steel tubes and no-drip nozzle bodies.

Achieve precision spraying with its 110 degree .02 Yellow Wide Range nozzles.

“

(I) found that the reliability and simplicity of the system far outweighs other systems that I've used in terms of mechanical reels. Whereas electric - the system is more reliable.

PRESS HAULAGE PTY LTD

Discover what our
clients are saying.
Scan the QR code.



ULTIMATE FIELD SPRAYER UPGRADES

SUITS ALL ULTIMATE MODELS

*Fitting
required.

SCAN FOR
PRICING



HONDA ELECTRIC START UPGRADE

Honda GX200E Petrol engine
Electric start

**Upgrade price only*



24V HATZ DIESEL ENGINE UPGRADE

Hatz 1B30 single cylinder diesel engine
24V electric start
Battery pack inc.

**Upgrade price only*



CODE

Add 'E' to code
before REEL (T/R1)

CODE

Add 'D' to code
before REEL (T/R1)

BOOM CONTROL KIT

To suit Ultimate with 33L/min Maruyama pump
Fitted to Ultimate Field Sprayer

**Required for boom spraying with
Maruyama pump.*



BOOM MOUNT BRACKETS

Galvanised steel frame

See page 169 for more
information.

**Required for all boom setups*



CODE

ADD 'BR' TO END OF CODE

CODE

ATMBMB

4M POLY BOOM

Breakaway arms
110° non-drip nozzles
Impact proof poly

See page 166 for more information.



FLAT FOLD STEEL BOOM

6 / 8m width
110° low drift nozzles

See page 167 for more information.



CODE

ABMF060KF

ABMF080KF



CODE

ABP040



SPRAYSCOUT BUDDY

360L / 600L

The ultimate remote control reel compact sprayer ideal for UTV spraying in hard to reach places.

FEATURES


- 360L / 600L UV stabilised polyethylene tank
- 33L/min 580psi Maruyama pump
- Pressure regulator & gauge
- GX200 Honda motor
- 100 / 150m Buddy Smart Reel
- Turbo 400 spray gun
- 17L rinse and flush tank
- Weatherproof draw for battery
- Suction filter and drain valve
- Forklift pockets for easy loading
- 250mm screw lid complete with basket filter
- Moulded tie-down points
- Anti-spill lip around lid
- Basket filter to reduce debris



COMPACT 600L IDEAL FOR UTES

designed to fit between the wheel arches of a dual cab ute

EASY LEVEL VIEW
with site gauge on all models



15YR TANK
3YR ENGINE
3YR PUMP
3YR REEL
WARRANTY



REMOTE CONTROLLED REEL
See page 174 for more information.



CODE	DESCRIPTION	DIMENSIONS
A. PUS0360L0330R1	360L SprayScout with 100m Buddy Smart Reel	910 L x 1100 W x 900 H
PUS0600L0330R1	600L SprayScout with 100m Buddy Smart Reel	1260 L x 1100 W x 920 H
PUS0360L0330R6	360L SprayScout with 150m Buddy Smart Reel	910 L x 1100 W x 900 H
PUS0600L0330R6	600L SprayScout with 150m Buddy Smart Reel	1260 L x 1100 W x 920 H

SCAN FOR PRICING

SCAN FOR SPARE PARTS



SCAN
FOR
SPARE
PARTS



They're just a good, handy, reliable machine. I use a lot of them everyday. I run work crews. I cover thousands of thousands of hectares every year. We always find good service in Central Queensland.

DESERT CHANNELS GROUP

Discover what our
clients are saying.
Scan the QR code.



SPRAYSCOUT TWIN BUDDY

360L / 600L

Giving you the spraying power you need and the mobility you need, the SprayScout allows you to reach those hard to get to places.

FEATURES

- 360L / 600L UV stabilised polyethylene tank
- 45L/min 580psi Maruyama pump
- Pressure regulator & gauge
- GX200 Honda motor
- Twin 100 / 150m Buddy Smart Reel
- Turbo 400 spray gun
- 17L rinse and flush tank
- Tank level site gauge
- Weatherproof draw for batteries
- Suction filter and drain valve
- Forklift pockets for easy loading
- 250mm screw lid complete with basket filter
- Moulded tie-down points
- Anti-spill lip around lid
- Basket filter to reduce debris



150M BUDDY SMART REEL

Increase your spraying performance with the 150m hose length. See page 172 for more information.



DOUBLE REEL SPRAYING POWER

great for getting the job done quickly and efficiently!

15YR TANK
3YR ENGINE
3YR PUMP
3YR REEL
WARRANTY



GALVANISED FORKLIFT POCKETS

fully enclosed for safety and quick loading



SUCTION FILTER & DRAIN VALVE

for fast and efficient draining of tank

CODE	DESCRIPTION	DIMENSIONS
A. PUS0360L0450TR1	360L SprayScout Buddy with Twin 100m Buddy Smart Reel	910 L x 1120 W x 900 H
PUS0600L0450TR1	600L SprayScout Buddy with Twin 100m Buddy Smart Reel	1260 L x 1120 W x 920 H
PUS0360L0450TR6	360L SprayScout Buddy with Twin 150m Buddy Smart Reel	910 L x 1120 W x 900 H
PUS0600L0450TR6	600L SprayScout Buddy with Twin 150m Buddy Smart Reel	1260 L x 1120 W x 920 H

SCAN FOR
PRICING



SPRAYSCOUT TWIN BUDDY + 6M STEEL BOOM

360L

15YR TANK
3YR ENGINE
3YR PUMP
3YR REEL
WARRANTY

SPRAYSCOUT TWIN BUDDY

The SprayScout stands as your primary defense against weeds—an efficient UTV sprayer with twin reels, offering both compact design and uncompromised capacity and performance.

6M FLAT FOLD STEEL BOOM

Equipped with stainless steel tubes and non-drip nozzle bodies, this product comes with #50 mesh nozzle filters and features 110-degree .02 Yellow Wide Range nozzles.

BOOM MOUNT BRACKETS

Guaranteed durable galvanize steel frame designed to slip into SprayScout forklift pockets

SPRAYSCOUT UPGRADES

SUITS ALL SPRAYSCOUT MODELS

*Fitting
required on
all upgrades.

SCAN FOR
PRICING



IN-CAB SOLENOID CONTROL

Switch box and cables
10mm hose tails
10 bar (140psi)



CODE

ATVS10BX2W

ATVS10BX3W

BOOMLESS NOZZLE KITS

Ideal for use with UTV sprayers or ute sprayers.
2m x 10mm hose & clamps
Brass boomless nozzle
Steel mounting bracket & fittings
See page 163 for more information.



CODE

ABK02K

ABK05K

ABK10K

4M POLY BOOM

Breakaway arms
110° non-drip nozzles
Impact proof poly
See page 166 for more information.



CODE

ABP040

BOOM MOUNT BRACKETS

Galvanised steel frame
360L / 600L
5yr frame warranty



CODE

ATMBMS360

ATMBMS600

VERSATILE BOOM

1.2m wide
4m spray width
110° low drift nozzles
TeeJet OC-04 brass
offset end nozzles
See page 165 for more information.



CODE

ABVL040

FLAT FOLD STEEL BOOM


6m/8m spray width
110° low drift nozzles
See page 167 for more information.



CODE

ABMF060KF

ABMF080KF



LINKAGE SPRAYERS

12V & PTO OPTIONS

BUILT TO PERFORM

The Linkage Sprayers range is packed with features to ensure you get the most out of your 3-point linkage unit. With smart contoured, low profile tank designs, easy access pumps and valves and the unique in-built handwash tanks, these Australian Made linkage sprayers are truly in a class of their own!

FIELDLINK ECO

400L | 600L | 800L

With the contoured tank design, the FieldLink makes spraying simple - tackle steep terrain, maintain with ease, spray with confidence.

FEATURES

- UV stabilised polyethylene tank
- 75L/min 217psi Bertolini pump
- 15m x 10mm spray delivery hose
- Powerjet spray gun
- 3-way regulator & gauge
- 15L fresh water tank with tap
- 3-point linkage galvanised steel frame
- Category 1 & 2 pins
- Forklift pockets - for safe loading!
- Site level gauge
- Large 450mm hinge lid
- Large basket filter to stop debris
- PTO shaft with all models

SCAN FOR
SPARE
PARTS



UPGRADE WITH 30M POLY MANUAL HOSE REEL

30m x 10mm spray hose
With lock in place pin and
easy rotating handle.

See page 174 for more info.
**Not fitted.*



LARGE HINGED LID
Don't lose your lid in
the middle of a field!

**15YR TANK
1YR PUMP
5YR FRAME
WARRANTY**



**EASY ACCESS
CONTROLS**
within hand
distance from the
cab of an open
tractor



FORKLIFT POCKETS
easy storage and loading

CODE	DESCRIPTION	DIMENSIONS
A. SLF0400L	400L FieldLink Eco with 75L/min Bertolini pump	940 L x 750 W x 1180 H
SLF0600L	600L FieldLink Eco with 75L/min Bertolini Pump	1230 L x 890 W x 1550 H
SLF0800L	800L FieldLink Eco with 75L/min Bertolini Pump	1200 L x 890 W x 1750 H

SCAN FOR
PRICING



FIELDLINK PRO

400L | 600L | 800L

With the in-built hand wash tank, easy access controls or the optional hose reel upgrade, the FieldLink has been designed and built to make spraying easier in the field.

FEATURES

UV stabilised polyethylene tank
75L/min 217psi Bertolini pump
15m x 10mm spray delivery hose
Powerjet spray gun
3-way multi-control regulator & gauge
15L fresh water tank with tap
40L - 70L flush tank
3-point linkage galvanised steel frame
Category 1 & 2 pins
Forklift pockets - for safe loading!
Site level gauge
Large 450mm hinge lid
Large basket filter to stop debris
PTO shaft with all models

SCAN FOR
SPARE
PARTS



UPGRADE ELECTRIC CONTROLS

Easy spraying from the cab of your vehicle. *Pro model only.


**15YR TANK
1YR PUMP
5YR FRAME
WARRANTY**



UPGRADE WITH 50M/100M BUDDY SMART REEL

50m x 10mm spray hose
100m x 8mm spray hose
Remote controlled hose reel with
brushless motor.

See page 172 for more info.



DRAIN & FLUSH VALVE

Easily flush pump and
lines and drain main tank.



**Not fitted.*

CODE	DESCRIPTION	DIMENSIONS
PLF0400L0750	400L FieldLink Pro with 75L/min Bertolini pump, 40L flush tank	940 L x 750 W x 1180 H
PLF0600L0750	600L FieldLink Pro with 75L/min Bertolini pump, 70L flush tank	1230 L x 890 W x 1550 H
A. PLF0800L0750	800L FieldLink Pro with 75L/min Bertolini pump, 70L flush tank	1200 L x 890 W x 1550 H

SCAN FOR
PRICING





FIELDLINK UPGRADES


BOOMLESS NOZZLES & BOOMS

BOOMLESS NOZZLE

90° or 180° brass nozzle
 Stainless steel bracket
 2m x 10mm spray hose with clamps
 FieldLink boom mount adaptor



90°



180°



CODE	ORDER SUFFIX	DESCRIPTION
ABK05FLK	BN05	#5 - 14m Boomless Nozzle Kit with boom mount adaptor (add BN05 to code)
ABK10FLK	BN10	#10 - 15m Boomless Nozzle Kit with boom mount adaptor (add BN10 to code)
ABK20FLK	BN20	#20 - 17m Boomless Nozzle Kit with boom mount adaptor (add BN20 to code)

SCAN FOR PRICING



STEEL BOOM

6m / 8m Steel boom
 110° non-drip nozzles
 Swing, breakaway arms
 Hot-dip galvanised - rust free protection



NEW STYLE!

CODE	DESCRIPTION	DIMENSIONS	DRY WT
ABMF060KF	6m Flat Fold Steel Boom	2150 L x 1700 W x 250 H	38kg
ABMF080KF	8m Flat Fold Steel Boom	2150 L x 1750 W x 250 H	43kg

SCAN FOR PRICING



POLY BOOM

15yr guaranteed poly arms
 110° non-drip nozzles
 Swing, breakaway arms



CODE	DESCRIPTION	DIMENSIONS	DRY WT
ABP040	4m Poly Boom with X-Fold breakaway arms	1120 L x 1330 W x 200 H	18kg

SCAN FOR PRICING



FIELDLINK UPGRADES

HOSE REELS & REGULATORS

30M / 50M MANUAL HOSE REEL

**FieldLink upgrade price only.*
 30m x 10mm spray hose
 Heavy duty poly
 Easy rotating handle

See page
174 for more
information.

**Not fitted. Mounting required.*



CODE	DESCRIPTION	DIMENSIONS	DRY WT
ATHW05B030M10	30m Base Mount Poly Hose with 30m Spray Hose	460L x 280 W x 480 H	9.7kg
ATHW05B050M10	50m Base Mount Poly Hose with 30m Spray Hose	470L x 400 W x 500 H	13kg



BUDDY SMART REEL

**FieldLink upgrade price only.*
 50m x 10mm spray hose /
 100m x 8mm spray hose
 Turbo 400 spray gun
**Not fitted. Mounting required.*

See page
172 for more
information.



CODE	DESCRIPTION	DIMENSIONS	DRY WT
ATHB050M10FL	50m Buddy Smart Reel with Remote Control	536 L x 230 W x 538 H	29kg
-	100m Buddy Smart Reel with Remote Control	705 L x 272 W x 705 H	42kg



ELECTRIC ON/OFF CONTROLLER

4-way manual valve controller
 Electric On/Off
 140L/min 20 bar
 Manual pressure control



ORDER CODE
 ADD 'EMC' TO CODE

ELECTRIC PRESSURE CONTROLLER

3 electric section valve controls
 1 manual section valve control
 Electric On/Off
 140L/min 20 bar
 Manual pressure control



ORDER CODE
 ADD 'EC' TO CODE



12V SPRAYLINK

300L

Ideal for smaller tractors, the SprayLink 3PL sprayer keeps tasks simple with easy operation and low maintenance.

FEATURES

- UV stabilised polyethylene tank
- 12V 15.2L/min 60psi Delavan pump
- 6m x 10mm spray hose
- Powerjet spray gun
- Pressure regulator & gauge
- 3.6m Electrical leads
- Versatile boom - 4m spray width
- 3-point-linkage galvanised steel frame
- Category 1 linkage pins
- Fully draining sump tank
- 250mm screw lid
- Anti-spill lip around lid
- Basket filter to reduce debris



IDEAL SPOT
SPRAYING
with Powerjet
spray gun

15YR TANK
2YR PUMP
5YR FRAME
WARRANTY



VERSATILE BOOM
with 110° non-drip
nozzles



VERSATILE BOOM

This is a user-friendly spraying tool, easily adjustable for any spray job.
See page 165 for further information.



EASY
ACCESS PUMP
Quick operation
and fuss free
maintenance



SCAN FOR
PRICING



CODE	DESCRIPTION	DIMENSIONS
PLV0300AL0152BV04	300L SprayLink with 12V 15.2L/min pump, Versatile boom	940 L x 750 W x 1180 H

SPRAYLINK PTO

300L

With the powerful, Italian Bertolini pump, the higher flow rate is perfect for larger boom spraying!

FEATURES

- UV stabilised polyethylene tank
- 22L/min 290psi Bertolini pump
- 6m x 10mm spray hose
- Powerjet spray gun
- Pressure regulator & gauge
- 4m Poly boom with non-drip nozzles
- 3-point-linkage galvanised steel frame
- Category 1 linkage pins
- Fully draining sump tank
- 250mm screw lid
- Anti-spill lip around lid
- Basket filter to reduce debris
- PTO shaft

4M POLY BOOM

with protected non-drip nozzles

SLIMLINE TANK

for increased stability once on tractor

4M RAPID POLY BOOM

Conquer tough terrain! Designed to withstand the harshest conditions.

See page 166 for further information.

SPOT OR BOOM SPRAYING

Task friendly pumping setup

SCAN FOR PRICING



CODE

DESCRIPTION

DIMENSIONS

PLP0300AL00220BP04

300L SprayLink with 22L/min Bertolini pump, 4m Poly boom

940 L x 750 W x 1180 H

UTV SPRAYERS

THE COMPACT SPRAYER RANGE




GO ANYWHERE SPRAYING MOBILITY

UTV's are fast becoming the vehicle of choice for many people wanting to get around their properties fast and safely. They also offer the added benefit of being able to carry large loads while easily traversing hard to reach terrain. Making sure you have the right sprayer to suit your UTV is paramount.

MADE TO FIT YOUR UTV

Tray dimensions are approximate averages for common UTV models. Actual tray size may vary.

Always refer to your UTV owner's manual for specific measurements and weight limits.



PERFECT FIT FOR LEADING UTV BRANDS

Our UTV sprayers are designed to seamlessly fit on the most trusted UTV brands in the market. Whether you're using your UTV for farm work, firefighting, or property maintenance, our sprayers ensure reliable performance and easy compatibility.



can-am

Kubota




MARSHAL PRO

250L

The Marshal Pro stands out from the rest as the most compact, powerful sprayer designed for the UTV. Power and mobility when you need it most!

FEATURES

- 250L UV stabilised polyethylene tank
- 33L/min 580psi Maruyama pump
- GX200 Honda motor | 50/100m Buddy Smart Reel
- Turbo 400 spray gun | 3-way Regulator and gauge
- Galvanised steel mounted angled feet
- Compact, moulded design
- Powder coated steel pump plate
- 250mm screw lid w/ basket filter
- Anti-spill lip around lid | Front drain bung



30M POLY MANUAL RAPID REEL OPTION

- 15yr poly warranty
- 10mm spray hose
- Easy rewind rotating handle

A.

COMPACT BUT POWERFUL SPRAYING PERFORMANCE

Get to those hard to reach weeds!

B.

TAKE BACK SPRAYING

with the custom walking pace 'MyPace' radio remote with the Buddy Smart Reel

CODE	DESCRIPTION	DIMENSIONS
A. SU0250AL0330H3	250L Marshal Pro with 30m Manual Hose Reel	910 L x 730 W x 935 H
B. SU0250AL0330R5	250L Marshal Pro with 50m Buddy Smart Reel - 10mm hose	910 L x 730 W x 960 H
B. SU0250AL0330R18	250L Marshal Pro with 100m Buddy Smart Reel - 8mm hose	910 L x 730 W x 960 H

SCAN FOR PRICING

5 YEAR
TRAILER
WARRANTY

MARSHAL PRO ATV TRAILER

250L

EFFORTLESS TRANSPORTATION

Easily hitch it to your ATV using a standard ball coupling, providing a stable platform to tackle rough terrain and cover long distances with ease.



FEATURES

- 250L Marshal Pro unit
- High quality galvanised steel
- 50mm tow hitch
- Single axle
- 22" high flotation tyres
- Rear boom mount

VERSATILE BOOM OPTION

1.2m wide boom
4m spray width

CODE

DESCRIPTION

DIMENSIONS (TRAILER ONLY)

PRAM0250L0330H3 **250L** Marshal Pro with 30m Manual Hose Reel & ATV Trailer

1150 L x 1190 W x 316 H

A. PRAM0250L0330R5 **250L** Marshal Pro with 50m Buddy Smart Reel & ATV Trailer

1150 L x 1190 W x 316 H

SCAN FOR
PRICING




MARSHAL PRO

325L

Featuring a larger yet compact tank, the Marshal Pro 325 excels as a dynamic and robust spray unit.

FEATURES

- 325L UV stabilised polyethylene tank
- 33L/min 580psi Maruyama pump
- GX200 Honda motor
- 100m x 8mm Buddy Smart Reel
- Turbo 400 spray gun | 3-way Regulator and gauge
- Galvanised steel mounted angled feet
- Powder coated steel pump plate
- 250mm screw lid w/ basket filter
- Anti-spill lip around lid | Front drain bung
- Compact, moulded design



*Spray distance vary with nozzle size and pump pressure.

30M POLY MANUAL RAPID REEL OPTION

- 15yr poly warranty
- 10mm spray hose
- Easy rewind rotating handle



**DOUBLE REEL
SPRAYING POWER**
making it easier to tackle those large spraying jobs!

**15YR TANK
3YR ENGINE
3YR PUMP
3YR REEL
WARRANTY**



ENHANCE DRAINAGE AND LOADING SAFETY
with the inclusion of new galvanised steel mounted angled feet



CODE	DESCRIPTION	DIMENSIONS
A. SU0325L0330H3	325L Marshal Pro with 30m Manual Hose Reel	1050L x 900W x 835H
SU0325L0330R18	325L Marshal Pro with 100m Buddy Smart Reel - 8mm hose	1050L x 900W x 920H
B. SU0325L0330TR18	325L Marshal Pro with Twin 100m Buddy Smart Reel - 8mm hose	1050L x 900W x 920H

SCAN FOR PRICING





Twin Marshal Pro 325 as featured on
Sylvester Pastoral in the Barrington Tops, NSW





MARSHAL PLUS

250L | 325L

Keep spraying simple with the low maintenance, high performance compact Australian Made Marshal Plus UTV sprayer!

FEATURES


250L/325L UV stabilised polyethylene tank
12L/min 360psi Commando Pump
GX35 Honda motor
30m manual hose reel | Turbo 400 spray gun
Pressure regulator & gauge
10L handwash tank with tap
250mm Screw lid complete with basket filter
Anti-spill lip around lid
Front drain bung
Compact, moulded design with in-built handles and tie-down points at front and rear

10L HANDWASH TANK
with tap for easy cleaning
*Manual reel versions only



**15YR TANK
1YR ENGINE
1YR PUMP
WARRANTY**

**SCAN FOR
SPARE
PARTS**



SPARE BOOM OUTLET
Easily switch between boom
or hand gun spraying.


250L MARSHAL ATV TRAILER UPGRADE

Add mobility and convenience to your spraying tasks, ensuring you cover more ground with ease.

See page 133 for more information.



POWER SPRAYING
with Turbo 400 spray gun
with multiple spraying patterns



**Spray distance vary with nozzle size and pump pressure.*

**SCAN FOR
PRICING**



CODE	DESCRIPTION	DIMENSIONS	DRY WT
A. SU0250AL0120H	250L Marshal Plus with 30m Manual Hose Reel	910 L x 730 W x 700 H	37kg
SU0325L0120H3	325L Marshal Plus with 30m Manual Hose Reel**	880 L x 1000 W x 750 H	-

***H3 model supplied with 30m poly hose reel. Only available on the 325L model.*

BUDDY MARSHAL PLUS

250L | 325L

Maximise your spraying efficiency. Its durable design, powerful performance, and Australian made Buddy Reel system ensure smooth operation and minimal downtime.

FEATURES

- 250L/325L UV stabilised polyethylene tank
- 12L/min 360psi Commando Pump
- GX35 Honda motor
- 50m Buddy Smart Reel | Turbo 400 spray gun
- Pressure regulator & gauge
- 250mm Screw lid complete with basket filter
- Anti-spill lip around lid
- Front drain bung
- Compact, moulded design with in-built handles and tie-down points at front and rear

EFFORTLESS HOSE MANAGEMENT
with Smart Buddy Auto Reel
featuring 50m of retractable hose
for quick and tidy storage


15YR TANK
1YR ENGINE
1YR PUMP
WARRANTY

SCAN FOR
SPARE
PARTS



**BUDDY SMART REEL
100M UPGRADE**
Same remote-controlled
convenience with
extended reach.

See page 172 for more
information.



*Spray distance vary with nozzle size and pump pressure.



TARGETED SPRAYING
with Turbo 400 spray gun
with multiple spraying
patterns

SCAN FOR
PRICING

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
A.	SU0250AL0120R5	250L Marshal Plus with 50m Buddy Smart Reel	910 L x 730 W x 940 H	67kg
B.	SU0325L0120R5	325L Marshal Plus with 50m Buddy Smart Reel	880 L x 1000 W x 750 H	-

MARSHAL PLUS ATV TRAILER

250L

**5 YEAR
TRAILER
WARRANTY**

THE PERFECT FIT

The innovative inverted axle design provides two length configurations, ensuring a perfect match for your ATV and sprayer.



VERSATILE BOOM OPTION

1.2m wide boom
4m spray width

FEATURES

- 250L Marshal Plus unit
- High quality galvanised steel
- 50mm tow hitch
- Single axle
- 22" high flotation tyres
- Rear boom mount

SCAN FOR
PRICING



CODE

DESCRIPTION

DIMENSIONS (TRAILER ONLY)


PRAM0250L0120H

250L Marshal Plus with 30m Manual Hose Reel & ATV Trailer

1150 L x 1190 W x 316 H

MARSHAL OPTIONS

SUITS MARSHAL PLUS & MARSHAL PRO



BOOMLESS NOZZLE KITS

Ideal for use with ATV sprayers or ute sprayers.
 2m x 10mm hose & clamps
 Brass boomless nozzle
 Steel mounting bracket & fittings
 See page 163 for more information.



CODE
ABK02K
ABK05K
ABK10K



LIGHTWEIGHT UTV HITCH MOUNT


Galvanised steel frames
 Mounting hardware inc.
 Suits Versatile Boom and
 Boomless Nozzles
 See page 169 for more information.



CODE
ATKUBM50MMLW

MARSHAL ANGLED MOUNTING FEET

Galvanised steel feet frame
 Mounting hardware inc.
 Increased drainage
 Forklift safe
 Standard on Pro models



CODE
ASKSFTK

VERSATILE BOOM

1.2m wide
 4m spray width
 110° low drift nozzles
 TeeJet OC-04 brass
 offset end nozzles
 See page 165 for more
 information.



CODE
ABVL040

250L MARSHAL ATV TRAILER

Single axle
 Rear boom mount
 50mm tow hitch
 22" high flotation tyres
 *250L Marshal units only



CODE	DESCRIPTION
ASTA00250	250L Marshal ATV Trailer



“

It's great working with another Australian company; that has history; that supplies quality product to the farmers; that was built by a farmer, for the farmers.

MACKA'S AUSTRALIAN BLACK ANGUS BEEF

*Discover what our
clients are saying.
Scan the QR code.*



12V MARSHAL-Q


250L | 325L

15YR TANK
2YR PUMP
WARRANTY


Purpose built to save valued space;
a high capacity, easy to operate
UTV sprayer!

FEATURES

- UV stabilised polyethylene tank
- 8.3L/min 60psi 12V Delavan pump
- 6m x 10mm spray delivery hose
- Powerjet spray gun - 700mm
- Powder coated steel pump plate and hose wrap
- 3.6m 12V Electrical leads | Pressure regulator & gauge
- 250mm Screw lid complete with basket filter
- Anti-spill lip around lid opening
- Compact, moulded design with in-built handles and tie-down points at front and rear



SPRAY DISTANCE
Fan/Mist: 2m-4m
Jet: 8m



STEP BAFFLED TANK
helps reduce slosh & surge with
moulded tie-down points

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

SCAN FOR
PRICING



SCAN FOR
SPARE PARTS

CODE	DESCRIPTION	DIMENSIONS	DRY WT
A. SU0250AL0083	250L Marshal-Q with 8.3L/min pump, 6m hose	910 L x 730 W x 670 H	30kg
SU0325L0083	325L Marshal-Q with 8.3L/min pump, 6m hose	880 L x 1000 W x 750 H	30kg



12V MARSHAL-Q MANUAL

FEATURES

UV stabilised polyethylene tank
8.3L/min 60psi 12V Delavan pump
Pressure regulator & gauge
Boom outlet
30m x 10mm Poly Rapid Reel
Powerjet spray gun - 700mm
Powder coated steel pump plate
3.6m 12V Electrical leads
250mm Screw lid with basket filter
Anti-spill lip around lid opening
Compact, moulded design with in-built handles and tie-down points at front and rear

SCAN FOR
SPARE
PARTS




Discover
what our clients
are saying.
Scan QR.



CONVENIENT
TANK DRAINING
Front drain bung

RELIABLE PUMP OPERATION
with pressure regulator to
adjust for boom spraying.

15YR TANK
2YR PUMP
WARRANTY



Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

CODE	DESCRIPTION	DIMENSIONS	DRY WT
SU0250AL0083H3	250L Marshal-Q with 30m Manual Poly Hose Reel	910 L x 730 W x 835 H	39.7kg
A. SU0325L0083H3	325L Marshal-Q with 30m Manual Poly Hose Reel	910 L x 1050 W x 1035 H	-

SCAN FOR
PRICING



12V BUDDY MARSHAL-Q

FEATURES

- 250L UV stabilised polyethylene tank
- 8.3L/min 60psi 12V Delavan pump
- 50m Buddy Smart Reel
- Powerjet spray gun - 700mm
- Powder coated steel pump plate and hose wrap
- 3.6m 12V Electrical leads | Pressure regulator and gauge
- 250mm Screw lid complete with basket filter
- Anti-spill lip around lid opening
- Compact, moulded design with in-built handles and tie-down points at front and rear
- Front drain bung



BUDDY SMART REEL
Remote controlled auto rewind hose reel with in-built radio system and on-board control panel.



A.

CODE	DESCRIPTION	DIMENSIONS	DRY WT
A. SU0250AL0083R5	250L Buddy Marshal-Q with 50m Buddy Smart Reel	910 L x 730 W x 940 H	60kg
SU0325L0083R5	325L Buddy Marshal-Q with 50m Buddy Smart Reel	910 L x 1050 W x 1035 H	-



*Picture for marketing purposes only. Spray gun mount not included.

12V MARSHAL-Q + VERSATILE BOOM

250L

15YR TANK
2YR PUMP
WARRANTY

QUIETEST MARSHAL SPRAYER

Perfect for municipal spraying in noise-sensitive areas, this sprayer, coupled with the Poly Manual Hose Reel becomes the ideal choice for homeowners, farmers or professional users.

4M SPRAY WIDTH VERSATILE BOOM

The system features 110° low drift nozzles and taps for a 7-way nozzle control, providing versatility in your spraying options.

LIGHT WEIGHT HITCH MOUNT

Durable and versatile, our product features a galvanized steel frame with a T-bar for effortless mounting of small booms. The package comes complete with a hitch pin and clip, and a 50mm hitch receiver for added convenience.

MARSHAL-Q OPTIONS

SUITABLE FOR ALL MODELS



BOOMLESS NOZZLE KITS

Ideal for use with ATV sprayers or ute sprayers.
2m x 10mm hose & clamps
Brass boomless nozzle
Steel mounting bracket & fittings
See page 163 for more information.



CODE

ABK02K
ABK05K
ABK10K

LIGHTWEIGHT UTV HITCH MOUNT

Galvanised steel frames
Mounting hardware inc.
Suits Versatile Boom and Boomless Nozzles
See page 169 for more information.



CODE

ATKUBM50MMLW

250L MARSHAL ATV TRAILER

Single axle
Rear boom mount
50mm tow hitch
22" high flotation tyres
250L Marshal units only



CODE

CODE	DESCRIPTION
ASTA00250	250L Marshal ATV Trailer

*Assembly required on all products.

VERSATILE BOOM

1.2m wide
4m spray width
110° low drift nozzles
TeeJet OC-04 brass
offset end nozzles
See page 165 for more information.




CODE

ABVL040

MARSHAL ANGLED MOUNTING FEET

Promotes complete drainage
Powder coated steel feet frame
Mounting hardware inc.
250L Marshal units only



CODE

CODE	DESCRIPTION
ASKSFTK	Marshal Galvanised Feet



12V SPRAYERS & ACCESSORIES

MADE FOR SPOT & BOOM SPRAYING

SPOT OR BOOM SPRAYING

A solution to meet every spot or boom spraying application whether it be tow behind spraying, low profile for your quad or a larger, compact high capacity UTV sprayer. Ideal for small scale weed control or pest eradication, the 12V Sprayer range is suitable for the application of most fertilisers, pesticides, herbicides and more!

RAPIDLINE SPOT SPRAYERS


57L | 95L



Packed with features, the RapidLine spot sprayer series are high performing, low maintenance and easy to operate!

FEATURES

- 3.8L/min 60psi 12V pump
- 3-stage filtration system
- UV resistant translucent tank
- Large lid with basket filter
- 4.5m spray hose
- Poly spray lance
- Adjustable poly-cone nozzle
- Drain plug



EASY ON/OFF TRIGGER with lock on/off feature



A.

SCAN FOR PRICING




CODE	DESCRIPTION	DIMENSIONS	DRY WT
A. SVS0057L0038	57L RapidLine 12V Spot Sprayer with 3.8L/min pump	800 L x 444 W x 360 H	6.3kg
SVS0095L0038	95L RapidLine 12V Spot Sprayer with 3.8L/min pump	980 L x 470 W x 450 H	8.3kg



RAPIDLINE 12V TRAILER & BROADCAST NOZZLE SPRAYER

FEATURES

- 3.8L/min 40psi 12V pump
- Hitch mount tow behind trailer
- 1.2m spray width broadcast nozzle kit
- 3-stage filtration system
- UV resistant translucent tank
- Large lid with basket filter
- 4.5m spray hose
- Poly spray lance
- Adjustable poly-cone nozzle
- Durable steel frame
- Large pneumatic tyres




WET & MUDDY GROUND!
Large pneumatic tyres ideal for lawns.



SPOT TO BOOM

Convert your spot sprayer into a boom sprayer with broadcast nozzle kit and lid mount



	CODE	DESCRIPTION	DIMENSIONS	DRY WT
A.	SVT0057L0038B1	57L RapidLine 12V Spot Sprayer Trailer with 1.2m deflector	1520 L x 720 W x 560 H	16.3kg
	SVT0095L0038B1	95L RapidLine 12V Spot Sprayer Trailer with 1.2m deflector	1520 L x 720 W x 750 H	18.3kg

SCAN FOR PRICING



**2 YEAR
EXTENDABLE
WARRANTY**

2 YEAR
EXTENDABLE
WARRANTY



Exclusive to Rapid Spray, the RapidMix, Australia's first and only spot sprayer with Clean Tank Technology - allowing for greater control over the mixing and measuring of chemicals and cleaning your sprayer.



RAPIDMIX SPOT SPRAYERS

57L | 95L

The RapidMix system allows you to save time and chemicals with the separate chemical and main tanks.

FEATURES

- 8.3L/min 60psi 12V pump
- 5L or 7L separate chemical tank
- 7 mixing rate settings 7 - 117ml/L
- Pressure gauge & regulator
- Quick switch boom or spot spray
- Flow control valve
- 4.5m spray hose
- Poly spray lance with cushion grip trigger
- UV resistant translucent tank for easy viewing
- Large lid opening - mess free mixing and filling
- Basket filter to stop debris

OPTIONAL UPGRADES

- 2m Spray Boom Kit
- 5m Boomless Spray Kit
- Adjustable Hitch Mount Trailer

MIXES ON EXIT

Chemicals and water mix upon pumping, leaving the main tank chemical free!



A.

COMPLETE SPRAYING CONTROL
flow control valves and 7 chemical dilution rates

UV TRANSLUCENT TANK
easy to view liquid levels in both main and chemical tanks

B.

SPARE CHEMICAL TANKS
multiple chemical tanks in storage for quick easy changeover



CODE	DESCRIPTION	DIMENSIONS	DRY WT
SVSM0057L0083	57L RapidMix 12V Spot Sprayer with 5L chemical tank	978 L x 368 W x 476 H	10.9kg
PTCM0005L	5L RapidMix Chemical Tank (57L RapidMix only)	464 L x 298 W x 159 H	1.5kg
A. SVSM0095L0083	95L RapidMix 12V Spot Sprayer with 7L chemical tank	1118 L x 511 W x 460 H	14kg
B. PTCM0007L	7L RapidMix Chemical Tank (95L RapidMix only)	553 L x 222 W x 159 H	1.5kg

SCAN FOR PRICING



RAPIDMIX TRAILER & BOOM SPRAYER

FEATURES

- 8.3L/min 60psi 12V pump
- 5L or 7L separate chemical tank
- Hitch mount trailer with pneumatic tyres
- 7 mixing rate settings 7 - 117ml/L
- Pressure gauge & regulator
- Quick switch boom or spot spray
- Flow control valve
- 4.5m spray hose
- Poly spray lance with cushion grip trigger
- UV resistant translucent tank for easy viewing
- Large lid opening - mess free mixing and filling!
- Basket filter to stop debris

BOOM OPTIONS

- 2m Spray Boom kit
- 5m Boomless Spray kit

BOOM OR SPOT SPRAY
with quick switch valve



	CODE	DESCRIPTION	DIMENSIONS	DRY WT
A.	SVTM0057L0083B2	57L RapidMix 12V Spot Sprayer Trailer with 2m boom	1365 L x 1040 W x 676 H*	23.4kg
	SVTM0095L0083B2	95L RapidMix 12V Spot Sprayer Trailer with 2m boom	1365 L x 1040 W x 760 H*	26.5kg
	SVTM0057L0083B5	57L RapidMix 12V Spot Sprayer Trailer with 5m boomless nzle	1390 L x 740 W x 676 H*	22kg
B.	SVTM0095L0083B5	95L RapidMix 12V Spot Sprayer Trailer with 5m boomless nzle	1390 L x 740 W x 760 H*	25.1kg

*Not including boom height (adjustable).

SCAN FOR
PRICING



SPRAYER UPGRADE

SUITABLE FOR 57L & 95L SPRAYERS

2M DUAL NOZZLE BOOM SPRAY KIT

Minimum 6.8L/min pump
2m spray width
Adjustable height brackets

*Not including boom height (adjustable).


CODE	DIMENSIONS	DRY WT
ABSC020	1040 L x 45 W x 85 H*	2.5kg

SCAN FOR PRICING



BOOMLESS NOZZLE SPRAY KIT

Minimum 6.8L/min pump
1.2 - 5m spray width
Multiple boom setups
Fan tip or wide angle spray



CODE	DIMENSIONS	DRY WT
ABSC050	740 L x 70 W x 50 H	1.1kg

SCAN FOR PRICING



HITCH MOUNT TRAILER

Suits 57L and 95L sprayers*
Durable steel frame
Boom mount kit inc.
Large pneumatic tyres

*RapidLine / Mix spot sprayers only.

CODE	DIMENSIONS	DRY WT
ATK057095T	1320 L x 720 W x 310 H	10kg

SCAN FOR PRICING





SPOT SPRAYERS VS. BOOM SPRAYERS

WHEN TO USE THE SPECIFIC TYPE OF SPRAYER?

SPOT SPRAYER	BOOM SPRAYER
Apply chemicals to specific target areas	More widespread application
High precision in spraying	Highly efficient for large-scale operations
Minimizes chemical wastage	Reduce spraying time and labor
Reduce risk of off-target damage	Adaptable to varying area sizes
Well-suited for small-scale operations	



SPOT RANGER HP SPOT SPRAYER

60L | 95L



Spot Ranger HP is your dedicated spot sprayer with higher pressure 12V pumps ideal for spot spraying!

FEATURES

- 60L: 4.0L/min 70psi RapidLine 12V pump
- 95L: 6.8L/min 120psi RapidLine 12V pump
- 6m x 10mm spray hose
- PowerJet spray gun - 700mm
- UV resistant tank
- Front or rear hose wraps
- Large lid opening
- Basket filter to stop debris

OPTIONAL UPGRADES

- Zero Turn Trailer kit


ENHANCED EFFICIENCY & EFFECTIVENESS

RapidLine 12V Spray Pump



SCAN FOR SPARE PARTS

B.



A.



Easy Carry Handles
with provision for straps and tank graduation markings



OPTIMAL SPRAYING EXPERIENCE
with PowerJet spray gun and 6m spray hose

CODE	DESCRIPTION	DIMENSIONS	DRY WT
A. SVR0060L0040	60L Spot Ranger HP with 4.0L/min 12V RapidLine Pump	1000 L x 480 W x 380 H	8.5kg
B. SVR0095L0068	95L Spot Ranger HP with 6.8L/min 12V RapidLine Pump	1000 L x 480 W x 490 H	9.5kg

SCAN FOR PRICING



SPOT RANGER SPOT SPRAYER

60L | 95L



Designed with the user in mind, the Australian Made Spot Ranger is easy to use, low maintenance and ideal for spot or trailer boom spraying!

FEATURES


- 8.3L/min 60psi Delavan 12V pump
- Pressure gauge & regulator
- 6m x 10mm spray hose
- Powerjet spray gun - 700mm
- UV resistant tank
- Front or rear hose wraps
- Large lid opening
- Basket filter to stop debris

OPTIONAL UPGRADES

- Zero Turn Trailer kit
- 2m Spray boom kit
- 3m Spray boom kit



RELIABLE & DURABLE
Delavan 12V pump with pressure regulator and gauge



A.



140° DEFLECTOR NOZZLE
for complete spray coverage

B.



TOW BEHIND TRAILER SPRAYER
Ideal for either boom spraying or spot spraying in larger areas.



SCAN FOR
SPARE PARTS

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
	SVR0060L0083	60L Spot Ranger with 8.3L/min 12V Delavan Pump	1000 L x 480 W x 380 H	8.5kg
A.	SVR0095L0083	95L Spot Ranger with 8.3L/min 12V Delavan Pump	1000 L x 480 W x 490 H	9.5kg
	SVRT0095L0083ZB2	95L Spot Ranger w/ Hitch Mount Trailer and 2m Spray Boom	1200 L x 1000 W x 810 H	23.5kg
B.	SVRT0095L0083ZB3	95L Spot Ranger w/ Hitch Mount Trailer and 3m Spray Boom	1200 L x 1100 W x 810 H	24.5kg

SCAN FOR
PRICING



SPRAYER UPGRADE

SUITABLE FOR SPOT RANGER

ZERO TURN TRAILER




Mounts a variety of boom kits
 Suits Spot Ranger 60L & 95L only
 Ideal for mower tow-behind
**Do not exceed 10kph*

CODE	DESCRIPTION	DIMENSIONS
ATK06095TZ	Zero Turn Trailer	1180 L x 1100 W x 550 H



SPRAY BOOM KITS

140° deflector nozzle
 Breakaway & fold arms - 3m/4m only
 2/3/4m spray widths

	ABSC020 - 2m
	ABS030 - 3m
	ABS040 - 4m

CODE	DESCRIPTION	DIMENSIONS
ABSC020	2m Spray Boom kit	1040 L x 75 W x 85 H
ABS030	3m Boom kit, folding arms	2120 L x 75 W x 85 H
ABS040	4m Boom kit, folding arms	3100 L x 75 W x 85 H



HANDHELD, BACKPACK & TROLLEY SPRAYERS

1L - 30L

HOME GARDEN, COMMERCIAL & INDUSTRIAL

The Handheld, Backpack & Trolley Sprayers range is ideal for home gardeners, professional landscapers or commercial users. Designed with ease of use, comfort and low maintenance in mind, you will find the perfect solution to every chemical spraying requirement.



COMPRESSION SPRAYERS

4L | 8L


4L & 8L PRO SERIES COMPRESSION SPRAYER

FEATURES

- Translucent tank
- 100mm wide lid opening
- Pressure relief valve
- Anti-clog filter
- 1m clear hose with poly wand
- Adjustable brass, poly-fan and poly-cone nozzles
- Ergonomic handle for easy carrying
- Viton seals - suitable for aggressive chemicals



ADJUSTABLE NOZZLES
for multiple spraying
patterns



CODE	DESCRIPTION	DIMENSIONS	DRY WT
A. SMPCP0004L	4L Pro Series Compression Sprayer	213 L x 213 W x 406 H	2kg
B. SMPCP0008L	8L Pro Series Compression Sprayer	213 L x 213 W x 528 H	2.3kg



SPARES COMPRESSION SPRAYERS

PRO SERIES VITON REPAIR KIT

To suit Pro Series models:
SMPCP0004L / SMPCP0008L



CODE

CCP64601

PRO SERIES NOZZLE KIT

To suit Pro models
SMPCP0004L / SMPCP0008L



CODE

CCP68131



1 YEAR
COMPONENTRY
WARRANTY

BACKPACK SPRAYERS


RAPIDLINE 15L

**2 YEAR
WARRANTY**

15L HOME & GARDEN BACKPACK SPRAYER

FEATURES

Lever action piston pump
Left / right pump lever handle
1.2m spray hose
Poly shut-off trigger and lance
Large lid opening with basket filter
Translucent tank for easy level view



LOW SPILL RISK
with large lid opening
and basket for debris

COMFORTABLE DESIGN
with adjustable shoulder
straps and adjustable pump
handle



SPRAY PATTERN
adjustable spray
pattern poly tip nozzle



CODE	DESCRIPTION	DIMENSIONS	DRY WT
SMKRP0015L	15L Home & Garden backpack sprayer	374 L x 228 W x 556 H	4.7kg



15L RAPIDPRO DIAPHRAGM PUMP BACKPACK SPRAYER

FEATURES

- Lever action diaphragm pump
- 3-stage filtration system
- 1.2m transparent spray hose
- Poly spray lance
- Cushion grip shut-off trigger
- Adjustable brass, poly-cone and poly-fan nozzles
- Left / right pump lever handle
- Large lid opening with basket filter
- Translucent tank - easy viewing!
- Adjustable shoulder straps
- Viton seals - aggressive chemicals



COMFORTABLE
TRIGGER
with cushion grip



PADDED SHOULDER
STRAPS
with across chest
support straps



CODE	DESCRIPTION	DIMENSIONS	DRY WT
SMKRPD0015L	15L RapidPro diaphragm pump backpack sprayer	240 L x 240 W x 620 H	4.7kg

DIAPHRAGM VS. PISTON

WHY BUY A DIAPHRAGM PUMP OVER A PISTON PUMP?

DIAPHRAGM PUMP	PISTON PUMP
Suitable for wettable powders	Suitable for liquid concentrates only
Very reliable	Easy to maintain
Less pumping effort	Able to achieve higher pressures
Longevity with harsh chemicals	

**2 YEAR
WARRANTY**

RAPIDMIX BACKPACK SPRAYERS

15L

FEATURES

- 40-60psi piston hand pump
- 2 x 1L separate chemicals tanks
- Left / right pump handle
- Mixing ratio dial
- Mixes chemical 4ml-71ml per litre
- Mix rate setting guide included
- Adjustable nozzle tips - brass, poly-cone and poly-fan
- In-tank filter - removable
- Ultra comfort padded straps
- Wide 6" lid opening
- Snap-in carry cap



Filter basket to stop debris.



ULTRA COMFORT PADDED STRAPS

Easily adjusts to fit with additional comfort back pad

Left / right pump handle.

PISTON HAND PUMP

40-60psi with pump handle easily switching to either side for left or right hand pumping



SEPARATE CHEMICAL TANKS

Keeps the main tank chemical free. Two x 1L tank with each backpack.



WAND & HOSE

1.2m clear hose with 58cm poly wand



SCAN FOR PRICING & SPARE PARTS



CODE	DESCRIPTION	DIMENSIONS	DRY WT
SMKCM0015L	15L RapidMix Backpack Sprayer	203 L x 203 W x 457 H	4.5kg

LITHIUM ION HAND SPRAYERS


5L | 8L



5L & 8L RAPIDLINE RECHARGEABLE BATTERY HANDHELD SPRAYER

FEATURES

- 1.8hr continuous spray
- 3.5hr charge time
- Rechargeable 10V battery
- Fine pressure adjustment
- Lightweight battery pump
- Automated sprayer pressure build up
- Hose rank for neater storage
- Adjustable fan, cone and deflector
- Shoulder carry straps
- Side clips for carrying & wand storage



CONVENIENT BUTTON
for quick and automated
sprayer pressure build up



EASY BATTERY CHARGE
Standard USB
Type-C cable
included



AVOID CHEMICAL MIX-UPS
with the chemical
indicator dial



SCAN FOR
PRICING
& SPARE
PARTS



CODE	DESCRIPTION	DIMENSIONS	DRY WT
A. SVBRP005L	5L RapidLine Rechargeable Handheld Sprayer	222.4 L x 205.6 W x 469.7 H	1.89kg
B. SVBRP008L	8L RapidLine Rechargeable Handheld Sprayer	222.4 L x 205.6 W x 558.7 H	2.08kg



LITHIUM ION BACKPACK SPRAYERS

10L | 15L

10L RAPIDLINE 10V RECHARGEABLE BATTERY BACKPACK SPRAYER

FEATURES

15-40psi diaphragm pump
3.5hr continuous spray
Rechargeable 10V battery
Fine pressure adjustment
Adjustable padded shoulder straps
Easy, top carry handle



TOP HANDLE
for carrying & wand storage



FAST BATTERY CHARGE
2.5hrs battery charge with charge indicator lights

SCAN FOR PRICING & SPARE PARTS



2 YEAR WARRANTY

RUNTIME
3.5 HRS

CHARGE TIME
2.5 HRS

NOZZLE SET
Adjustable fan, cone & deflector



CODE	DESCRIPTION	DIMENSIONS	DRY WT
SVBRP0010L	10V RapidLine Backpack	350 L x 150 W x 450 H	5kg

15L RAPIDPRO 24V RECHARGEABLE BATTERY BACKPACK SPRAYER

FEATURES

2hr continuous spray
3-stage filtration system
Rechargeable 24V battery
Viton and Santoprene seals
1.2m transparent spray hose
Poly lance with cushion grip shut-off trigger
Adjustable brass, poly-cone and poly-fan nozzles
Adjustable padded shoulder straps
Large lid opening with basket filter
Battery charger inc.



LOW SPILL RISK
with large lid opening and basket filter

EASY BATTERY CHARGE
4hrs battery charge with charge indicator lights



SCAN FOR PRICING & SPARE PARTS



2 YEAR WARRANTY

RUNTIME
2 HRS

CHARGE TIME
4 HRS

CODE	DESCRIPTION	DIMENSIONS	DRY WT
SVBRP0015L	24V RapidPro Backpack	374 L x 228 W x 556 H	4.8kg

TROLLEY SPRAYERS


12L | 30L

12L RAPIDLINE 7.2V TROLLEY SPRAYER

FEATURES


- 7.2V 0L/min 17-26psi pump
- Lithium Ion battery
- 3m length hose
- Safety pressure release valve
- Large funnel shaped filler opening
- Large loop handle with comfortable grip
- Easy to move wheels

RUNTIME



1.3
HRS

**CHARGE
TIME**



3
HRS



SAFETY PRESSURE VALVE
Prevents overpressure and regulates optimal pressure level



NOZZLE SET
Adjustable fan cone & deflector



HEAVY DUTY WHEELS
Easy to move



**2 YEAR
EXTENDABLE
WARRANTY**

**ADJUSTABLE
HANDLE**
Improved maneuverability



SCAN FOR
PRICING
& SPARE
PARTS



CODE	DESCRIPTION	DIMENSIONS	DRY WT
SVL0012L0010	12L RapidLine 12V Trolley Sprayer with 3.8L/min pump	317.1 L x 369.9 W x 884.4 H	3.92kg



30L RAPIDPRO 24V TROLLEY SPRAYER

FEATURES

24V 3.8L/min 60psi pump
30L translucent tank
Lance clips storage
4.5m length hose
6mm solid axle
Adjustable nozzles

ADDITIONAL DEFLECTOR NOZZLE FOR LAWN SPRAYING

1.5m spray width max

24V RECHARGEABLE BATTERY

Lithium Ion

ERGONOMIC LOCKING TRIGGER LANCE HANDLE

Comfortable to use

HOSE WRAP ON HANDLE

Easy stowage

RAPID SPRAY DIAPHRAGM PUMP

3.8 L/min 60psi

REMOVABLE HEAVY DUTY TUBULAR STEEL TROLLEY HANDLE

For easy storage

4PLY, 10" INFLATABLE TIRES

Ideal for rough terrain

SCAN FOR PRICING & SPARE PARTS



CODE

DESCRIPTION

DIMENSIONS

TANK DRY WT

SVL0030L0038

30L RapidPro 24V Trolley Sprayer with 3.8L/min pump

1340 L x 500 W x 770 H

10.5kg



BOOMS

SMALL - LARGE



SPRAY WITH CONFIDENCE

Ranging from trailer booms for spot sprayers to large steel booms for professional field sprayers, the boom range is extensive in its spray width coverage, features and fitting capabilities.

NOZZLES

BOOM JET | BOOMLESS

SCAN FOR
PRICING



1 YEAR
COMPONENTARY
WARRANTY

BOOMJET NOZZLE

Heavy duty brass body
3 x TeeJet nozzles
2 x Off-centre tips
Wide spray swath



BOOMJET FIT KIT

BoomJet nozzle
2m x 10mm spray hose
Mounting bracket

BAR	L./MIN (MAX)	SPRAY WIDTH	NOZZLE	NOZZLE FIT KIT.
1.5	7.26	10.2	ABJ006	ABJ006KF
2.0	8.38	10.3		
2.5	9.37	10.5		
1.5	11.6	12.0	ABJ010	ABJ010KF
2.0	12.89	12.1		
2.5	14.41	12.3		
1.5	24.00	14.3	ABJ020	ABJ020KF
2.0	27.72	15.2		
2.5	30.99	15.8		
1.5	47.44	17.1	ABJ040	ABJ040KF
2.0	54.78	18.2		
2.5	61.25	19.2		

BOOMLESS NOZZLE

Heavy duty brass nozzle body
90° / 180° swath spraying angles
Spraying up to 17m from a single nozzle
Steel mounting bracket & u-bolt
Easy change spray plates
On/Off tap valve
Make ½" BSP fitting
Optimum mounting height
0.5-0.7m above spray target



BOOMLESS NOZZLE FIT KIT

Boomless nozzle
2m x 10mm spray hose
Hose clamps



SCAN FOR
PRICING



PSI	L/MIN (MAX)	SPRAY WIDTH	LITRES PER HECTARE (KPH)					NOZZLE	NOZZLE FIT KIT
			5	6	8	10	12		
30	3.2	6.7	57	48	36	29	24	ABK02	ABK02K
40	3.8	7	65	54	41	33	27		
50	4.1	7.3	67	56	42	34	28		
60	4.5	7.6	71	59	44	36	30		
30	6.4	13.14	58	49	37	29	24	ANK05	ANK05K
40	7.6	14	65	54	41	33	27		
50	8.4	14.6	69	58	43	35	29		
60	9.1	15.2	72	60	45	36	30		
30	14	15.2	111	92	69	55	46	ABK10	ABK10K
40	15.9	15.2	126	105	78	63	52		
50	17.4	15.8	132	110	83	66	55		
60	18.9	15.8	144	120	90	72	60		
30	19.3	16.4	141	118	88	71	59	ABK20	ABK20K
40	22.4	16.4	164	137	102	82	68		
50	25.4	17	179	149	112	90	75		
60	26.9	17.6	183	153	115	92	76		


SMALL BOOMS

12V SPOT SPRAYER BOOMS



SPRAY BOOM KITS

2/3/4m spray widths
140° deflector nozzle
Breakaway & fold arms - 3m/4m only
Minimum of 6.8L/min pump required




**Not including bracket height.*

CODE	DESCRIPTION	DIMENSIONS*
ABS020	2m Spray Boom kit	1040 L x 75 W x 85 H
ABS030	3m Boom kit, folding arms	2120 L x 75 W x 85 H
ABS040	4m Boom kit, folding arms	3100 L x 75 W x 85H



BOOMLESS NOZZLE SPRAY KIT


1.2m - 5m spray width
Multiple configurations
Fan tip
Wide angle spray
Minimum 6.8L/min pump required



Fan Tip



Wide Angle



CODE	DESCRIPTION	DIMENSIONS
ABSC050	Boomless Nozzle Spray Kit	762 L x 69 W x 112 H



VERSATILE BOOM

1.2M | 4M SPRAY WIDTH

SEE IT IN ACTION!
SCAN THE QR.



As its name suggests, the Versatile Boom is multipurpose with seven different spraying patterns, ideal for spraying weeds, fence lines or firebreaks.

FEATURES

- Sprays up to 4m wide
- 7 different spraying patterns
- 110° low-drift nozzles - non-drip filters
- TeeJet OC-04 brass offset end nozzles
- On / Off ball valve tap - three centre nozzles
- On / Off ball valve tap - OC end jet nozzles
- Boom mount brackets
- 1.2m wide steel frame
- T-piece and valve for filtering in-line

ADJUSTABLE HEIGHT BRACKETS

Can be easily mounted with U-bolt clamps



END JET NOZZLES

Adjust for different angles


NON-DRIP NOZZLES

110° low drift


7 DIFFERENT SPRAYING PATTERNS



JETS LEFT, RIGHT & CENTRE



JETS LEFT OR RIGHT & CENTRE



JETS LEFT OR RIGHT



CENTRE JETS ONLY



LEFT & RIGHT JETS ONLY

CODE	DESCRIPTION	DIMENSIONS	DRY WT
ABVL040	1.2m Versatile Spray boom with 4m spray width	1200 L x 240 W x 660H	5kg
ABVL040UK	1.2m Versatile Spray boom with Lightweight UTV Hitch mount	1200 L x 240 W x 660H*	9.5kg



*Boom measurement only.

RAPID POLY BOOM

4M


Zero corrosion, high impact resistance and maintenance free, the Rapid Poly Boom “takes all the punches and bounces right back into action!”

FEATURES

- UV stabilised polyethylene arms
- Hot dip galvanised steel
- Spring loaded breakaway arms
- Fitted with 110° low drift nozzles
- Non-drip protected nozzles
- Adjustable height mounting brackets
- Plumbed with 12mm spray hose



FULLY PROTECTED
Nozzles on boom arm fully protected from impact



IMPACT RESISTANT

Robust arms bounce right back into action, reducing time lost spraying.



CODE	DESCRIPTION	DIMENSIONS	SPRAY WIDTH
ABP040	4m Rapid Poly Boom with breakaway arms	1120 L x 1330 W x 200 H	4 metres



SEE IT IN ACTION!
SCAN THE QR.



FLAT FOLD STEEL BOOM

6M | 8M

NEW STYLE!

5YR FRAME
1YR COMPONENTRY
WARRANTY

The Rapid Spray Steel Booms with breakaway arms and zinc protection, are whack resistant for those accidental impacts with trees and fence-lines.

FEATURES

Hot dip galvanised steel - rust free protection!
Spring loaded breakaway arms
Fitted with 110° low drift nozzles
Non-drip protected nozzles
Adjustable height mounting brackets
Plumbed with 12mm spray hose
TeeJet nozzle compatible
Left/right isolating on/off taps

**LOCK FOR
TRANSPORT**



SEE IT IN ACTION!
SCAN THE QR.




SPRING LOADED ARMS

For superior impact resistance with easy locking pin for storage

NON-DRIP NOZZLES

Protected to reduce risk of damage



Stainless spray boom tubing

**SCAN FOR
PRICING**



CODE	DESCRIPTION	DIMENSIONS	SPRAY WIDTH
A. ABMF060KF	6m Flat-fold Steel Boom with breakaway arms	2150 L x 1700 W x 250 H	6 metres
ABMF080KF	8m Flat-fold Steel Boom with breakaway arms	2150 L x 1750 W x 250 H	8 metres





BOOM BRACKETS & MOUNTS

SMALL - LARGE BOOMS


SCAN FOR
PRICING



**5 YEAR
FRAME
WARRANTY**

LIGHTWEIGHT UTV HITCH MOUNT

Heavy duty galvanised steel frame
T-bar for mounting smaller booms
Includes hitch pin and clip
50mm hitch receiver



USE WITH

Versatile Boom
Boomless Nozzles



CODE

ATKUBM50MMLW

HEAVY DUTY UTV HITCH MOUNT

Heavy duty galvanised steel frame
U frame for mounting large booms
Includes hitch pin and clip
50mm hitch receiver



USE WITH

Steel Boom - *up to 8m*
Rapid Poly Boom
Versatile Boom



CODE

ATKUBM50MM

SPRAYSCOUT BOOM MOUNTS

Heavy duty galvanised steel frame
Boom mount brackets for SprayScout
models only - designed to slip into
SprayScout forklift pockets



CODE

ATMBMS360

ATMBMS600

ULTIMATE FIELD SPRAYER BOOM MOUNTS

Heavy duty galvanised steel frame
Boom mount brackets for Ultimate field sprayers
Designed to slip into Ultimate frame forklift pockets



CODE

ATMBMB

HOSE REELS & SPRAY GUNS

SUIT EVERY APPLICATION



*Images for marketing purposes only. Water only being sprayed.
Please wear PPE as required for chemicals sprayed.

TAKE BACK SPRAYING

Guarantee spraying ease with the complete range of Buddy Smart Reels and Rapid Poly Reels with unparalleled features and warranties. Find the right spray gun to suit any task from spot spray or high pressure for atomisation. A solution for every application!



“

I should have had one of these probably 40 years ago. Now, you haven't got to go and lift it over stones, rocks or sticks or stumps. Makes things a lot easier, alright.

KEV HENNESSY

Discover what our clients are saying. Scan the QR code.



BUDDY SMART REEL

12/24V AUTO REWIND REEL

The all-new Buddy Smart Reel is your tangle proof solution to spraying the most stubborn weeds in the trickiest of places. Featuring a 'MyPace' auto rewind remote with 2km radius and an impressive three year warranty that's always got your back.


FEATURES

- 50, 100 and 150m hose options
- 10mm or 8mm spray hose options
- 12/24V brushless direct drive motor
- 2km line-of-site radio remote - strong connection in hilly terrain.
- My-Pace remote - offers custom rewind speeds
- On-board control board - reel settings & rewind
- Low voltage protection
- High pressure performance - rated 1,000psi
- Galvanised & powder coated surfaces
- Tapered spool for consistent hose layup
- Stainless steel roller hose guides
- Retro fit - easy 4-bolt mounting



MY-PACE REMOTE

Unique 2-button remote offers custom rewind speeds. You can choose a speed that suits the terrain you are working in.



BATTERY CABLE
CONNECTOR &
WIRING HARNESS
with low voltage
protection



A.



BRUSHLESS HIGH
TORQUE DIRECT
DRIVE MOTOR
Means zero
maintenance on
belts or chains

SCAN QR FOR
50M REEL
SPARE PARTS



SCAN QR FOR
100/150M REEL
SPARE PARTS



ON/OFF & MANUAL
SPEED ADJUSTMENT

*Spray gun sold separately.

CODE	DESCRIPTION	DIMENSIONS	BASE PLATE	DRY WT
A. ATHB050M10	50m Buddy Smart Reel - 10mm hose	536 L x 230 W x 538 H	270 L x 230 W	22kg
ATHB100M10	100m Buddy Smart Reel - 10mm hose	710 L x 260 W x 710 H	333 L x 255 W	42kg
ATHB150M10	150m Buddy Smart Reel - 10mm hose	710 L x 260 W x 710 H	333 L x 255 W	45kg
ATHB05B100M08	100m Buddy Smart Reel - 8mm hose	536 L x 230 W x 538 H	270 L x 230 W	20.5kg

*Spray gun not included.

SCAN FOR
PRICING



HOSE REEL SPARES

BUDDY SMART REEL

SCAN FOR
PRICING &
SPARE
PARTS



1 YEAR
COMPONENTRY
WARRANTY

MY-PACE REMOTE CONTROL

Supplied with 2 AA batteries - 915Mhz

USE WITH

Buddy Smart Reels from
Serial No. SB1000 and onwards

CODE

ARIR1CSM My-Pace Remote

ARIR1CPL Lanyard & Pouch



BUDDY SMART REEL VS. MANUAL REELS: A GAME-CHANGER FOR SPRAYERS

Compare the innovative features of the Buddy Smart Reel with traditional manual reels and see how automation can transform your spraying experience with improved safety, productivity, and reliability.

FEATURE	BUDDY SMART AUTO REWIND REEL	MANUAL REEL
Ease of Use	One-touch operation.	Requires manual effort.
Efficiency	Saves time with faster hose deployment and retrieval.	Slower process, increasing time spent on tasks.
Fatigue Reduction	Minimizes physical strain, ideal for prolonged use.	Can cause fatigue, especially in large areas.
Cost-Effectiveness	Save time and complete spraying jobs faster.	Lower upfront price. Higher ongoing labour cost.
Compatibility	Easily integrates with a wide range of sprayers and systems.	Limited compatibility depending on model and design.

RAPID POLY REEL


MANUAL HOSE REEL

15YR POLY
5YR FRAME
WARRANTY

Australian Made, robust and built tough, our manual Rapid Poly hose reels come in a range of hose lengths and mount styles to suit your application.

FEATURES

- 30m, 50m and 100m hose options
 - 10mm spray hose
 - 580psi rated
 - Poly spool - rust and erosion resistant
 - Hot dip steel frame
 - Lock pin prevents spool unravelling
 - Easy wind rotating handle
- 12mm spray hose available
Ring 1800 011 000 for prices.



*Spray gun not included.



BARE REEL

Bare (no hoses)
10mm fittings
Suits 10mm spray hose

CODE	DESCRIPTION / DIMENSIONS	DRY WT
A. ATHW05B10	30/50m Base Mount Bare Reel 470 L x 280 W x 480 H	5.7kg
ATHW10B10	100m Base Mount Bare Reel 615 L x 370 W x 660 H	10kg




BASE MOUNT WITH HOSE

30M, 50M & 100M

10mm Ø hose
10mm fittings
Steel base mount frame

CODE	DESCRIPTION / DIMENSIONS	DRY WT
A. ATHW05B030M10	30m Base Mount with 10mm hose 470 L x 280 W x 480 H	9.7kg
ATHW05B050M10	50m Base Mount with 10mm hose 470 L x 280 W x 480 H	13kg
ATHW10B100M10	100m Base Mount with 10mm hose 615 L x 370 W x 660 H	24kg






SPRAY LANCES

HOME & GARDEN

**1 YEAR
WARRANTY**

ECONOMY SPRAY LANCE

Chromed aluminium wand
On/Off hand trigger
Brass or poly adjustable nozzles
10mm hose tail



	CODE	DESCRIPTION	PRESSURE	LENGTH	DRY WT
A.	AHL012RP	Jacto Lance - suits Jacto backpack sprayers	5 bar / 70psi	750mm	0.3kg
B.	AHG112TRP	RapidJet Ergonomic spray gun (5 - 15L/min)	17 bar / 250psi	755mm	0.4kg
C.	AHL009RP	850mm Economy spray lance - with adjustable nozzle	7 bar / 100psi	760mm	0.2kg
D.	AHL008RP	800mm Economy spray lance	4 bar / 60psi	800mm	0.2kg
E.	AHL010RP	Telescopic spray lance - with trigger lock	5 bar / 70psi	1310mm	0.3kg

SCAN FOR
PRICING
& SPARE
PARTS





POWERJET

SPRAY GUN




SCAN FOR
SPARE PARTS

1 YEAR
WARRANTY

SPOT 300 POWERJET

Heavy duty reinforced poly handle
Stainless steel lance
Adjustable brass spray 1.5mm nozzle
Teflon seals
10mm hose tail



SCAN FOR
PRICING



CODE	DESCRIPTION	MAX FLOW	PRESSURE	LENGTH	DRY WT
AHG105TRP	Spot 300 Powerjet spray gun	5 - 15L/min	40 bar / 580psi	300mm	0.7kg

POWERJET PISTOL GRIP



Heavy duty reinforced poly handle
Stainless steel lance
Adjustable brass spray nozzle
10mm hose tail & swivel



Fan



Jet



CODE	DESCRIPTION	MAX FLOW	PRESSURE	LENGTH	DRY WT
A. AHG109STRP	PowerJet 475 spray gun	5 - 15L/min	20 bar / 300psi	475mm	0.6kg
B. AHG110STRP	PowerJet 700 spray gun	5 - 15L/min	20 bar / 300psi	700mm	0.6kg
C. AHG111STRP	PowerJet 865 spray gun	5 - 15L/min	20 bar / 300psi	865mm	0.7kg

SCAN FOR
PRICING





DRIPLESS SHUT-OFF

SPRAY GUN



SCAN FOR
SPARE PARTS

1 YEAR
WARRANTY

Stop unintentional drips with this brass Dripless nozzle spray gun - stops drips at the tip!

FEATURES

- Heavy duty reinforced poly handle
- Stainless steel lance
- Adjustable brass cone nozzle
- 10mm hose tail
- Viton seals



SCAN FOR
PRICING



CODE	DESCRIPTION	MAX FLOW	PRESSURE	LENGTH	DRY WT
AHG113TRP	Dripless spray gun	1.5 - 2.5L/min	4 bar / 60psi	850mm	0.7kg



PISTOL GRIP

SPRAY GUN

Heavy duty steel, aluminium and brass construction, the Pistol Grip long range spray gun is ideal for tough spraying conditions!

FEATURES

- Stainless steel / aluminium / brass construction
- High pressure capacity
- Teflon seals
- Adjustable spray 2.5mm nozzle*
- 10mm hose tail & swivel



SCAN FOR
SPARE PARTS

1YEAR
WARRANTY



SCAN FOR
PRICING



CODE	DESCRIPTION	MAX FLOW	PRESSURE	LENGTH	DRY WT
AHG104STRP	Pistol Grip all metal spray gun	15 - 25L/min	55 bar / 800psi	180mm	0.8kg

*Other nozzle sizes available

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

Visit your local dealer, call 1800 011 000 or visit rapidspray.net



SCAN
FOR
SPARE
PARTS

TURBO 400

SPRAY GUN

1 YEAR
WARRANTY

With multiple spray patterns, ergonomic design and heavy duty construction, the Turbo 400 is the ultimate spray gun ideal for professional and general use spraying.

FEATURES

Adjustable atomiser nozzle for fine mist spraying
Viton seal - aggressive chemicals
High pressure capacity
Adjustable lance length

PENCIL STREAM

Ideal for distance spraying / high pressure



MID STREAM

Covers a large area quickly



FINE MIST

Reduction in droplet size for full leaf coverage



POLY TURBO 400 SPRAY GUN

Heavy duty poly handle
Adjustable atomiser nozzle for fine mist spraying
Viton seal - aggressive chemicals
High pressure capacity
Adjustable atomising cone
2.3mm nozzle
10mm hose tail



NOZZLE SHROUD
Back spray protection

CODE	DESCRIPTION	MAX FLOW	PRESSURE	LENGTH	DRY WT
AHG102STRP	Poly Turbo 400 spray gun	8 - 22L/min	50 bar / 725psi	400mm	0.6kg




METAL TURBO 400 SPRAY GUN

Heavy duty metal alloy handle
Adjustable atomiser nozzle for fine mist spraying
Viton seal - aggressive chemicals
High pressure capacity
Adjustable atomising cone
2.3mm nozzle
10mm hose tail



SPRAY LEVER
Quick change spray pattern

CODE	DESCRIPTION	MAX FLOW	PRESSURE	LENGTH	DRY WT
AHG103STRP	Metal Turbo 400 spray gun	8 - 22L/min	50 bar / 725psi	400mm	0.8kg



PUMPS, MOTORS & REGULATORS

CONFIDENT SPRAYING

LEADING PUMP BRANDS

Find the best pump to suit your spraying application whether it be a 12V pump or a high performance motorised diaphragm pump. With market leading global brands available, you are guaranteed quality when spraying in the field.

RAPIDLINE - 12V

4.1L/MIN - 26.5L/MIN



SCAN FOR
SPARE PARTS

**2 YEAR
EXTENDABLE
WARRANTY**

4.1L/MIN

4.1L/min 4.8 bar / 70psi
Viton valves
Santoprene diaphragm
10mm hose barbs
Intermittent duty cycle
**Hose fittings not required*



A.

6.8L/MIN

6.8L/min 8 bar / 120psi
Viton valves
Santoprene diaphragm
3D quick attach ports
Suction filter inc.
Hose fittings inc.
Continuous duty cycle



B.

19.0L/MIN

19.0L/min 4 bar / 60psi
Viton valves
Santoprene diaphragm
5D quick attach ports
Suction filter inc.
Hose fittings inc.
Continuous duty cycle



C.

26.5L/MIN

26.5L/min 4 bar / 60psi
Viton valves
Santoprene diaphragm
5D quick attach fittings
Suction filter inc.
Hose fittings inc.
Continuous duty cycle



D.

	CODE	DESCRIPTION	BEST FOR	AMPS (MAX)	MAX FLOW	PRESSURE
A.	APR0040	4.0L/min RapidLine	Spot spraying	4	4.0L/min	4.8 bar / 70psi
B.	APR0068Q	6.8L/min RapidLine	Spot spraying	12	6.8L/min	8 bar / 120psi
C.	APR0190Q	19.0L/min RapidLine	Spot & small boom	18	19.0L/min	4 bar / 60psi
D.	APR0265Q	26.5L/min RapidLine	Med-large boom	25	26.5L/min	4 bar / 60psi

SCAN FOR
PRICING



DELAVAN PUMPS

WHY BUY DELAVAN PUMPS?

Delavan pumps are a firm favourite of spraying contractors and farmers all around the world. Delavan USA utilise bigger bearings, and heavier motor casings so the pumps run longer and cooler every day.



**LONG LASTING
VITON VALVES**



**DURABLE
SANTOPRENE
DIAPHRAGM**



**DUAL BEARINGS
FOR SMOOTHER
RUNNING**



QUICK ATTACH FITTINGS

3D = $\frac{5}{8}$ " (16mm OD)

5D = $\frac{3}{4}$ " (19mm OD)



DELAVAN PUMPS - 12V

3.8L/MIN - 7.5L/MIN

2200-201

3.8L/min 2 bar 40psi

10mm hose barbs

***Fittings not required*



7801-201

3.8L/min 4 bar 60psi

3D quick attach ports

10mm elbow fittings



OPTIONAL UPGRADE

Regulator, filter & gauge kit

*Picture for marketing purposes only.
Regulator not standard across range.



	NAME	BEST FOR	AMPS (MAX)	MAX FLOW	PRESSURE	PUMP & FITTING	PUMP, REG & FILTER KIT
A.	2200-201	Spot spraying	3.5A	3.8L/min	2 bar / 40psi	APD0038RP**	N/A
B.	7801-201	Spot spraying	5A	3.8L/min	4 bar / 60psi	APD0038Q10ERP	APD0038Q10ERPK

SCAN FOR
PRICING
& SPARE
PARTS



7802-201

7.5L/min 4 bar 60psi

3D quick attach ports

10mm elbow fittings



7812-201

7.5L/min 4 bar 60psi

3/8" female threaded ports

10mm elbow fittings



7802-201HS

7.5L/min 6.8 bar / 100psi

Cooling fins (CDPHS01)

3D quick attach ports

10mm elbow fittings



	NAME	BEST FOR	AMPS (MAX)	MAX FLOW	PRESSURE	PUMP & FITTING	PUMP, REG & FILTER KIT
A.	7802-201	Spot & small boom	6A	7.5L/min	4 bar / 60psi	APD0077Q10ERP	APD0077Q10ERPK
B.	7812-201	Spot & small boom	10A	7.5L/min	4 bar / 60psi	APD0077T10ERP	N/A
C.	7802-201HS	Spot & small boom	8.5A	7.5L/min	6.8 bar / 100psi	APD0076Q10ERP	APD0076Q10ERPK

SCAN FOR
PRICING
& SPARE
PARTS



DEHAVAN PUMPS - 12V

8.3L/MIN - 19.0L/MIN

7822-201

8.3L/min 4 bar / 60psi
5D quick attach ports
10mm elbow fittings

7822FS-221

8.3L/min 4 bar / 60psi
Bypass/ Demand Pump
“Pulse Free” - eliminates pump cycling



	NAME	BEST FOR	AMPS (MAX)	MAX FLOW	PRESSURE	PUMP & FITTING	PUMP, REG & FILTER KIT
A.	7822-201	Spot & small boom	8.5A	8.3L/min	4 bar / 60psi	APD0083Q10ERP	APD0083Q10ERPK
	7822FS-221	Spot spraying	13A	8.3L/min	D: 6 bar / 85psi B: 6.8 bar / 100psi	APDS0083Q10E	-
B.	5930-201	Spot & small boom	10A	11.4L/min	4 bar / 60psi	APD0114Q10ERP	APD0114Q10ERPK

OPTIONAL UPGRADE

Regulator, filter & gauge kit

*Picture for marketing purposes only.
Regulator not standard across range.



5940-201

15.2L/min 4 bar / 60psi
5D quick attach ports
12mm elbow fittings



	NAME	BEST FOR	AMPS (MAX)	MAX FLOW	PRESSURE	PUMP & FITTING	PUMP, REG & FILTER KIT
A.	5940-201	Spot & small boom	12A	15.2L/min	4 bar / 60psi	APD0152Q12ERP	APD0152Q12ERPK
B.	5950-201	Spot & small boom	16A	19.0L/min	3 bar / 45psi	APD0190Q12ERP	APD0190Q12ERPK

5950-201

19.0L/min 3 bar / 45psi
5D quick attach ports
12mm elbow fittings



SCAN FOR
PRICING
& SPARE
PARTS



SCAN FOR
PRICING
& SPARE
PARTS



DELAVAN PUMPS - 12V

26.5L/MIN

FB2

26.5L/min 6.8 bar / 100psi
Cooling fins (CDPHS0125)
5D quick attach ports
12mm elbow fittings



OPTIONAL UPGRADE
Regulator, filter & gauge kit

*Picture for marketing purposes only.



SCAN FOR
PRICING
& SPARE
PARTS



	NAME	BEST FOR	AMPS (MAX)	MAX FLOW	PRESSURE	PUMP & FITTING	PUMP, REG & FILTER KIT
A.	FB2	Med-large boom	27A	26.5L/min	6.8 bar / 100psi	APD0265Q12ERP	APD0265Q12ERPK

DELAVAN PUMPS - 24V

7.5L/MIN - 15.2L/MIN

7802-201/24

7.5L/min 6.8 bar / 100psi
Cooling fins (CDPHS01)
3D quick attach fittings
10mm elbow fittings



A.

5940-201/24

15.2L/min 4 bar / 60psi
5D quick attach fittings
12mm elbow fittings



B.

	NAME	BEST FOR	AMPS (MAX)	MAX FLOW	PRESSURE	CODE
A.	7802-201/24	Spot & small boom	8.5A	7.5L/min	6.8 bar / 100psi	APD0076QV210E
B.	5940-201/24	Spot & small boom	8.5A	15.2L/min	4 bar / 60psi	APD0152QV212E

SCAN FOR
PRICING
& SPARE
PARTS





COMMANDO


PUMP & MOTOR



The economical Commando pump is a simple and easy to use high performance pump.

FEATURES

Commando 12L/min 25 bar 360psi pump
Honda GX35 motor
Pressure regulator & gauge
Mounting feet



CODE	DIMENSIONS	WT
A. APP0120G (Pump only)	290 L x 130 W x 190 H	10kg
B. APP0120GHA	555 L x 375 W x 375 H	15kg



COMMANDO PUMP, MOTOR & REEL

Commando 12L/min 25 bar 360psi pump
Honda GX35 motor
Pressure regulator & gauge
30m x 8mm manual hose reel
Genuine Turbo 400 spray gun
Frame with mounting feet



CODE	DIMENSIONS	WT
APP0120GH030G	550 L x 380 W x 380 H	20kg



Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.



SCAN FOR
SPARE PARTS



MARUYAMA

PUMP



MSD41

33L/min 40 bar 580psi
3 piston pump
Uniflow - continuous forward flow fluid movement
Direct drive design
Chrome coated cylinders
3/4 key shaft
Pressure regulator inc.



CODE	DIMENSIONS	WT
APM0330R	195 L x 255 W x 210 H	5.3kg



MSD51

45L/min 40 bar 580psi
3 piston pump
Uniflow - continuous forward flow fluid movement
Direct drive design
Chrome coated cylinders
3/4 key shaft
Pressure regulator inc.



CODE	DIMENSIONS	WT
APM0450R	235 L x 337 W x 176 H	7.8kg





MARUYAMA

PUMP & MOTOR



MSD41 & HONDA GX200

33L/min 40 bar 580psi
3 piston pump
GX200 Honda motor
Uniflow - continuous forward flow
fluid movement
Direct drive design
Chrome coated cylinders
¾ key shaft
Pressure regulator inc.



CODE	DIMENSIONS	WT
APM0330RZ	455 L x 385 W x 345 H	21.3kg



MSD51 & HONDA GX200

45L/min 40 bar 580psi
3 piston pump
GX200 Honda motor
Uniflow - continuous forward flow
fluid movement
Direct drive design
Chrome coated cylinders
¾ key shaft
Pressure regulator inc.



**MSD41 pictured*

CODE	DIMENSIONS	WT
APM0450RZ	495L x 385 W x 345 H	23.8kg



BERTOLINI

PTO DRIVE



POLY 2020

22L/min 20 bar 290psi
2 diaphragm pump
1 3/8 spline shaft
Stainless steel check valves
Wet end components anodized



CODE	DIMENSIONS	WEIGHT
APL0220S	238 L x 304 W x 219 H	5.6kg

PA530

54L/min 40 bar 580psi
3 diaphragm pump
1 3/8 spline shaft
Stainless steel check valves
Wet end components anodize



CODE	DIMENSIONS	WEIGHT
APL0540S	335 L x 230 W x 256 H	4.0kg

PA330

34L/min 40 bar 580psi
3 diaphragm pump
1 3/8 spline shaft
Stainless steel check valves
Wet end components anodized



CODE	DIMENSIONS	WEIGHT
APL0340S	239 L x 201 W x 220 H	2.4kg

POLY 2073

75L/min 15 bar 218psi
3 diaphragm pump
1 3/8 spline shaft
Stainless steel check valves
Wet end components anodized



CODE	DIMENSIONS	WEIGHT
APL0750S	236 L x 240 W x 260 H	2.1kg



BERTOLINI

PUMP & GEARBOX



SCAN FOR
SPARE PARTS

SCAN FOR
PRICING



**1 YEAR
PUMP
WARRANTY**

POLY 2020 & GEARBOX

22L/min 20 bar 290psi
2 diaphragm pump
Gear box to suit | ¾ key shaft
Stainless steel check valves
Wet end components anodized



CODE	DIMENSIONS	WEIGHT
APL0220 (Pump only)	238 L x 183 W x 219 H	-
APL0220KG	463 L x 304 W x 219 H	10kg

PA530 & GEARBOX

54L/min 40 bar 580psi
3 diaphragm pump
Gear box to suit
¾ key shaft
Stainless steel check valves
Wet end components anodized



CODE	DIMENSIONS	WEIGHT
APL0540 (Pump only)	275 L x 230 W x 256 H	-
APL0540KG	350 L x 230 W x 256 H	13kg

PA330 & GEARBOX

34L/min 40 bar 580psi
3 diaphragm pump
Gear box to suit | ¾ key shaft
Stainless steel check valves
Wet end components anodized



CODE	DIMENSIONS	WEIGHT
APL0340 (Pump only)	219 L x 145 W x 220 H	-
APL0340KG	255 L x 201 W x 220 H	12kg

POLY 2073 & GEARBOX

75L/min 15 bar 218psi
3 diaphragm pump
Gear box to suit
¾ key shaft
Stainless steel check valves
Wet end components anodized



CODE	DIMENSIONS	WEIGHT
APL0750 (Pump only)	286 L x 240 W x 260 H	-
APL0750KG	365 L x 240 W x 260 H	15kg



BERTOLINI

PUMP, MOTOR & GEARBOX

SCAN FOR
PRICING



POLY 2020 WITH GEARBOX & GX200 HONDA MOTOR

22L/min 20 bar 290psi
2 diaphragm pump
Gear box to suit
GX200 Honda Motor
Wet end components anodized



CODE	DIMENSIONS	WEIGHT
APL0220KGH	696 L x 385 W x 345 H	20.5kg

PA530 WITH GEARBOX & GX200 HONDA MOTOR

54L/min 40 bar 580psi
3 diaphragm pump
Gear box to suit
GX200 Honda Motor
Wet end components anodized



CODE	DIMENSIONS	WEIGHT
APL0540KGH	740 L x 385 W x 345 H	35kg

PA330 WITH GEARBOX & GX200 HONDA MOTOR

34L/min 40 bar 580psi
3 diaphragm pump
Gear box to suit
GX200 Honda Motor
Wet end components anodized



CODE	DIMENSIONS	WEIGHT
APL0340KGH	640 L x 385 W x 345 H	27kg

POLY 2073 WITH GEARBOX & GX200 HONDA MOTOR

75L/min 15 bar 218psi
3 diaphragm pump
Gear box to suit
GX200 Honda Motor
Wet end components anodized



CODE	DIMENSIONS	WEIGHT
APL0750KGH	625 L x 385 W x 345 H	30.2kg



BERTOLINI

PUMP, GEARBOX, REGULATOR & MOTOR

SCAN FOR
PRICING



**3YR ENGINE
1YR PUMP
WARRANTY**

POLY 2020 WITH GX200 HONDA MOTOR


22L/min 20 bar 290psi
2 diaphragm pump
GX200 Honda motor
Bertolini regulator & gauge
Stainless steel check valves
Wet end components anodized



CODE	DIMENSIONS	WEIGHT
APL0220KGHK	696 L x 385 W x 345 H	26kg

PA530 WITH GX200 HONDA MOTOR

54L/min 40 bar 580psi
3 diaphragm pump
GX200 Honda motor
Bertolini regulator & gauge
Stainless steel check valves
Wet end components anodized



CODE	DIMENSIONS	WEIGHT
APL0540KGHK	740 L x 385 W x 345 H	29kg

PA330 WITH GX200 HONDA MOTOR


34L/min 40 bar 580psi
3 diaphragm pump
GX200 Honda motor
Bertolini regulator & gauge
Stainless steel check valves
Wet end components anodized



CODE	DIMENSIONS	WEIGHT
APL0340KGHK	640 L x 385 W x 345 H	28kg

POLY 2073 WITH GX200 HONDA MOTOR

75L/min 15 bar 218psi
3 diaphragm pump
GX200 Honda motor
Arag regulator & gauge
Stainless steel check valves
Wet end components anodized



CODE	DIMENSIONS	WEIGHT
APL0750KGHK	625 L x 385 W x 345 H	31kg

REGULATORS & CONTROLS

BERTOLINI | ARAG



BERTOLINI 15 BAR STING REGULATOR

Pressure gauge
3 way outlet with ball taps

USE WITH
Bertolini Poly 2073



CODE	L/MIN	PRESSURE
ATRB15B09013M3K	90L/min	15 bar / 218psi

ARAG MANUAL REGULATOR

Regulator & gauge
3 manual section valves



CODE	L/MIN	PRESSURE
ATRA10B080X3M3	80L/min	9 bar / 140psi

ARAG REGULATOR - MULTI CONTROL

Regulator & gauge
2 electric section valve
1 manual section valve
Electric main ON/OFF

USE WITH
ATCC2WV Control Box



CODE	L/MIN	PRESSURE
ATRA20B14023E2M1	140L/min	20 bar / 290psi

BERTOLINI 40 BAR STING REGULATOR

Pressure gauge
3 way outlet with ball taps

USE WITH
Bertolini PA330
Bertolini PA530



CODE	L/MIN	PRESSURE
ATRB40B09013M3K	90L/min	40 bar / 580psi

ARAG REGULATOR - MULTI CONTROL

Regulator & gauge
3 manual section valves
Manual main ON/OFF

USE WITH
Bertolini Poly 2073



CODE	L/MIN	PRESSURE
ATRA20B14013M3	140L/min	20 bar / 290psi

ARAG REGULATOR - MULTI CONTROL

Regulator & gauge
3 electric section valve
1 manual section valve
Electric main ON/OFF

USE WITH
ATCC2WVP3P Control Box



CODE	L/MIN	PRESSURE
ATRA20B14023E3M1	140L/min	20 bar / 290psi

CONTROLS

BERTOLINI | ARAG

SCAN FOR
PRICING



1 YEAR
COMPONENTRY
WARRANTY

ARAG SECTION VALVE

Single electric section valve
10mm hose tail
3 wire



CODE	L/MIN	PRESSURE
CAP8630011	140L/min	20 bar / 290psi

SOLENOID KIT

½" Brass single solenoid valve
3.6m electrical leads
½" BSP ports
10mm hose tails



CODE	L/MIN	PRESSURE
ATVS10B036RP	20L/min	9 bar / 140psi

CONTROL BOX - 1 WAY

1 way switch box
Cables
3 wire



CODE
ATCC1W

CONTROL BOX - 2 WAY

2 way switch box
Cables
3 wire



CODE
ATCC2W

CONTROL BOX - ON/OFF

2 way switch box
Main ON/OFF switch
Cables
3 wire



CODE
ATCC2WW

CONTROL BOX - PRESSURE CONTROL

3 way switch box
Main ON/OFF switch
Pressure control switch
Cables
2/3 wire



CODE
ATCC3WVP3P



NOZZLES

QUALITY & PRECISION



MOST POPULAR NOZZLE BRANDS

Rapid Spray stocks a large range of quality and precision spray nozzles from world famous components and nozzle suppliers including ASJ by ARAG and TeeJet. Offering outstanding accuracy, there are a wide range available for spraying most chemicals.



NOZZLE SELECTION GUIDE

TEEJET & ARAG (ASJ) NOZZLES

CAUTION

Always consult with your local agronomist before commencing spraying. Always follow the chemical manufacturer's product label for specific rate and application recommendations. Rapid Spray is not a certified agronomist, and takes no responsibility or liability for incorrectly sprayed chemicals. Rapid Spray cannot give advice on spraying recommendations.

NOZZLE DROPLET SIZE

When choosing a nozzle, beware of spray drift. Finer droplets are at higher risk of spray drift, than larger coarse droplets. Key factors when choosing a nozzle is:

Finer droplets: excellent leaf coverage, for critical spraying such as post-emergence applications.

Mid-range droplets: commonly used in the application of systemic herbicides, insecticide and herbicides.


Larger droplets: ideal for systemic and soil applied herbicides, minimal drift.

CATEGORY	SYMBOL	COLOUR CODE	APPLICATION TYPES
Extremely Fine	XF	Violet	Specialty applications only
Very Fine	VF	Red	
Fine	F	Orange	
Medium	M	Yellow	Maximum coverage - ideal for contact products
Coarse	C	Blue	
Very Coarse	VC	Green	Maximum drift control - ideal for systemic herbicides
Extremely Coarse	XC	White	


*Please note colours in Code / Pricing column indicate colour of nozzle, not droplet size.

IDENTIFY YOUR NOZZLE

Each nozzle surface is embossed with the brand name, nozzle type, spray angle, capacity and material.



NOZZLE CODE EXPLAINED



NOZZLES


ARAG (ASJ)

ASJ nozzles are manufactured by the world famous component supplier ARAG and offer outstanding accuracy and competitive pricing.

LOW DRIFT NOZZLES

Pack 10

Available to 80° and 110°
Produces coarse droplets with narrow spray pattern
Moulded in polyacetel for outstanding wear
Can be used in knapsack sprayers where the nozzles are used on a 2 - 4 nozzle boom



LIQUID
FERTILISERS



PESTICIDES &
FOLIAR



HERBICIDES &
BROADCAST

CAP
CNQG402900



SCAN FOR
PRICING




SIZE	BAR	DROP SIZE	L/MIN	L/HA (NOZZLE SPACING: 50CM)							80° PACK 10	110° PACK 10
				6 KM/H	8 KM/H	10 KM/H	12 KM/H	14 KM/H	16 KM/H	18 KM/H		
LD080015 LD110015	1.5	F	0.42	85	64	51	42	36	32	28	CNSLD080015X10	CNSLD110015X10
	3	VF	0.60	120	90	72	60	51	45	40		
	4	VF	0.69	139	104	83	69	59	52	46		
	5	VF	0.77	155	116	93	77	66	58	52		
LD08002 LD11002	7	VF	0.92	183	137	110	92	79	69	61	CNSLD080020X10	CNSLD110020X10
	1.5	F	0.57	113	85	68	57	48	42	38		
	3	F	0.80	160	120	96	80	69	60	53		
	4	F	0.92	185	139	111	92	79	69	62		
LD08003 LD11003	5	F	1.03	207	155	124	103	89	77	69	CNSLD080030X10	CNSLD110030X10
	7	F	1.22	244	183	147	122	105	92	81		
	1.5	M	0.85	17	127	102	85	73	64	57		
	3	M	1.20	240	180	144	120	103	90	80		
LD08004 LD11004	4	M	1.39	277	208	166	139	119	104	92	CNSLD080040X10	CNSLD110040X10
	5	M	1.55	310	232	186	155	133	116	103		
	7	M	1.83	367	275	220	183	157	137	122		
	1.5	C	1.13	226	170	136	113	97	85	75		
LD08005 LD11005	3	C	1.60	320	240	12	160	137	120	107	CNSLD080050X10	CNSLD110050X10
	4	C	1.85	370	277	222	185	158	139	123		
	5	C	2.07	413	310	248	207	177	155	138		
	7	C	2.44	489	367	293	244	209	183	163		
	1.5	C	1.41	283	212	170	141	121	106	94		
	3	C	2.00	400	300	240	200	171	150	133		
	4	C	2.31	462	346	277	231	198	173	154		
	5	C	2.58	516	387	310	258	221	194	172		
	7	C	3.06	611	458	367	306	262	229	204		

DEFLECTOR 140 NOZZLES

Pack 10

Wide spray to 140° - up to 1m spray width
 Gives a narrow rectangular spray pattern
 Reduced potential for clogging due to round orifice
 Screwdriver slot at front enables nozzle alignment
 Coarse droplets with reduced drift at 1 - 2 bar



HERBICIDES &
BROADCAST



CAP
CNQG40290803



SCAN FOR
PRICING



CODE	BAR	DROP SIZE	L/MIN	L/HA (NOZZLE SPACING: 100CM)						140° PACK 10
				6 KM/H	8 KM/H	10 KM/H	12 KM/H	14 KM/H	16 KM/H	
DEF140015	1	M	0.69	69	52	42	35	30	26	CNSDEF140015X10
	2	F	0.98	98	73	59	49	42	37	
	3	F	1.20	120	90	72	60	51	45	
	4	F	1.39	139	104	83	69	59	52	
	5	F	1.55	155	116	93	77	66	58	
	6	F	1.70	170	127	102	85	73	64	
DEF14002	1	M	0.92	92	69	55	46	40	35	CNSDEF140020X10
	2	F	1.31	131	98	78	65	56	49	
	3	F	1.60	160	120	96	80	69	60	
	4	F	1.85	185	139	111	92	79	69	
	5	F	2.07	207	155	124	103	89	77	
	6	F	2.26	226	170	136	113	97	85	
DEF140025	1	M	1.15	115	87	69	58	49	43	CNSDEF140025X10
	2	M	1.63	163	122	98	82	70	61	
	3	F	2.00	200	150	120	100	86	75	
	4	F	2.31	231	173	139	115	99	87	
	5	F	2.58	258	194	155	129	111	97	
	6	F	2.83	283	212	170	141	121	106	
DEF14003	1	M	1.39	139	104	83	69	59	52	CNSDEF140030X10
	2	M	1.96	196	147	118	98	84	73	
	3	F	2.40	240	180	144	120	103	90	
	4	F	2.77	277	208	166	139	119	104	
	5	F	3.10	310	232	186	155	133	116	
	6	F	3.39	339	255	204	170	145	127	
DEF14004	1	C	1.85	185	139	111	92	79	69	CNSDEF140040X10
	2	C	2.61	261	196	157	131	112	98	
	3	M	3.20	320	240	192	160	137	120	
	4	M	3.70	370	277	222	185	158	139	
	5	M	4.13	413	310	248	207	177	155	
	6	M	4.53	453	339	272	226	194	170	



NOZZLES

TEEJET

Scan the QR code to check the full of ASJ and Teejet range online



TURBO WIDE ANGLE 110°

Pack 10

Available in 110°

Tapered edge wide angle flat spray pattern for uniform coverage in broadcast spraying

Full coverage maintained over a wide pressure range

Ideal for use with machines using auto application rate controllers

Precision moulded in polyacetal - superior wear life

Large rounded internal passage to minimise clogging

Larger droplets for less drift (1 - 6 bar)

NOTE: Always double check your application rates.
Tabulations are based on spraying water at 21°C (70°F)



PESTICIDES &
FOLIAR



HERBICIDES &
BROADCAST



FUNGICIDE
SPRAYING



SCAN FOR
PRICING



AIR INDUCTION XR

Pack 10

110° wide - taped flat spray angle
Two piece polymer construction
Compact size - prevents damage
Removable pre-orifice



SCAN FOR
PRICING



NOTE: Always double check your application rates. Tabulations are based on spraying water at 21°C (70°F)



	BAR	DROP SIZE	L/MIN	L/HA (NOZZLE SPACING: 50CM)													110° PACK 10
				4 KM/H	5 KM/H	6 KM/H	7 KM/H	8 KM/H	10 KM/H	12 KM/H	16 KM/H	18 KM/H	20 KM/H	25 KM/H	30 KM/H	35 KM/H	
AIR110015	1.0	XC	0.34	102	81.6	68.0	58.3	51.0	40.8	34.0	25.5	22.7	20.4	16.3	13.6	11.7	CNSAIXR110015X10
	2.0	VC	0.48	144	115	96.0	82.3	72.0	57.6	48.0	36.0	32.0	28.8	23.0	19.2	16.5	
	3.0	C	0.59	177	142	118	101	88.5	70.8	59.0	44.3	39.3	35.4	28.3	23.6	20.2	
	4.0	C	0.68	204	163	136	117	102	81.6	68.0	51.0	45.3	40.8	32.6	27.2	23.3	
	5.0	M	0.76	228	182	152	130	114	91.2	76.0	57.0	50.7	45.6	36.5	30.4	26.1	
	6.0	M	0.83	249	199	166	142	125	99.6	83.0	62.3	55.3	49.8	39.8	33.2	28.5	
AIR11002	1.0	XC	0.46	138	110	92.0	78.9	69.0	55.2	46.0	34.5	30.7	27.6	22.1	18.4	15.8	CNSAIXR110020X10
	2.0	VC	0.65	195	156	130	111	97.5	78.0	65.0	48.8	43.3	39.0	31.2	26.0	22.3	
	3.0	C	0.79	237	190	158	135	119	94.8	79.0	59.3	52.7	47.4	37.9	31.6	27.1	
	4.0	C	0.91	273	218	182	156	137	109	91.0	68.3	60.7	54.6	43.7	36.4	31.2	
	5.0	C	1.02	306	245	204	175	153	122	102	76.5	68.0	61.2	49.0	40.8	35.0	
	6.0	M	1.12	336	269	224	192	168	134	112	84.0	74.7	67.2	53.8	44.8	38.4	
AIR110025	1.0	XC	0.57	171	137	114	97.7	85.5	68.4	57.0	42.8	38.0	34.2	27.4	22.8	19.5	CNSAIXR110025X10
	2.0	XC	0.81	243	194	162	139	122	97.5	81.0	60.8	54.0	48.6	38.9	32.4	27.8	
	3.0	VC	0.99	297	238	198	170	149	119	99.0	74.3	66.0	59.4	47.5	39.6	33.9	
	4.0	C	1.14	342	274	228	195	171	137	114	85.5	76.0	68.4	54.7	45.6	39.1	
	5.0	C	1.28	384	307	256	219	192	154	128	96.0	85.3	76.8	61.4	51.2	43.9	
	6.0	C	1.40	420	336	280	240	210	168	140	105	93.3	84.0	67.2	56.0	48.0	
AIR11003	1.0	UC	0.68	204	163	136	117	102	81.6	68.0	51.0	45.3	40.8	32.6	27.2	23.3	CNSAIXR110030X10
	2.0	XC	0.96	288	230	192	165	144	115	96.0	72.0	64.0	57.6	46.1	38.4	32.9	
	3.0	VC	1.18	354	283	236	202	177	142	118	88.5	78.7	70.8	56.6	47.2	40.5	
	4.0	VC	1.36	408	326	272	233	204	163	136	102	90.7	81.6	65.3	54.4	46.6	
	5.0	C	1.52	456	365	304	261	228	182	152	114	101	91.2	73.0	60.8	52.1	
	6.0	C	1.67	501	401	334	286	251	200	167	125	111	100	80.2	66.8	57.3	
AIR11004	1.0	UC	0.91	273	218	182	156	137	109	91.0	68.3	60.7	54.6	43.7	36.4	31.2	CNSAIXR110040X10
	2.0	XC	1.29	387	310	258	221	194	155	129	96.8	86.0	77.4	61.9	51.6	44.2	
	3.0	XC	1.58	474	379	316	271	237	190	158	119	105	94.8	75.8	63.2	54.2	
	4.0	VC	1.82	546	437	367	312	273	218	182	137	121	109	87.4	72.8	62.4	
	5.0	C	2.04	612	490	408	350	306	245	204	153	136	122	97.9	81.6	69.9	
	6.0	C	2.23	669	535	446	382	335	268	223	167	149	134	107	89.2	76.5	
AIR11005	1.0	UC	1.14	342	274	228	195	171	137	114	85.5	76.0	68.4	54.7	45.6	39.1	CNSAIXR110050X10
	2.0	XC	1.61	483	386	322	276	242	193	161	121	107	96.6	77.3	64.4	55.2	
	3.0	XC	1.97	591	473	394	338	296	236	197	148	131	118	94.6	78.8	67.5	
	4.0	VC	2.27	681	545	454	389	341	272	227	170	151	136	109	90.8	77.8	
	5.0	C	2.54	762	610	508	435	381	305	254	191	169	152	122	102	87.1	
	6.0	C	2.79	837	670	558	478	419	335	279	209	186	167	134	112	95.7	
AIR11006	1.0	UC	1.37	411	329	274	235	206	164	137	103	91.3	82.2	65.8	54.8	47.0	CNSAIXR110060X10
	2.0	XC	1.94	582	466	388	333	291	233	194	146	129	116	93.1	77.6	66.5	
	3.0	XC	2.37	711	569	474	406	356	284	237	178	158	142	114	94.8	81.3	
	4.0	VC	2.74	822	658	548	470	411	329	274	206	183	164	132	110	93.9	
	5.0	C	3.06	918	734	612	525	459	367	306	230	204	184	147	122	105	
	6.0	C	3.35	1005	804	670	574	503	402	335	251	223	201	161	134	115	

BRASS OFF-CENTRE FLAT SPRAY

Pack 10


Highly durable brass construction
Commonly installed in double and single swivel nozzle bodies
Wide spray swath attained with adjustable nozzle bodies

NOTE: Always double check your application rates.
Tabulations are based on spraying water at 21°C (70°F)



	BAR	L/MIN	L/HA (HEIGHT = 45CM)					L/HA (HEIGHT = 60CM)					CODE
			"W" cm	4 KM/H	6 KM/H	8 KM/H	10 KM/H	"W" cm	4 KM/H	6 KM/H	8 KM/H	10 KM/H	
OC-03	2.0	0.96	195	73.8	49.2	36.9	29.5	203	70.9	47.3	35.5	28.4	CNSOC030
	3.0	1.18	203	87.2	58.1	43.6	34.9	210	84.3	56.2	42.1	33.7	
	4.0	1.36	208	98.1	65.4	49.0	39.2	215	94.9	63.3	47.4	38.0	
OC-04	2.0	1.29	231	83.8	55.8	41.9	33.5	236	82.0	54.7	41.0	32.8	CNSOC040
	3.0	1.58	236	100	66.9	50.2	40.2	238	99.6	66.4	49.8	39.8	
	4.0	1.82	238	115	76.5	57.4	45.9	241	113	75.5	56.6	45.3	
OC-08	2.0	2.58	254	152	102	76.2	60.9	279	139	92.5	69.4	55.5	CNSOC080
	3.0	3.16	259	183	122	91.5	73.2	284	167	111	83.5	66.8	
	4.0	3.65	264	207	138	104	83.0	287	191	127	95.4	76.3	
OC-10	See BoomJet Nozzle for more information. Page 78												CNSOC100
OC-20													CNSOC200
OC-40													CNSOC400

FIRE / WASH DOWN NOZZLES



	CODE	DESCRIPTION
A.	CNAFB20F	Brass 3/4 Adjustable fire fighting nozzle
B.	CNAFP20F	20mm Adjustable fire fighting nozzle
B.	CNAFP25F	25mm Adjustable fire fighting nozzle
B.	CNAFP38F	38mm Adjustable fire fighting nozzle



NOZZLE HOLDERS

WET / DRY BOOM NOZZLE BODIES

WET BOOM NOZZLE BODIES





SCAN FOR
PRICING



DESCRIPTION

	CAP, GASKET & BOLTS	SINGLE	PACK 4
A. Clamp Non-Drip Nozzle Holder with check valve, suits ½" pipe		N/A	ATPNCVQ12SX4
B. Clamp Non-Drip Nozzle Holder with check valve, suits ½" pipe, fittings inc.	✓	N/A	ATPNCVQ12CGBX4
C. Hinged Non-Drip Nozzle Holder with check valve, suits ½" pipe		N/A	ATPNHVQ12SX4
D. Hinged Non-Drip Nozzle Holder with check valve, suits ½" pipe, fittings inc.	✓	N/A	ATPNHVQ12CGBX4

DRY BOOM NOZZLE BODIES



CAP & GASKET

SCAN FOR
PRICING



DESCRIPTION

WITHOUT CAP & GASKET

WITH CAP & GASKET

	SINGLE	PACK 4	SINGLE	PACK 4
A. Nozzle Holder Elbow (1-way) with 10mm hose barb (10mm hose)	N/A	-	ATPNDQE10C	-
B. Elbow Nozzle Holder with check valve, 10mm hose barb	N/A	ATPNDVQE10X4	ATPNDVQE10C	ATPNDVQE10CX4
C. Nozzle Holder Tee (2-way) with 10mm hose barb (10mm hose)	ATPNDQT10	-	ATPNDQT10C	-
D. Tee Nozzle Holder with check valve, 10mm hose barb	N/A	ATPNDVQT10X4	N/A	ATPNDVQT10CX4
E. Nozzle Holder Cross (3-way) with 10mm hose barb (10mm hose)	ATPNDQX10	-	ATPNDQX10C	-
F. Cross Nozzle Holder with check valve, 10mm hose barb	N/A	ATPNDVQX10X4	N/A	ATPNDVQX10CX4
G. Vari Spacing Clamp suits 1" (25mm) square tube	ATPNV25	-	-	-

SPR

CHAPIN

SPREADERS

EASY APPLICATION OF FERTILISER & SEED WITH EVEN CONSISTENT SPREADING

Ideal for targeted fertilising or seeding with the small hand crank spreader, or large scale spreading across lawns or gardens with the tow-behind dual stop impeller spreader. Built tough, this spreader range with adjustable triggers, quick change rate settings and durable poly construction will become your first port of call for spreading fertiliser and seed.

HANDHELD & CHEST MOUNT

EASY APPLICATION



CHAPIN®

LIGHTWEIGHT & EASY TO USE

With easy hand crank controls, adjustable gates and side baffles, the handheld and chest mount spreaders make spreading fertiliser and seed easy!

1 YEAR
WARRANTY

HAND CRANK

1.6L

The easy-crank, scoop design makes the Hand Crank spreader easy to use and maintain, ideal for small areas larger spreaders can't go.

FEATURES

- 1.6L capacity scoop
- Compatible with fertiliser & seeds
- Easy hand crank design
- Enclosed gears - protected from debris
- Trigger gate control
- 3 rate adjustment gate settings
- Even spread impeller
- Lightweight - less than 1kg!
- Small compact design

Strong, poly construction



SCAN FOR
PRICING



MATERIALS	GATE SETTING
Fine grain	1
Medium grain	2
Coarse grain	3

CODE	DESCRIPTION	DIMENSIONS	DRY WT
A. SMSCH0002L	1.6L Hand Crank Spreader	304 L x 158 W x 177 H	0.45kg



CHEST MOUNT

11L



With padded shoulder straps, side baffles for controlled spreading and adjustable gate trigger, spreading fertiliser and seed has never been easier!

FEATURES

- Front, wide-mouth opening reduces spillage
- Enclosed hopper protects from weather
- Compatible with fertiliser and seed
- Trigger control to adjust gate opening
- Adjustable gate control for direction of spread
- Easy hand crank
- Side baffles deflect product spread
- Padded adjustable shoulder straps
- Strong poly construction



TRIGGER CONTROL

Adjustable for even fertiliser / seed spreading



GATE CONTROL
for direction fo spread



SCAN FOR PRICING



CODE	DESCRIPTION	DIMENSIONS	DRY WT
A. SMSCK0011L	11L Chest Mount spreader	267 L x 254 W x 482 H	2.6kg



PUSH & TOW BEHIND

DURABLE & TOUGH



BUILT TO OUTLAST THE REST

With powder-coated steel frames, the push and tow-behind spreader ranges are ideal for larger gardens, grass areas or fields.

PUSH SPREADER

36KG

Boasting a tough powder-coated steel frame, fully adjustable gate dial and enclosed gears to withstand the elements.

FEATURES

- 36kg capacity hopper
- Enclosed acetal gear system
- Powder-coated steel frame
- Compatible with fertiliser and seed
- Adjustable gate with adjustable dial
- Side baffles to prevent over-spread
- 12" pneumatic tyres
- Easy hand-pull gate trigger
- Enclosed gears - protected from weather

**Not compatible with lime products*



1 YEAR
WARRANTY



12" PNEUMATIC TYRES
ideal for grassy surfaces

CODE	DESCRIPTION	DIMENSIONS	DRY WT
A. SMSCR0036	36kg Push spreader	965 L x 610 W x 914 H	11kg



TOW-BEHIND SPREADER

70KG

**No more wasted seed or fertilizer,
no more reaching back and straining
or no more burnt lawns and uneven
applications with the auto-stop
impeller when not in motion.**

FEATURES

- 70kg capacity hopper
- Auto-stop impeller - stops when not in motion!
- Oiled bronze bearings - minimise axle and gearbox friction
- 11 incremental rate adjustment settings
- 14" wide pneumatic tyres
- Heavy duty trailer hitch
- Powder-coated steel frame
- Spiked auger to break-up heavier chucks
- Back baffle to control spread
- Compatible with fertiliser and seed
- Rain proof transparent cover

**Not compatible with lime products*

**Do not exceed 10km/h*



WEATHER PROOF
stay covered,
stay productive

**1 YEAR
WARRANTY**



NO STICKING
agitator ensures
smooth and
consistent flow



TRAILER HITCH
tow behind rid on
mowers



SCAN FOR
PRICING



CODE	DESCRIPTION	DIMENSIONS	DRY WT
A. SMSCT0070	70kg To-behind Spreader	660 L x 914 W x 914 H	18.5kg




FERTLINK

500L


European built, the FertLink is a heavy duty 3-point linkage spreader ideal for granular or powdered fertiliser.

FEATURES

- 500L capacity hopper
- Anti-corrosive translucent poly
- Stainless steel hardware
- Powdered coated tubular steel frame
- 3-point hitch
- CAT 1 and CAT 2 pins
- 3 selectable spreading patterns
- Maintenance free gearbox
- PTO shaft supplied
- Multipurpose mounting
- Suitable for: seed, fertiliser, slug pellets.



**ADJUSTABLE
RATE SETTING**
within easy reach of cab



PATENTED POLY SPINNER
This innovative feature ensures corrosion resistance for long life



AGITATOR
for smooth flow



CODE	DESCRIPTION	DIMENSIONS
A. SASP500L	500L FertLink Spreader Assembly Required	1260 L x 1330 W x 1330 H
SASP500LA	500L FertLink Spreader Fully Assembled	1260 L x 1330 W x 1330 H
CWP31187	Cover for FertLink Spreader	N/A

SCAN FOR
PRICING





The background image shows a power substation with various metal structures, insulators, and power lines. In the foreground, a white truck is partially visible, equipped with a large blue reel labeled 'BUDDY SMART REEL'. The truck's cargo area contains several white jerrycans. The scene is set outdoors with trees in the background.

CO

BUILT TO MEET THE DEMANDS OF EVERY FLEET

Rapid Logix and Rapid Vehicle Systems provide high-performance solutions tailored for the commercial sectors. Rapid Logix offers the latest spray tracking and mapping technology, making compliance and reporting real-time and effortless. Rapid Vehicle Systems delivers modular, customisable fleet solutions for applications in spraying, water cartage, and firefighting, designed to withstand Australia's toughest environments. Together, we support your projects with reliable tools that drive productivity and precision.

COMMERCIAL



CHEMICAL TRACKER & WEED MAPPER

SIMPLE, ACCURATE AND RELIABLE



THE SINGLE DEVICE FOR MAPPING AND TRACKING

Working with professional contractors and government agencies, Rapid Logix have designed the Universal Flow Tracker (UFT) to automate data logging and make their jobs easier out in the field. It's a chemical tracker and weed species mapper all in one.



UNIVERSAL FLOW TRACKER

UFT HARDWARE DEVICE



With universal connection points, it's easy to install the UFT device to any sprayer. No app or personal commitment needed from spray operators or employees. Plug and spray!

FEATURES

- Lightweight, waterproof casing
- Compact dimensions - 124mm (L) x 37mm (W) x 67mm (H)
- GPS - 4G/LTE in built connection
- Magnetic charging port
- Flow rate and volume tracking
- Universal fittings
- 1-3 weed choice buttons
- Simple operation



USE WITH

- Backpack sprayers
- Field sprayers
- Boom systems



GPS LOGGING INDICATOR

GPS Accuracy:
as low as 1m

PIN POINT TRACKING

Spray logging time: 3 seconds as standard but customisable



BATTERY CHARGING PORT

Install on vehicle or
in the office

VISUALISED TREATMENT

Track where and how chemical was sprayed, and what weed species have been treated.

SCAN FOR PRICING



CODE	DESCRIPTION	DIMENSIONS	WEIGHT
ATCUFTD	UFT Universal Flow Tracker Device	124 L x 37 W x 67 H	260g

UNIVERSAL FLOW TRACKER


UFT SOFTWARE PORTAL



Managing vegetation control projects involves precise tracking of chemical usage, location, weather, and target species. Rapid Logix’s Universal Flow Tracker (UFT) automates this process for operators.

FEATURES

- Chemical placement and weed mapping in single workflow
- Web portal reporting
- Organisation wide metrics
- Job tracking and export | Chemical usage report
- Target species weed mapping
- Optional GIS integration



Access your spray data anytime, anywhere through our user-friendly portal!



Flexible monthly and yearly UFT portal subscription plans are available!

INSIDE THE PORTAL:

ORG WIDE METRICS: Chemical Usage
(by recipe, chemical, and operator)

JOBS VIEW: Search a job or filter by name, time, or status
(Online or Digital Spray Book)



DATA VIEW WITHIN JOBS - MAP:

Shows heat maps of areas covered




DATA VIEW WITHIN JOBS - CHEMICALS:

Shows volume used of each chemical within recipe



INDIVIDUAL JOB VIEW:

Compliant Chemical Records Details




WEED MAP:

Org-wide Target Species Search Map



SCAN THE QR.
Find which data
subscription suits
your organisation
and spray fleet.



SAFESPRAY VEHICLE SYSTEM

SUSTAINABLE OPEN SPACES

DESIGNED WITH YOU

Designed around feedback and input from professionals in the field, the SafeSpray Vehicle System meets every requirement. Turn any standard UTE into a dedicated spray vehicle and customise it with numerous upgrades and options to suit your specific application.



SAFESPRAY VEHICLE SYSTEM

STANDARD BUILD



The SafeSpray Vehicle System (SVS) ticks all the boxes for government organisations, contractors and anyone serious about the safety of their spray crews.


FEATURES

- UV stabilised chemical resistant poly tank
- Hot dip galvanised frame
- Maruyama Triplex or Bertolini PA530 pump
- Honda GX200E/10A or Hatz 1B20 engine
- Kerbside control panel
- 10L SafeLoad chemical handling system
- Buddy Smart Reel
- 1 1/4" suction filter
- Emergency stop and battery isolator

SAFE CHEMICAL HANDLING SYSTEM
with separate drum suction hoses for up to four chemical jugs.

MULTIPLE TANK CAPACITIES: 400-675L
The tank is only limited by your vehicle's GVM – options designed to meet your vehicle or truck's absolute capability.

Scan the QR to view SafeSpray video



UNIT TYPE	DESCRIPTION	DIMENSIONS
Long Unit	SafeSpray Standard Build Single Cab Ute	2280 mm x 1750 mm
Short Unit	SafeSpray Standard Build Dual Cab	1700 mm x 1750 mm

SCAN FOR QUOTE



Dimensions and weight may vary due to the manufacturing process. For confirmed weights and dimensions, please contact Rapid Spray.

SAFESPRAY VEHICLE SYSTEM

ROAD SIDE SPRAYING




FEATURES

- UV stabilised chemical resistant poly tank
- Hot dip galvanised frame
- Heavy duty aluminum lockers
- Maruyama Triplex or Bertolini PA530 pump
- Honda GX200E/10A or Hatz 1B20 engine
- Control panel - High / low pressure 6-way regulating manifold
- Kerbside control panel
- 10L SafeLoad chemical handling system
- Buddy Smart Reel
- 1 1/4" suction filter
- Emergency stop and battery isolator



Scan the QR to view SafeSpray video



ELECTRICALLY ACTUATED ROADSIDE BOOM

Spray both sides of roadside guardrails in one pass.

TRAFFIC CONE HOLDER

with top latch to prevent cones from jumping off



FLASHING BEACONS
top mount LED amber beacons on locker boxes

UNDER TRAY ADJUSTABLE NOZZLE KIT



SCAN FOR QUOTE



UNIT TYPE	DESCRIPTION	DIMENSIONS
Long Unit	SafeSpray Roadside Spraying Single Cab Ute	2280 mm x 1750 mm
Short Unit	SafeSpray Roadside Spraying Dual Cab	1700 mm x 1750 mm

SAFESPRAY VEHICLE SYSTEM

PUBLIC/OPEN SPACES



FEATURES

- UV stabilised chemical resistant poly tank
- Hot dip galvanised frame
- Heavy duty aluminum lockers
- Maruyama Triplex or Bertolini PA530 pump
- Honda GX200E/10A or Hatz 1B20 engine
- Control panel - High / low pressure 6-way regulating manifold
- Kerbside control panel
- 10L SafeLoad chemical handling system
- Buddy Smart Reel
- 1 1/4" suction filter
- 2 Flashing beacons



BACKPACK HOLDER

Galvanised storage basket for security stowing of knapsacks and jerry cans

Scan the QR to view SafeSpray video




BRUSHCUTTER HOLDER

Powder-coated aluminum box motor holder with lockable hinge lid and shaft support holder bracket



6M FLAT FOLD BOOM

Left / Centre / Right in-cab controls



UNIT TYPE	DESCRIPTION	DIMENSIONS
Long Unit	SafeSpray Public Spaces Single Cab Ute	2280 mm x 1750 mm
Short Unit	SafeSpray Public Spaces Dual Cab	1700 mm x 1750 mm

SCAN FOR QUOTE



SAFESPRAY VEHICLE SYSTEM

FIRE TRAIL



FEATURES

- UV stabilised chemical resistant poly tank
- Hot dip galvanised frame
- Heavy duty aluminum lockers
- Maruyama Triplex or Bertolini PA530 pump
- Honda GX200E/10A or Hatz 1B20 engine
- Control panel - High / low pressure 6-way regulating manifold
- 10L SafeLoad chemical handling system
- Buddy Smart Reel
- 1 1/4" suction filter
- Emergency stop and battery isolator
- Secondary fresh water tank



VERSATILE SOLUTIONS

Ideal for Fire Trail Clearance, Utility Line Maintenance, Pipeline Access, and Trail Management

Scan the QR to view SafeSpray video



FIRE HOSE UPGRADE

upgrade to 50m fire resistant hose on second Buddy Smart Reel

HIGHRAIL FOLD DOWN BOOM

1.8m rear boom with in-cab controls



RAISE / LOWER REAR SPRAY BAR

SCAN FOR QUOTE



UNIT TYPE

DESCRIPTION

DIMENSIONS

Long Unit

SafeSpray Fire Trail Single Cab Ute

2280 mm x 1750 mm

Short Unit

SafeSpray Fire Trail Dual Cab

1700 mm x 1750 mm

SAFESPRAY VEHICLE SYSTEM

MINE SPEC



FEATURES

- UV stabilised chemical resistant poly tank
- Hot dip galvanised frame
- Heavy duty aluminum lockers
- Maruyama Triplex or Bertolini PA530 pump
- Honda GX200E/10A or Hatz 1B20 engine
- Control panel - High / low pressure 6-way regulating manifold
- 10L SafeLoad chemical handling system
- Buddy Smart Reel
- 1 1/4" suction filter
- Emergency stop and battery isolator
- Backpack holder

HATZ 1B20 ENGINE

Reliable diesel performance and enhanced efficiency



Scan the QR to view SafeSpray video



FLASHING BEACONS

top mount LED amber beacons on locker boxes



REFLECTIVE STRIPPING

3M reflective stripping sign markings

E-STOP / BATTERY ISOLATOR

Ensure quick and reliable shutdown in emergencies

UNIT TYPE

DESCRIPTION

DIMENSIONS

Long Unit

SafeSpray Mine Spec Single Cab Ute

2280 mm x 1750 mm

Short Unit

SafeSpray Mine Spec Dual Cab

1700 mm x 1750 mm

SCAN FOR QUOTE



Dimensions and weight may vary due to the manufacturing process. For confirmed weights and dimensions, please contact Rapid Spray.

SAFESPRAY VEHICLE SYSTEM

BIOSECURITY




FEATURES

- UV stabilised chemical resistant poly tank
- Hot dip galvanised frame
- Heavy duty aluminum lockers
- Maruyama Triplex or Bertolini PA530 pump
- Honda GX200E/10A or Hatz 1B20 engine
- Control panel - High / low pressure 6-way regulating manifold
- 10L SafeLoad chemical handling system
- Buddy Smart Reel
- 1 1/4" suction filter
- Emergency stop and battery isolator



Scan the QR to view SafeSpray video



SAFELoad SYSTEM

The safe chemical handling system with separate drum suction hoses for up to four chemical jugs.



QUICK FILL KIT

Venturi quick fill kit with 6m suction hose with float

UNIT TYPE	DESCRIPTION	DIMENSIONS
Long Unit	SafeSpray Biosecurity Single Cab Ute	2280 mm x 1750 mm
Short Unit	SafeSpray Biosecurity Dual Cab	1700 mm x 1750 mm

SCAN FOR QUOTE





FIRE VEHICLE SYSTEM

VERSATILE AND PORTABLE

FIRE MITIGATION FLEET SOLUTION

Designed for flexibility, it eliminates the need for dedicated vehicles, improves fleet management, and offers long-term cost savings by outlasting the vehicle it's mounted on.



SAFEFIRE

STANDARD BUILD



The SafeFire unit is a versatile, all-in-one fire-fighting solution for utes. It maximizes water availability, provides integrated storage for equipment, and is easily removable outside of fire season.

FEATURES

- UV stabilised chemical resistant poly tank
- Hot dip galvanised frame
- Electric Start Petrol / Diesel or Fully Electric Engines
- High Flow Pump Systems
- Industry Standard Couplings i.e. Storz, CFA, QRT, Forestry
- Electrical Accessories Range i.e. lightbars, beacons
- Crew Protection Systems available
- Auto rewind fire-fighting hose reel

HPLV PUMP

High-pressure, low-volume (HPLV) fire-fighting pump that conserves water while extinguishing fires




FOAM SYSTEM

A dedicated foam system that works with common, non-proprietary products



FUEL LOCKER

ensuring safe storage with no exposed fuel during emergency or fire situations



UNIT TYPE	DESCRIPTION	DIMENSIONS
Long Unit	Single Cab Ute	2280 mm x 1750 mm
Short Unit	Dual Cab	1700 mm x 1750 mm

SCAN FOR QUOTE




Dimensions and weight may vary due to the manufacturing process. For confirmed weights and dimensions, please contact Rapid Spray.

FREIGHT

ZONES & COSTING

All orders valued at less than \$750RRP will incur a \$30 freight and handling charge for zones 1, 2, 3 and 4. For all other zones, please contact us.

Urgent deliveries may incur a freight charge. Please contact us to discuss.



AusPost Parcel service available for parts. Please specify when you order if you want to use this service:

- Small Post Parcels (≤ 500gm) - \$17
- Medium Post Parcels (≤ 1kg) - \$20
- Large Post Parcels (≤ 3kg) - \$25

Airbag service for items under 3kg to the Northern Territory is available at \$40/ bag.

Airbag service for items under 5kg to the Northern Territory is available at \$60 / bag.

*All orders valued at less than \$750RRP will incur a \$30 freight & handling charge for zones 1 - 4. All other zones, please call 1800 011 000

	ZONE 1	ZONE 2	ZONE 3	ZONE 4	ZONE 5	ZONE 6	ZONE 7
TANKS							
Cartage & Spray Tanks 100L - 1,000L	\$50	\$100	\$100	\$50	\$200	\$200	POA
Cartage & Spray Tanks 1,200L - 2,000L	\$100	\$200	\$300	\$175	\$350	\$450	POA
Cartage & Spray Tanks 2,500L - 5,000L	\$200	\$350	\$500	\$350	\$650	\$700	POA
Cartage & Spray Tanks 6,000L - 15,000L	\$300	\$500	POA	\$650	POA	POA	POA
Modular Tanks	POA	POA	POA	POA	POA	POA	POA
Tank Accessories	FIS	FIS	FIS	FIS	POA	POA	POA
Ball Baffles (per box)	FIS	FIS	FIS	FIS	\$50	\$50	POA

*Tanks with pump plate frames, increase freight cost by 1.1

** Trailer pricing covers all categories including Industrial Range.

DIESEL							
Genius Diesel Units 100L - 400L	\$75	\$100	\$150	\$75	\$150	\$200	POA
Genius Diesel Units 450L - 1,200L	\$80	\$150	\$200	\$150	\$175	\$275	POA
Diesel Units & Tanks 1,500L - 5,000L	\$225	\$400	\$500	\$400	\$700	\$750	POA
Diesel Tanks 5,000L - 10,000L	\$300	\$500	POA	\$650	POA	POA	POA
Single Axle Trailers	\$400	POA	POA	POA	POA	POA	POA
Dual Axle Trailer	\$600	POA	POA	POA	POA	POA	POA
Diesel Accessories	FIS	FIS	FIS	FIS	POA	POA	POA

SPRAYERS							
Parts, Accessories & Booms ≤ 4m	FIS	FIS	FIS	FIS	POA	POA	POA
Compression & Backpack Sprayers	FIS	FIS	FIS	FIS	\$30	\$35	POA
Spot Sprayers 34L - 95L	FIS	FIS	FIS	FIS	\$35	\$75	POA
Spray Marshal Range	FIS	FIS	FIS	FIS	\$85	\$200	POA
SprayScout Range	FIS	\$175	\$175	\$175	\$150	\$350	POA
Marshal ATV Trailers	\$200	\$250	\$450	\$250	\$300	\$500	POA
Ultimate Field Sprayers	\$225	\$300	\$500	\$250	\$350	\$550	POA
Single Axle Spray Trailers	\$600	POA	POA	POA	POA	POA	POA
Dual Axle Spray Trailers	\$800	POA	POA	POA	POA	POA	POA
3-Point Linkage Sprayers	FIS	FIS	FIS	FIS	\$300	POA	POA
*Booms > 4m POA	\$200	POA	POA	POA	POA	POA	POA

FIRE FIGHTING							
Fire Marshal Range	FIS	FIS	FIS	FIS	\$85	\$150	POA
FireScout Range	FIS	\$75	\$75	\$75	\$150	\$300	POA
Ultimate Fire Ranger 400L - 1,000L	\$100	\$200	\$350	\$150	\$300	POA	POA
Fire Ranger 1,200L - 2,500L	\$250	\$400	POA	\$350	\$550	POA	POA
Single Axle Trailers **	\$600	POA	POA	POA	POA	POA	POA
Dual Axle Trailers **	\$800	POA	POA	POA	POA	POA	POA
Fire Kits / Hose Reels	FIS	FIS	FIS	FIS	\$65	POA	POA





1800 011 000



www.rapidspray.net



35 Enterprise Crescent
Singleton NSW 2330

DISCLAIMER

In this catalogue, there may be typographical errors or inaccuracies related to product information, images and pricing.

All weights and dimensions are approximate only. Please confirm with Rapid Spray before purchase. All information is a general guide only.

Rapid Spray retain the right to modify or remove product specifications, images or prices provided without prior notice.

