

WELCOME

With over 30 years of experience in agricultural and industrial equipment, Rapid Spray is proud to deliver innovative, industry-leading solutions for tanks, diesel systems, spraying, and fire protection.

Solutions trusted across agriculture, helping farmers with reliable water storage, chemical spraying solutions tailored to different applications, diesel refuelling systems and firefighting equipment for asset and property protection.

In council and government sectors, our equipment supports essential services, from civil construction and infrastructure projects to vegetation management, ensuring safety and efficiency in community maintenance.

Our Australian-made and expertly designed products stand out for their reliability and resilience, backed by industry-leading warranties and rigorous quality control. Built to withstand the harshest Australian conditions, Rapid Spray products are engineered to perform consistently in the field. We also offer an extensive selection of accessories and upgrades, designed to enhance all sprayers, firefighting units, diesel refuelling systems, and tanks.

Our Dealer network spans the nation, providing expert guidance and exceptional service to ensure you have the right solutions for every application. For more information, call 1800 011 000 or visit www.rapidspray.net.

Kind Regards,

Rapid Spray


12-34
CARTAGE & SPRAY TANKS


35-38
MODULAR TANKS


39-52
WATER CARTS & CHEMICAL HANDLING


64-65
FIREFIGHTING TRAILERS


66-77
SLIP-ON & COMPACT FIREFIGHTERS



80-89
DIESEL REFUELLING


90-95
DIESEL TRAILERS & TANKS


102-122
FIELD SPRAYERS


123-131
3-POINT LINKAGE SPRAYERS



132-148
UTV COMPACT SPRAYERS



149-160
12V SPOT SPRAYERS



161-170
HANDHELD & BACKPACKS




171-219
SPRAYER ACCESSORIES



220-227
SPREADERS



228-231
PRESSURE CLEANING



234-237
CHEMICAL TRACKER &
WEED MAPPER



238-251
COMMERCIAL & FLEET



258-259
FREIGHT MAP & PRICING

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.



CONTENTS

TANKS 6-60

CARTAGE TANKS	**12**
SPRAY TANKS	**28**
MODULAR TANKS	**35**
WATER CARTS	**39**
CHEMICAL HANDLING	**48**
BALL BAFFLE	**53**
TANK SPARES	**57**

FIRE 62-77

FIREFIGHTING TRAILERS	**64**
Fire Marshal Trailer	65
SLIP-ON FIREFIGHTERS	**66**
Fire Ranger	67
Ultimate Fire	68
COMPACT FIREFIGHTERS	**69**
FireScout	70
Fire Marshal	72
FIREFIGHTING ACCESSORIES	**74**

DIESEL 78 - 99

DIESEL REFUELLING	**80**
Genius Diesel Range	81
Active Diesel with Pump	87
Rapid Blue	88
DIESEL TANKS	**90**
DIESEL TRAILERS	**92**
Diesel Marshal Trailer	93
DIESEL PUMPS & ACCESSORIES	**96**

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

4

SPRAYERS 100 - 219

PROFESSIONAL FIELD SPRAYERS 102
- Ultimate Field Sprayer 103
- SprayScout 115
- FieldLink 123
- SprayLink 129

UTV SPRAYERS 132
- Marshal-Q 134
- Marshal Plus 139
- Marshal Pro 143

12V SPRAYERS & ACCESSORIES 149
- RapidLine 150
- RapidMix 153
- Spot Ranger 158

HANDHELD, BACKPACK & TROLLEY SPRAYERS 161
- Compression Sprayers 162
- Backpack Sprayers 163
- Battery Sprayers 166
- Trolley Sprayers 169

BOOMS 171

HOSE REELS & SPRAY GUNS 179
- MegaDrive Smart Reel 180
- Buddy Smart Reel 184
- Rapid Poly Reel 187
- Spray Lances & Guns 188

PUMPS, MOTORS & REGULATORS 196
- RapidLine - 12V 197
- Delavan - 12V 198
- Commando 202
- Maruyama 204
- Bertolini 206
- Regulators & Controls 210

NOZZLES 212

SPREADERS 220 - 227

HANDHELD & CHEST MOUNT 222

TOW BEHIND & PUSH SPREADERS 225

PRESSURE WASH 228 - 231

ULTIMATE PRESSURE WASHER 230

MARSHAL PRESSURE WASHER 231

COMMERCIAL & FLEET 232 - 251

CHEMICAL & WEED TRACKER 234

SPRAY VEHICLE SYSTEM 238

FIRE VEHICLE SYSTEM 250

FREIGHT MAP 258

DIMENSIONS & WEIGHT

Due to the manufacturing process and/or design changes, dimensions and weights could vary from what is listed. Please contact Rapid Spray for confirmed weight and dimensions on 1800 011 000.


CHEMICAL SAFETY

Always follow safe chemical guidelines and local laws including, but not limited to, Personal Protective Equipment use, safe spraying practices, keeping clear of water bodies and correct application rates. Please consult your local agronomist for further information.

VEHICLE LOADING & OPERATION SAFETY

Always follow safe UTV / quad / mower / vehicle loading and operating practices. Always check vehicle weight restrictions. Follow all road laws. Keep clear of children.


Rapid Spray accepts no liability for the unsafe operation of vehicles used in conjunction with Rapid Spray equipment. Rapid Spray accepts no liability for unsafe chemical spraying practices. Please contact Rapid Spray on 1800 011 000 if you have any concerns.



OUTLAST THE REST - RAPID SPRAY TANKS WITH UNPARALLELED 25 YEAR WARRANTY!

Manufactured in Australia, the Rapid Spray poly tanks are built tough, designed for rough conditions from the farm to the construction site. With over 30 years of manufacturing experience, their quality and performance are tested in the field every day. Our poly tanks are tougher and more durable in Australian conditions than steel or fibreglass. They're lightweight, rust-resistant, UV-stabilised, and low-maintenance, built to last without the cracking or corrosion of other materials.

TANKS



MATCH YOUR LOAD:
TANKS FOR ALL LIQUID TYPES

The load capacity ratings for our cartage tanks indicate the density or weight of the liquids they can safely carry. Each rating is based on Specific Gravity (SG), a measure that compares the liquid's density to that of water.

Aqua-V (1.1 : 1 SG) – This tank is built for water and liquids only slightly denser than water

Active Liquid (1.3 : 1 SG) – This tank can handle medium-density liquids, like some fertilisers or chemicals, which are about 30% denser than water.

Mega Molasses (1.6 : 1 SG) – This tank is made for very dense liquids, like molasses, which are up to 60% denser than water.

CARTAGE TANKS

	Aqua-V	Active Liquid	Mega Molasses
Available sizes	10L - 10,000L	200L - 18,000L	1000L - 18,000L
Best for	Suitable for water only	Suitable for water & other non-hazardous liquids up to 1.3 SG	Suitable for molasses & liquid fertilisers up to 1.6 SG
Specific Gravity	1.1 : 1 SG	1.3 : 1 SG	1.6 : 1 SG
Material	All three models are manufactured using opaque food grade poly material		
Mounting	All are flat bottom, can be mounted to a flat-deck truck. Mounting pins supplied with tank		



Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

SPRAY TANKS

	Pin Mount	Strap Mount
Available sizes	400L - 10,000L	100L, 200L, 300L, 400L, 600L
Sump	Fully draining sump	Fully draining sump
Material	All three models are manufactured using translucent food grade poly material	
Specific Gravity	Both models are suitable for liquids up to 1.3:1 Specific Gravity. 1.6:1 SG tanks available on special order	
Notes	Both models available with or without galvanised steel frame	

MODULAR TANKS

	Modular V1	Modular V2
Available sizes	4000L - 32,000L	8000L - 32,000L
Compartment size	2000L	4000L
Specific Gravity	Both models are suitable for liquids up to 1.3:1 Specific Gravity.	
Best for	Semi trucks & off-road tankers	



Spray tank featured on local council weed sprayer truck setup.

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

CUSTOMISE YOUR LOOK:
TANKS IN A RANGE OF COLOURS



Our cartage tanks come with the option of custom colours, allowing you to align your tank with your brand's visual identity and help your company get attention.

Please note that a colour charge applies for non-standard colour selections.



Teal Opaque (TO)

Teal Trans (TT)

Trans Blue (TB)

Rapid Blue (RB)

Light Blue (LB)

Faint Green (FG)

Heritage Green (HG)

Black (BK)

Dark Grey (DG)

Tank White (TW)

Natural (NA)

Trans Yellow (TY)

Rapid Yellow (RY)

Red (RE)

***Note**: Due to differences in monitor calibration and printing processes, the actual colour of the tank may vary slightly from what appears on screen or in print.*

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.



WHAT MAKES A POLY TANK THE SMARTER CHOICE?

Discover how poly tanks revolutionise transport with their easy installation, weight-saving design, and superior resistance to corrosion. Poly tanks offer a smarter solution for all your cartage requirements.

FEATURE	POLY TANKS	STEEL/FIBREGLASS TANKS
Weight	Lightweight, increased payload	Heavy
Installation	Easier to install, comes with pre-moulded mounting points	Requires welding or complex fabrication, time-consuming
Construction	One-piece seamless construction, no welding required	Requires welding or complex fabrication, time-consuming, susceptible to leaks
Corrosion Resistance	Rustproof	Susceptible to rust and corrosion
Maintenance	Low maintenance, no painting or internal lining needed to prevent algae growth	Requires additional painting and internal lining
Portability	Easier to transport and relocate due to lighter weight	Difficult to transport due to weight, may require heavy machinery
Flex Impact Resistance	To handle truck chassis movement	More prone to dents and cracks during transport from chassis twist

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

CARTAGE TANKS

SUITABLE FOR MOST LIQUIDS



> ***The products and services we've got out of Rapid Spray—we're really happy with their services and their products. Their service is pretty second to none.***
>
> **PRESS HAULAGE PTY LTD**

THE TOUGHEST TANKS!

With the in-built Flexi-link technology in each tank structure, Rapid Spray tanks are made to withstand the twisting and turning of vehicle chassis movements. Our specialised manufacturing processes maximise strength with minimal weight resulting in greater payload opportunities.


Why do they prefer Rapid Spray tanks? Scan QR to find out.

CARTAGE TANK

400L - 18,000L

Built for the tough Australian landscape, our cartage tanks are made to handle the jobs that push gear to its limits.

Made here in Australia from locally sourced materials, every tank is designed for long days, rough ground and the demanding work that comes with farming, earthmoving and remote sites. Reliable, durable and ready for whatever the day brings. That is the confidence you get with a Rapid Spray cartage tank.



UPGRADE WITH BALL BAFFLE SYSTEM

Increased stability and safety when driving

PAGE 54



FEATURES

UV stabilised polyethylene
All models food grade poly material
Graduation markings *(not on all models)*
Sun blocking to prevent algae growth
No-spill containment lips (over 400L)
255mm - 455mm diameter lids
455mm hinged lids (over 800L)
SureFit mounting pins
Tank outlet / fittings (supplied loose, fitted on request)


LOAD CAPACITIES

Aqua-V rated: 1.1 : 1SG
Active Liquid rated: 1.3 : 1SG
Mega Molasses rated: 1.6 : 1SG



OPAQUE TEAL

UV stabilised to block sunlight to prevent algae growth



HINGED LIDS

A strong hinged lid on tanks over 800L gives you easier access and a better seal.



STABLE MOUNTING

With specifically designed tank legs and SureFit mounting pins


Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

10L - 100L

UV stabilised polyethylene tank
150mm poly screw lid

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**




	CODE	DESCRIPTION	MOUNTING THREADS	DIMENSIONS	DRY WT
A.	PTZV00010TT	**10L** Water Cartage Tank	4 x M8 mounting threads	220 Ø x 460 H	1.5kg
B.	PTZV00025TT	**25L** Water Cartage Tank	4 x M8 mounting threads	450 Ø x 400 H	4kg
C.	PTZV00050TT	**50L** Water Cartage Tank	4 x M8 mounting threads	450 Ø x 600 H	7kg
D.	PTZV00100TT	**100L** Water Cartage Tank	6 x M8 mounting threads	450 Ø x 950 H	10kg

250L - 325L

250mm poly screw lid
10L handwash tank (250L only)
¾" poly tank fitting
4 x M8 mounting threads (base)

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**



	CODE	DESCRIPTION	DIMENSIONS	DRY WT
A.	PTC00250ATT	**250L** Water Cartage Tank w. 10L Handwash tank	910 L x 730 W x 670 H	22kg
B.	PTC00325TO	**325L** Water Cartage Tank	900 L x 1040 W x 750 H	34kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

400L

250mm poly screw lid
¾" or 1 ½" poly tank fitting (loose)
4 x Ø18mm mounting pins

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**



BALL BAFFLES REQUIRED
ARB195F x 57

A.



B.



	VERSION & DRY WT	TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
A. 400L Squat 1620 L x 710 W x 510 H	Tank Only 28kg	-	PTC00400ATO	-
B. 400L 1190 L x 1050 W x 500 H	Tank Only 23kg | 28kg	STC00400TO	PTC00400TO	-
	Tank & Frame	STC00400KTO	PTC00400KTO	
	Tank, Frame & Pump Plate	STC00400KPTO	PTC00400KPTO	

600L

250mm poly screw lid
1 ½" poly tank fitting (loose)
4 x Ø18mm mounting pins

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**





BALL BAFFLES REQUIRED
ARB195F x 85

	VERSION & DRY WT	TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
600L 1190 L x 1050 W x 735 H	Tank Only 32kg | 37kg	STC00600TO	PTC00600TO	-
	Tank & Frame	STC00600KTO	PTC00600KTO	
	Tank, Frame & Pump Plate	STC00600KPTO	PTC00600KPTO	

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

800L

450mm poly hinge lid
1 ½" poly tank fitting (loose)
4 x Ø18mm mounting pins

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**





BALL BAFFLES REQUIRED
ARB355F x 20

	VERSION & DRY WT	TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
800L 1350 L x 1200 W x 690 H	Tank Only 50kg | 55kg	STC00800TO	PTC00800TO	-
	Tank & Frame	STC00800KTO	PTC00800KTO	
	Tank, Frame & Pump Plate	STC00800KPTO	PTC00800KPTO	

1000L

450mm poly hinge lid
1 ½" poly tank fitting (loose)
4 x Ø18mm mounting pins

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**





BALL BAFFLES REQUIRED
ARB355F x 25

	VERSION & DRY WT	TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
1,000L 1350 L x 1200 W x 900 H	Tank Only 58kg | 65kg | 72kg	STC01000TO	PTC01000TO	PTC01000TOH
	Tank & Frame	STC01000KTO	PTC01000KTO	PTC01000KTOH
	Tank, Frame & Pump Plate	STC01000KPTO	PTC01000KPTO	PTC01000KPTOH

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

1200L

450mm poly hinge lid
1 ½" poly tank fitting (loose)
4 x Ø24mm mounting pins

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**





BALL BAFFLES REQUIRED
ARB355F x 30

	VERSION & DRY WT	TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
1,200L 1700 L x 1320 W x 860 H	Tank Only 70kg | 77kg	-	PTC01200TO	PTC01200TOH
	Tank & Frame		PTC01200KTO	PTC01200KTOH
	Tank, Frame & Pump Plate		PTC01200KPTO	PTC01200KPTOH

1500L

450mm poly hinge lid
1 ½" poly tank fitting (loose)
4 x Ø24mm mounting pins

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**





BALL BAFFLES REQUIRED
ARB355F x 37

	VERSION & DRY WT	TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
1,500L 1700 L x 1320 W x 1050 H	Tank Only 75kg | 85kg | 94kg	STC01500TO	PTC01500TO	PTC01500TOH
	Tank & Frame	STC01500KTO	PTC01500KTO	PTC01500KTOH
	Tank, Frame & Pump Plate	STC01500KPTO	PTC01500KPTO	PTC01500KPTOH

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

2000L

450mm poly hinge lid
2" poly tank fitting (loose)
4 x Ø24mm mounting pins

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**





BALL BAFFLES REQUIRED
ARB355F x 50

VERSION & DRY WT		TANK OPTIONS - CODE		
		AQUA-V	**ACTIVE LIQUID**	**MEGA MOLASSES**
2,000L 2000 L x 1420 W x 1070 H	Tank Only 95kg | 110kg | 120kg	STC02000TO	PTC02000TO	PTC02000TOH
	Tank & Frame	STC02000KTO	PTC02000KTO	PTC02000KTOH
	Tank, Frame & Pump Plate	STC02000KPTO	PTC02000KPTO	PTC02000KPTOH

2500L

450mm poly hinge lid
2" poly tank fitting (loose)
4 x Ø24mm mounting pins

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**





BALL BAFFLES REQUIRED
ARB355F x 62

VERSION & DRY WT		TANK OPTIONS - CODE		
		AQUA-V	**ACTIVE LIQUID**	**MEGA MOLASSES**
2,500L 2000 L x 1420 W x 1265 H	Tank Only 115kg | 125kg | 137kg	STC02500TO	PTC02500TO	PTC02500TOH
	Tank & Frame	STC02500KTO	PTC02500KTO	PTC02500KTOH
	Tank, Frame & Pump Plate	STC02500KPTO	PTC02500KPTO	PTC02500KPTOH

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

3000L

450mm poly hinge lid
2" poly tank fitting (loose)
4 x Ø24mm mounting pins

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**





BALL BAFFLES REQUIRED
ARB355F x 75


	VERSION & DRY WT	TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
3,000L 2340 L x 1520 W x 1200 H	Tank Only 145kg | 170kg | 190kg	STC03000TO	PTC03000TO	PTC03000TOH
	Tank & Frame	STC03000KTO	PTC03000KTO	PTC03000KTOH
	Tank, Frame & Pump Plate	STC03000KPTO	PTC03000KPTO	PTC03000KPTOH

3400L

450mm poly hinge lid
2" Croc-Loc tank fitting (loose)
4 x Ø24mm mounting pins

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**





BALL BAFFLES REQUIRED
ARB355F x 85

	VERSION & DRY WT	TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
3,400L 2960 L x 1450 W x 1230 H	Tank Only 190kg | 210kg	-	PTC03400TO	PTC03400TOH
	Tank & Frame		PTC03400KTO	PTC03400KTOH
	Tank, Frame & Pump Plate		PTC03400KPTO	PTC03400KPTOH

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

4400L

450mm poly hinge lid
2" Croc-Loc tank fitting (loose)
4 x Ø24mm mounting pins

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**





BALL BAFFLES REQUIRED
ARB355F x 110

	VERSION & DRY WT	TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
4,400L 2960 L x 1450 W x 1470 H	Tank Only 170kg | 200kg | 220kg	STC04400TO	PTC04400TO	PTC04400TOH
	Tank & Frame	STC04400KTO	PTC04400KTO	PTC04400KTOH
	Tank, Frame & Pump Plate	STC04400KPTO	PTC04400KPTO	PTC04400KPTOH

4800L

450mm poly hinge lid
2" Croc-Loc tank fitting (loose)
4 x Ø24mm mounting pins

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**



Ideal for drillers - tank fits neatly behind the cab of trucks





BALL BAFFLES REQUIRED
ARB355F x 120

	VERSION & DRY WT	TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
4,800L 2340 L x 1550 W x 1880 H	Tank Only 225kg | 250kg	-	PTC04800TO	PTC04800TOH
	Tank & Frame		PTC04800KTO	PTC04800KTOH
	Tank, Frame & Pump Plate		PTC04800KPTO	PTC04800KPTOH

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

5000L

450mm poly hinge lid
2" Croc-Loc tank fitting (loose)
4 x Ø24mm mounting pins

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**





BALL BAFFLES REQUIRED
ARB355F x 125

	VERSION & DRY WT	TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
5,000L 2970 L x 2000 W x 1400 H	Tank Only 195kg | 205kg | 225kg	STC05000TO	PTC05000TO	PTC05000TOH
	Tank & Frame	STC05000KTO	PTC05000KTO	PTC05000KTOH
	Tank, Frame & Pump Plate	STC05000KPTO	PTC05000KPTO	PTC05000KPTOH

6000L

450mm poly hinge lid
2" Croc-Loc tank fitting (loose)
4 x Ø24mm mounting pins

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**





BALL BAFFLES REQUIRED
ARB355F x 150

	VERSION & DRY WT	TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
6,000L 2790 L x 2000 W x 1556 H	Tank Only 275kg | 300kg | 330kg	STC06000TO	PTC06000TO	PTC06000TOH
	Tank & Frame	STC06000KTO	PTC06000KTO	PTC06000KTOH
	Tank, Frame & Pump Plate	STC06000KPTO	PTC06000KPTO	PTC06000KPTOH

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

7000L

450mm poly hinge lid
2" Croc-Loc tank fitting (loose)
8 x Ø24mm mounting pins

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**





BALL BAFFLES REQUIRED
ARB355F x 175


VERSION & DRY WT		TANK OPTIONS - CODE		
		AQUA-V	**ACTIVE LIQUID**	**MEGA MOLASSES**
7,000L 3250 L x 1920 W x 1640 H	Tank Only 250kg | 325kg | 360kg	STC07000TO	PTC07000TO	PTC07000TOH
	Tank & Frame	STC07000KTO	PTC07000KTO	PTC07000KTOH
	Tank, Frame & Pump Plate	STC07000KPTO	PTC07000KPTO	PTC07000KPTOH

8000L SLIM / TIPPER TANK

450mm poly hinge lid
2" Croc-Loc tank fitting (loose)
8 x Ø24mm mounting pins

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**





BALL BAFFLES REQUIRED
ARB355F x 200

VERSION & DRY WT		TANK OPTIONS - CODE		
		AQUA-V	**ACTIVE LIQUID**	**MEGA MOLASSES**
8,000L 3620 L x 2070 W x 1560 H	Tank Only 400kg | 440kg	STC08000ATO	PTC08000ATO	PTC08000ATOH
	Tank & Frame	STC08000AKTO	PTC08000AKTO	PTC08000AKTOH
	Tank, Frame & Pump Plate	-	PTC08000AKPTO	PTC08000AKPTOH

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

10000L SLIM / TIPPER TANK

450mm poly hinge lid
2" Croc-Loc tank fitting (loose)
4" Croc-Loc tank fitting (Mega Molasses)
8 x Ø24mm mounting pins

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**





BALL BAFFLES REQUIRED
ARB355F x 250

	VERSION & DRY WT	TANK OPTIONS - CODE		
		AQUA-V	**ACTIVE LIQUID**	**MEGA MOLASSES**
10,000L 3620 L x 2070 W x 1900 H	Tank Only 400kg | 475kg | 522kg	STC10000ATO	PTC10000ATO	PTC10000ATOH
	Tank & Frame	STC10000AKTO	PTC10000AKTO	PTC10000AKTOH
	Tank, Frame & Pump Plate	-	PTC10000AKPTO	PTC10000AKPTOH

10000L

450mm poly hinge lid
2" Croc-Loc tank fitting (loose)
4" Croc-Loc tank fitting (Mega Molasses)
8 x Ø24mm mounting pins

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**





BALL BAFFLES REQUIRED
ARB355F x 250

	VERSION & DRY WT	TANK OPTIONS - CODE		
		AQUA-V	**ACTIVE LIQUID**	**MEGA MOLASSES**
10,000L 3600 L x 2250 W x 1850 H	Tank Only 400kg | 475kg | 522kg	STC10000TO	PTC10000TO	PTC10000TOH
	Tank & Frame	STC10000KTO	PTC10000KTO	PTC10000KTOH
	Tank, Frame & Pump Plate	STC10000KPTO	PTC10000KPTO	PTC10000KPTOH

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

12000L SLIM / TIPPER TANK

450mm poly hinge lid
3" Croc-Loc tank fitting (loose)
4" Croc-Loc tank fitting (Mega Molasses)
8 x Ø24mm mounting pins

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**





BALL BAFFLES REQUIRED
ARB355F x 273

VERSION & DRY WT		TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
12,000L 3620 L x 2070 W x 2250 H	Tank Only 575kg | 630kg	-	PTC12000TO	PTC13000TOH
	Tank & Frame		PTC12000KTO	PTC13000KTOH
	Tank, Frame & Pump Plate		PTC12000KPTO	PTC13000KPTOH

13000L LOW PROFILE

450mm poly hinge lid
3" Croc-Loc tank fitting (loose)
4" Croc-Loc tank fitting (Mega Molasses)
8 x Ø24mm mounting pins

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**





BALL BAFFLES REQUIRED
ARB355F x 325

VERSION & DRY WT		TANK OPTIONS - CODE		
		AQUA-V	ACTIVE LIQUID	MEGA MOLASSES
13,000L Low Profile 4000 L x 2350 W x 1900 H	Tank Only 585kg | 645kg	-	PTC13000ATO	PTC13000ATOH
	Tank & Frame		PTC13000AKTO	PTC13000AKTOH
	Tank, Frame & Pump Plate		PTC13000AKPTO	PTC13000AKPTOH


Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

15000L

450mm poly hinge lid
3" Croc-Loc tank fitting (loose)
4" Croc-Loc tank fitting (Mega Molasses)
8 x Ø24mm mounting pins

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**





BALL BAFFLES REQUIRED
ARB355F x 375

VERSION & DRY WT		TANK OPTIONS - CODE		
		AQUA-V	**ACTIVE LIQUID**	**MEGA MOLASSES**
15,000L 4000 L x 2350 W x 2120 H	Tank Only 660kg | 730kg	-	PTC15000TO	PTC15000TOH
	Tank & Frame		PTC15000KTO	PTC15000KTOH
	Tank, Frame & Pump Plate		PTC15000KPTO	PTC15000KPTOH



From single units to full fleet rollouts, our cartage tanks are built to perform across construction, agriculture, mining and civil operations, delivering dependable water and liquid transport wherever your business needs it.

18000 LITRES IN ONE.
THE BIGGEST SINGLE-COMPARTMENT POLY TANK ON THE MARKET.

When every trip to the fill point costs you time, fuel and daylight, capacity is everything. Our new 18,000L cartage tank puts the full load in a single compartment. It's the biggest single chamber of any poly tank on the market, so the whole 18,000 litres is there for the job in one hit.

GUARANTEED • MADE IN AUSTRALIA •



WHY GO 18,000L?

Fewer trips, more done.

An extra 18,000L per load means fewer runs to the fill point. On big properties and remote sites, that's less time behind the wheel and more time working. Stepping up from a 13,000L tank carts roughly 38% more every trip.

Lowest cost per litre carted.

Fuel, labour and vehicle wear are spread across more litres per load, driving down the effective cost of every litre you move. The best dollar-per-litre efficiency in the range.

Matches high-capacity operations.

Broadacre spray-water supply, large-scale dust suppression, bulk transfer, stock, water deliveries and station water, sized for operators who've outgrown 13–15,000L tanks.



AquaTrans™ 18000L Water Cartage Tank

Twin 455mm hinged lids
3" brass outlet & internal elbow fitted
8 galvanised pins and wedges supplied

SCAN FOR PRICING

NEW PRODUCT



FEATURES

Heavy-duty tank with load rating of 1.3 specific gravity
Made from food grade polyethylene, suitable for drinking water
Fully UV stabilised
Engineer-approved tank design for maximum safety
Complies with relevant Australian standards
Easy-fill, no-spill containment lip around lid
Easy-to-read calibrated measurements



BALL BAFFLES REQUIRED
ARB355F x 450

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
A.	PTC18000TO	**18000L** Water Cartage Tank	5030 L x 2349 W x 2050 H	750kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

SPRAY TANKS

COMPLETE DRAINAGE



GET THE MOST OUT OF YOUR TANK


Extraordinary impact-resistant and built with special blended poly, the Spray Tank range is suitable for a broad range of liquids, from water to the harshest chemicals. With a lower sump, you'll be sure to have a flooded suction regardless of terrain, allowing for complete drainage.

SPRAY TANK

100L - 10,000L

Reliable spray performance starts with a tank you can trust.

Built from a special blended poly for outstanding impact resistance, our Spray Tanks are made for the demanding work found across Australian farms and civil sites. Designed to handle everything from water to harsh chemicals, each tank features a lower centre sump that keeps suction flooded on uneven ground, ensuring complete drainage and steady spray performance every time.




UPGRADE WITH BALL BAFFLE SYSTEM

Increased stability and safety when driving



FEATURES

UV stabilised polyethylene
All models food grade poly material
Active Liquid 1.3 : 1SG rating
Centre sump for full drainage
Graduation markings *(*not on all models)*
Translucent Teal
Breather to prevent tank concaving
255mm - 455mm diameter lids
455mm hinged lids (over 800L)
Basket filter reduces debris
SureFit mounting pins
Tank outlet / fittings (loose)
Strap or pin mount



HEAVY DUTY GALVANISED STEEL FRAME

Optional steel frame for full sump clearance



BASKET FILTER

To prevent contamination of liquid while filling



STABLE MOUNTING

With specifically designed tank legs and SureFit mounting pins

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

100L - 600L STRAP MOUNT

250mm poly screw lid & basket filter
1" poly tank fitting (loose)
1 ½" poly tank fitting - 200L+ (loose)
Hot dip gal frame (option)

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**





A.



B.

TANK SIZE	FRAME	DIMENSIONS	DRY WT.	DESCRIPTION	CODE	FIT WITH BALL BAFFLES
100L	No	815 L x 450 W x 595 H	9kg	1" poly fitting (loose)	PTSS00100TT	ARB195F x 14
	Yes	815 L x 450 W x 610 H	18kg	1" poly fitting (loose), frame fitted	PTSS00100KTT	ARB195F x 14
200L	No	940 L x 600 W x 725 H	12kg	1 ½" poly fitting (loose)	PTSS00200TT	ARB195F x 28
	Yes	940 L x 600 W x 750 H	22kg	1 ½" poly fitting (loose), frame fitted	PTSS00200KTT	ARB195F x 28
300AL	No	940 L x 600 W x 925 H	17kg	1 ½" poly fitting (loose), Oval End	PTSS00300ATT	ARB195F x 42
	Yes	940 L x 600 W x 970 H	27kg	1 ½" poly fitting (loose), Oval End, frame fitted	PTSS00300AKTT	ARB195F x 42
300L A.	No	1260 L x 590 W x 755 H	17kg	1 ½" poly fitting (loose), Round End	PTSS00300TT	ARB195F x 42
	Yes	1260 L x 590 W x 850 H	27kg	1 ½" poly fitting (loose), Round End, frame fitted	PTSS00300KTT	ARB195F x 42
400L	No	900 L x 820 W x 950 H	20kg	1 ½" poly fitting (loose)	PTSS00400TT	ARB195F x 57
	Yes	900 L x 820 W x 1000 H	37kg	1 ½" poly fitting (loose), frame fitted	PTSS00400KTT	ARB195F x 57
600L B.	No	1250 L x 820 W x 950 H	28kg	1 ½" poly fitting (loose)	PTSS00600TT	ARB195F x 85
	Yes	1250 L x 820 W x 1000 H	42kg	1 ½" poly fitting (loose), frame fitted	PTSS00600KTT	ARB195F x 85

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

400L - 1500L PIN MOUNT

Mounting pins x 4
250mm poly screw lid & basket filter
450mm poly hinge lid & basket filter (800L+)
1 ½" poly tank fitting (loose)
Hot dip gal frame (option)

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**

A.



B.





UPGRADE WITH BALL BAFFLE SYSTEM
Call 1800 011 000 for fitted costs

TANK SIZE	FRAME	DIMENSIONS	DRY WT.	DESCRIPTION	CODE	FIT W/ BALL BAFFLES
400L A.	No	1140 L x 1050 W x 610 H	26kg	1 ½" poly fitting (loose)	PTSP00400ATT	ARB195F x 57
	Yes	1140 L x 1050 W x 650 H	43kg	1 ½" poly fitting (loose), frame fitted	PTSP00400AKTT	ARB195F x 57
600L	No	1140 L x 1050 W x 800 H	33kg	1 ½" poly fitting (loose)	PTSP00600TT	ARB195F x 85
	Yes	1140 L x 1050 W x 850 H	50kg	1 ½" poly fitting (loose), frame fitted	PTSP00600KTT	ARB195F x 85
800L	No	1360 L x 1200 W x 650 H	48kg	1 ½" poly fitting (loose)	PTSP00800TT	ARB355F x 20
	Yes	1360 L x 1200 W x 700 H	71kg	1 ½" poly fitting (loose), frame fitted	PTSP00800KTT	ARB355F x 20
1,000L B.	No	1360 L x 1200 W x 1000 H	53kg	1 ½" poly fitting (loose)	PTSP01000TT	ARB355F x 25
	Yes	1360 L x 1200 W x 1045 H	76kg	1 ½" poly fitting (loose), frame fitted	PTSP01000KTT	ARB355F x 25
1,200L	No	1640 L x 1320 W x 870 H	61kg	1 ½" poly fitting (loose)	PTSP01200TT	ARB355F x 30
	Yes	1640 L x 1320 W x 950 H	85kg	1 ½" poly fitting (loose), frame fitted	PTSP01200KTT	ARB355F x 30
1,500AL	No	1800 L x 1320 W x 920 H	76kg	1 ½" poly fitting (loose)	PTSP01500ATT	ARB355F x 37
	Yes	1800 L x 1320 W x 970 H	91kg	1 ½" poly fitting (loose), frame fitted	PTSP01500AKTT	ARB355F x 37
1,500L	No	1640 L x 1320 W x 1100 H	76kg	1 ½" poly fitting (loose)	PTSP01500TT	ARB355F x 37
	Yes	1640 L x 1320 W x 1150 H	91kg	1 ½" poly fitting (loose), frame fitted	PTSP01500KTT	ARB355F x 37

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

2000L - 4400L PIN MOUNT

Mounting pins x 4/6
450mm poly hinge lid & basket filter
1 ½" poly tank fitting (loose)
2" Croc-Loc tank fitting (3400L+, loose)
Hot dip gal frame (option)

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**

A.



B.





UPGRADE WITH BALL BAFFLE SYSTEM
Call 1800 011 000 for fitted costs

TANK SIZE	FRAME	DIMENSIONS	DRY WT.	DESCRIPTION	CODE	FIT W/ BALL BAFFLES
2,000AL A.	No	1640 L x 1320 W x 1300 H	90kg	2" poly fitting (loose)	PTSP02000ATT	ARB355F x 50
	Yes	1640 L x 1320 W x 1350 H	105kg	2" poly fitting (loose), frame fitted	PTSP02000AKTT	ARB355F x 50
2,000L	No	2000 L x 1420 W x 1150 H	90kg	2" poly fitting (loose)	PTSP02000TT	ARB355F x 50
	Yes	2000 L x 1420 W x 1215 H	149kg	2" poly fitting (loose), frame fitted	PTSP02000KTT	ARB355F x 50
2,500L	No	2000 L x 1480 W x 1310 H	105kg	2" poly fitting (loose)	PTSP02500TT	ARB355F x 62
	Yes	2000 L x 1480 W x 1360 H	145kg	2" poly fitting (loose), frame fitted	PTSP02500KTT	ARB355F x 62
3,000L	No	2340 L x 1500 W x 1310 H	150kg	2" poly fitting (loose)	PTSP03000TT	ARB355F x 75
	Yes	2340 L x 1500 W x 1350 H	250kg	2" poly fitting (loose), frame fitted	PTSP03000KTT	ARB355F x 75
3,400L	No	2960 L x 1450 W x 1280 H	170kg	2" Croc-Loc fitting (loose)	PTSP03400TT	ARB355F x 85
	Yes	2960 L x 1450 W x 1330 H	350kg	2" Croc-Loc fitting (loose), frame fitted	PTSP03400KTT	ARB355F x 85
4,400L B.	No	2960 L x 1450 W x 1600 H	175kg	2" Croc-Loc fitting (loose)	PTSP04400TT	ARB355F x 110
	Yes	2960 L x 1450 W x 1650 H	355kg	2" Croc-Loc fitting (loose), frame fitted	PTSP04400KTT	ARB355F x 110

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

4800L - 10000L PIN MOUNT

Mounting pins x 4/6
450mm poly hinge lid & basket filter
2" Croc-Loc tank fitting (loose)
Hot dip gal frame (option)

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**

A.



Ideal for drillers - tank fits neatly behind the cab of trucks

B.





UPGRADE WITH BALL BAFFLE SYSTEM
Call 1800 011 000 for fitted costs

TANK SIZE	FRAME	DIMENSIONS	DRY WT.	DESCRIPTION	CODE	FIT W/ BALL BAFFLES
4,800L A.	No	2340 L x 1550 W x 2080 H	200kg	2" Croc-Loc fitting (loose)	PTSP04800TT	ARB355F x 120
	Yes	2340 L x 1550 W x 2130 H	300kg	2" Croc-Loc fitting (loose), frame fitted	PTSP04800KTT	ARB355F x 120
5,000L	No	2760 L x 2000 W x 1520 H	245kg	2" Croc-Loc fitting (loose)	PTSP05000TT	ARB355F x 125
	Yes	2760 L x 2000 W x 1570 H	425kg	2" Croc-Loc fitting (loose), frame fitted	PTSP05000KTT	ARB355F x 125
6,000AL B.	No	2760 L x 1500 W x 1670 H	275kg	2" Croc-Loc fitting (loose)	PTSP06000ATT	ARB355F x 150
	Yes	2760 L x 1500 W x 1782 H	455kg	2" Croc-Loc fitting (loose), frame fitted	PTSP06000AKTT	ARB355F x 150
7,000L	No	3250 L x 1900 W x 1740 H	300kg	2" Croc-Loc fitting (loose)	PTSP07000TT	ARB355F x 175
	Yes	3250 L x 1900 W x 1790 H	525kg	2" Croc-Loc fitting (loose), frame fitted	PTSP07000KTT	ARB355F x 175
10,000L	No	3600 L x 2250 W x 2140 H	475kg	2" Croc-Loc fitting (loose)	PTSP10000TT	ARB355F x 250
	Yes	3750 L x 2250 W x 2240 H	925kg	2" Croc-Loc fitting (loose), frame fitted	PTSP10000KTT	ARB355F x 250

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.



Image by Liquid Systems



Image by Liquid Systems

MODULAR TANKS

EXPANDABLE TANK SYSTEM



32,000L Modular water tank built for the commercial and government sectors

LIMITLESS POSSIBILITIES


Now available in two versions to give you more options and greater flexibility, our FlexConnex Modular Tank System is an innovative liquid transport system with limitless possibilities. Each tank section can be drained individually to allow for cartage of different fluids or linked together to allow equalised filling and draining.


MODULAR TANK SYSTEMS

THE FLEXCONNEX RANGE

The most innovative liquid transport system now available in two versions ideal for getting the most out of your liquid transport requirements, no matter how small or large!

Strong, stable and designed to move with confidence, these systems give you the freedom to build the capacity you need with 2000L or 4000L modules that lock in and stay steady on the road.





LARGE LID & BREATHER
455mm hinge lid on each section

2-WAY BAFFLE SYSTEM
Limits longitudinal and sideways movement for max fluid stability and control


INDIVIDUAL TANK DRAINAGE
Sections can be drained individually or linked together to allow equal filling and darining.

TAPERED SEAL FITTINGS
Allows for internal movement of joiner without leaking

FEATURES


UV stabilised polyethylene
All models food grade poly material
Active Liquid 1.3 : 1SG rating
Breather to prevent tank concaving
SureFit mounting pins
V1 Modular - 2000L sections
V2 Modular - 4000L sections

Dimensions:
V1: 2160 (W) x 1680 (H) per section
V2: 2350 (W) x 1650 (H) per section



255MM INTERNAL DIAMETER FLOW
Allows rapid fluid transfer between sections and baffled to prevent liquid surge

UPGRADE OPTIONS



FILLING FUNNEL UPGRADE OPTION
Galvanised for easy filling



FULL DRAIN SUMP UPGRADE OPTION
Allows complete tank drainage

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

V1 FLEXCONNEX MODULAR TANKS

2000L sections / modules
Compact width 2160mm for smaller trucks

SCAN FOR PRICING

CODE	MODULES	DESCRIPTION	DIMENSIONS	DRY WT*
PTM04000TO	2	**4,200L** V1 Modular Tank	1825 L x 2160 W x 1680 H	260kg
PTM06000TO	3	**6,200L** V1 Modular Tank	2665 L x 2160 W x 1680 H	390kg
PTM08000TO	4	**8,200L** V1 Modular Tank	3505 L x 2160 W x 1680 H	520kg
PTM10000TO	5	**10,200L** V1 Modular Tank	4345 L x 2160 W x 1680 H	650kg
PTM12000TO	6	**12,200L** V1 Modular Tank	5185 L x 2160 W x 1680 H	780kg
PTM14000TO	7	**14,200L** V1 Modular Tank	6025 L x 2160 W x 1680 H	910kg
PTM16000TO	8	**16,200L** V1 Modular Tank	6865 L x 2160 W x 1680 H	1040kg
PTM18000TO	9	**18,200L** V1 Modular Tank	7705 L x 2160 W x 1680 H	1170kg
PTM20000TO	10	**20,200L** V1 Modular Tank	8545 L x 2160 W x 1680 H	1300kg
PTM22000TO	11	**22,200L** V1 Modular Tank	9385 L x 2160 W x 1680 H	1430kg
PTM24000TO	12	**24,200L** V1 Modular Tank	10225 L x 2160 W x 1680 H	1560kg
PTM26000TO	13	**26,200L** V1 Modular Tank	11065 L x 2160 W x 1680 H	1690kg
PTM28000TO	14	**28,200L** V1 Modular Tank	11910 L x 2160 W x 1680 H	1820kg
PTM30000TO	15	**30,200L** V1 Modular Tank	12750 L x 2160 W x 1680 H	1950kg

V2 FLEXCONNEX MODULAR TANKS

4000L sections / modules
2350mm wide for maximum deck use and low height

SCAN FOR PRICING

CODE	MODULES	DESCRIPTION	DIMENSIONS	DRY WT*
PTM08000ATO	2	**8,000L** V2 Modular Tank	2795 L x 2350 W x 1650 H	480kg
PTM12000ATO	3	**12,000L** V2 Modular Tank	4160 L x 2350 W x 1650 H	720kg
PTM16000ATO	4	**16,000L** V2 Modular Tank	5525 L x 2350 W x 1650 H	960kg
PTM20000ATO	5	**20,000L** V2 Modular Tank	6890 L x 2350 W x 1650 H	1200kg
PTM24000ATO	6	**24,000L** V2 Modular Tank	8255 L x 2350 W x 1650 H	1440kg
PTM28000ATO	7	**28,000L** V2 Modular Tank	9620 L x 2350 W x 1650 H	1680kg
PTM32000ATO	8	**32,000L** V2 Modular Tank	10965 L x 2350 W x 1650 H	1920kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.






16,000L Modular water tanker spotted filling from roadside river in Queensland.

WATER CARTS

TRAILER & SLIP-ON CARTAGE



WATER CARTS FOR EVERY TASK

Equip your tray or tipper truck with our Slip-On Water Carts, engineered for water transfer, tree and turf watering, dust suppression, machinery wash-down, firefighting and biosecurity. Built tough to handle a wide range of applications with ease and efficiency.

MARSHAL WATER TRAILER

ON-FARM | ON-ROAD / ADR COMPLIANT

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

Take the Marshal Water Trailer to your next job and have a dependable water supply close at hand, ready for the everyday demands of property and worksite.

With a durable poly tank and a reliable pump and hose setup, it handles dust suppression, wash-down, livestock watering and irrigation with ease, and is just as ready if fire risk ever calls for it.

A.



FEATURES

UV stabilised polyethylene tank
450L/min RapidPro 2" fire pump
Pressure relief valve & return line
6.5 HP GX200 Honda motor
36m x 19mm firefighting hose
Poly manual hose reel
Adjustable firefighting nozzle
Galvanised steel single axle trailer
Leaf suspension springs
14" wheels with Ford hub pattern
50mm tow hitch and jockey wheel
6m Bottom fill kit with holder
455mm hinge lid
Anti-spill lip around lid

ON-ROAD/ADR COMPLIANT FEATURES

Waterproof LED lights
Cable disc brakes
Ball Baffles
**Registration not included*

NEW DESIGN!

Rebuilt around the way you work. Quicker repairs, better braking, less downtime.



ONBOARD BOTTOM FILL HOSE STORAGE
Stowed onboard and out of the dirt



DISC BRAKES
Disc brakes stay cool, stay clean, and keep their bite



REPLACEABLE MUDGUARDS
Replace just the damaged panel and get straight back to work.



REPLACEABLE REAR LIGHT PLATE
No cutting, no rewiring the whole rig, just fit and go

	CODE	DESCRIPTION	DIMENSIONS
	SRFX1000LZ	**1000L On-Farm** Marshal Trailer - Single Axle	3250 L x 1770 W x 1375 H
A.	SRFQ1000LZ	**1000L On-Road / ADR Compliant** Marshal Trailer - Single Axle	3250 L x 1770 W x 1375 H

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

WATER THAT GOES TO WORK: BUILT FOR EVERY JOB ON THE PROPERTY

Discover the versatility of our slip-on and trailer units, perfect for stock watering, cleaning, fire response and more.

Firefighting

Protect your valuable assets. Our powerful pumps and hoses can quickly and effectively combat fires, safeguarding your stock, land, and property.

Stock Water

Keep your livestock hydrated with ease. Our units can efficiently fill troughs in-field, saving you time and effort.

Machinery Wash-down

Maintain your equipment and extend its lifespan. Our high-flow pumps can thoroughly clean machinery on-site and prepare it for storage.

Tree & Turf Watering

Precisely target your watering needs. Our units allow for controlled and efficient watering of trees and turf, conserving water and promoting healthy growth.

Dust Control

Reduce dust and improve air quality. Our high-flow pumps can effectively suppress dust on-site and around your yard, creating a cleaner and safer working environment.

Biosecurity Wash-down

Protect your property from invasive pests and diseases. Our high-flow pumps can be used to thoroughly clean equipment and vehicles, preventing the spread of harmful organisms.

MARSHAL WATER TRAILER OPTIONAL UPGRADES

*Fitting required.

SCAN FOR PRICING

HONDA ELECTRIC START UPGRADE

Honda GX200E Petrol engine
Electric start

**Upgrade price only*



CODE
Replace "Z" with 'E' on end of code

24V HATZ DIESEL ENGINE UPGRADE

Hatz 1B30 single cylinder diesel engine
24V electric start
Battery pack inc.

**Upgrade price only*
***L48 Yanmar available*



CODE
Replace "Z" with 'D' on end of code

OVERHEAD TANK FILLER

38mm overhead tank filler for trailers
Meets airgap backflow regulations
Lid inc.



CODE
ARH038

DEFLECTORS & DUST SUPPRESSION BARS

CODE	DESCRIPTION
ARY0038BV	Deflector sprayer kit - single & dual
ARY0038AV	Deflector sprayer kit w. remote control
ATVA038K	Arag 1 /12 inch actuator valve kit
ARY0038T	1 1/2 inch deflector spray head
ARY0038	1 1/2 inch deflector spray head with camlock
ARD1800BV	Dust suppression bar kit
ARD1800AV	Dust suppression bar kit w. remote control

WATER CANNON

1 1/2 inch manually adjustable water cannon to suit deflector kits



CODE
ARC0038



Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

EMERGENCY STOP

Single E/Stop featuring a fuel cutout solenoid

CODE

AQSCE001



SPARE TYRE AND WHEEL

14" Ford hub pattern
Mounting bracket inc.

CODE

AQW014FK



WHEEL CHOCKS

Pair of Oz-Chock poly wheel chocks
Stainless steel holder inc.

CODE

AQCW001K



REFLECTIVE TAPE

3M Lime Yellow Clearance Tape

CODE

AQSR001LY





AQUAFILL

2000L - 15000L SLIP-ON BULK WATER DELIVERY

GUARANTEED • MADE IN AUSTRALIA •

25YR TANK
5YR CHASSIS
3YR ENGINE
5YR PUMP
WARRANTY

Simple, safe and effective. That is what the AquaFill™ range is known for.

The AquaFill range is trusted for bulk water delivery across civil sites, homesteads and by spray contractors who need gear that performs without fuss. Built for long days and tough conditions, it is the easy choice when reliability matters.

WORTH KNOWING:
We fit genuine Honda motors across the range. Parts are stocked at any Honda dealer nationwide, so a service or repair down the track is straightforward wherever you are.



FEATURES

UV stabilised chemical resistant poly tank
Hot dip galvanised frame
3" 1000L/min Impeller pump
GX160 Honda motor
Ball Baffle system included
3" suction manifold
3" overhead fill

Optional:
Honda Electric Start
Diesel motor

GET IN TOUCH TO CONFIRM THE RIGHT MODEL FOR YOUR SETUP.



Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

AQUAMAX

SLIP-ON WATER CARTS FOR TRAY & TIPPER TRUCKS

SCAN FOR PRICING

Built for the tough water jobs that cannot wait.

The AquaMax range is made for dust control, tree and turf watering, delivering reliable performance every time. Designed to slide straight onto tipper or tray back trucks, and able to mount to a trailer when needed, it gives you a quick and efficient water cart setup for any site or property.

GUARANTEED • MADE IN AUSTRALIA •

25YR TANK
5YR CHASSIS
3YR ENGINE
5YR PUMP
WARRANTY



*Images may show optional upgrades and accessories not included in the standard unit. Pricing will vary depending on the configuration selected. Please enquire for pricing on optional upgrades.**

FEATURES

UV stabilised chemical resistant poly tank
Hot dip galvanised frame
2" Impeller pump - 450L/min
GX160 Honda motor
36m manual poly hose reel
6m bottom fill kit
2" suction manifold
Ball baffle system included







CODE	DESCRIPTION	DIMENSIONS	DRY WT.
STD02000LZ	**2000L** AquaMax Slip-on Unit	2790 L x 1320 W x 1447 H	450kg
STD02500LZ	**2500L** AquaMax Slip-on Unit	3100 L x 1420 W x 1627 H	460kg
STD03000LZ	**3000L** AquaMax Slip-on Unit	3020 L x 1520 W x 1350 H	449kg
STD04400LZ	**4400L** AquaMax Slip-on Unit	4000 L x 1450 W x 1180 H	580kg
STD05000LZ	**5000L** AquaMax Slip-on Unit	3700 L x 2000 W x 1800 H	720kg
STD06000LZ	**6000L** AquaMax Slip-on Unit	4344 L x 2000 W x 1995 H	732kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

AQUAMAX OPTIONAL UPGRADES

*Fitting required.

SCAN FOR PRICING

HONDA ELECTRIC START UPGRADE

Honda GX200E Petrol engine
Electric start

**Upgrade price only*

CODE
Replace "Z" with 'E' on end of code



24V HATZ DIESEL ENGINE UPGRADE

Hatz 1B30 single cylinder diesel engine
24V electric start
Battery pack inc.

**Upgrade price only*
***L48 Yanmar available*

CODE
Replace "Z" with 'D' on end of code



HYDRANT FILLER KIT

50mm/80mm hydrant tank filler with camlock fittings

CODE
ARH050
ARH080



DEFLECTORS & DUST SUPPRESSION BARS

CODE	DESCRIPTION
ARY0038BV	Deflector sprayer kit - single & dual
ARY0038AV	Deflector sprayer kit w. remote control
ATVA038K	Arag 1 /12 inch actuator valve kit
ARY0038T	1 1/2 inch deflector spray head
ARY0038	1 1/2 inch deflector spray head with camlock
ARD1800BV	Dust suppression bar kit
ARD1800AV	Dust suppression bar kit w. remote control

WATER CANNON

1 1/2 inch manually adjustable water cannon to suit deflector kits

CODE
ARC0038





Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.


Rapid





CHEMICAL HANDLING

RINSE BINS & CHEMICAL LOADING SYSTEMS



RINSE MASTER
Ideal for triple rinsing chemical drums!

Ensure thorough cleaning of empty chemical drums with the Australian Made erosion resistant Rinse Master!

FEATURES

UV stabilised polyethylene
Optional upgrades inc:
Galvanised steel frame
Rotating drum rinse nozzle
Venturi fittings

GUARANTEED • MADE IN AUSTRALIA •

25 YEAR TANK WARRANTY

RINSE BINS: APPLICATIONS & USES



BATCHING CHEMICALS AND MIXING

Achieve precise chemical measurements for accurate applications.



MIXING GRANULES AND POWDERS

Effortlessly blend dry formulations into liquid solutions.



TRIPLE RINSING CHEMICAL DRUMS

Ensure compliance with safety standards by thoroughly cleaning chemical drums.


CHOOSE THE PERFECT RINSE BIN FOR YOUR APPLICATION

Our range of Rinse Bins is tailored to meet the unique needs of agricultural operations. Whether you're setting up a DIY system or managing advanced chemical batching and cleaning, we have the right solution for you.




BARE RINSE BINS (TANK ONLY OR TANK & FRAME)

Best for: DIY batching systems and custom setups.
A versatile, cost-effective option for users who want to create their own chemical handling system.



TANK, FRAME WITH DRUM RINSE ROTATING NOZZLE & OUTLET

Best for: Simple batching systems.
A ready-to-use solution for straightforward chemical mixing needs, combining durability and ease of use.



COMPLETE TANK, FRAME, DRUM RINSE ROTATING NOZZLE, OUTLET & VENTURI

Best for: Chemical batching with drum cleaning.
A complete system that integrates efficient chemical batching with triple rinsing capability for maximum productivity and safety.

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

RINSE BINS

50L - 300L

SCAN FOR PRICING



ROTATING NOZZLE

Comes standard with complete unit for faster cleaning - spins at 3000rpm at 3 bar pressure



50L



120L



200L



300L

TANK SIZE	DESCRIPTION	DIMENSIONS	CODE
50L	Tank only, no fittings	500 L x 500 W x 430 H	PJR0050LNA
	Tank, frame, no fittings	600 L x 500 W x 600 H	PJR0050LKNA
	Tank, frame w/ complete drum rinse rotating nozzle & outlet	600 L x 500 W x 600 H	PJR0050LKCNA
	Tank, frame, drum rinse w/ rotating nozzle, outlet & 5mm venturi	600 L x 500 W x 600 H	PJR0050LKV5NA
	Tank, frame, drum rinse w/ rotating nozzle, outlet & 9mm venturi	600 L x 500 W x 600 H	PJR0050LKV9NA
120L	Tank only, no fittings	595 L x 600 W x 600 H	PJR0120LNA
	Tank, frame, no fittings	695 L x 600 W x 800 H	PJR0120LKNA
	Tank, frame w/ complete drum rinse rotating nozzle & outlet	695 L x 600 W x 800 H	PJR0120LKCNA
	Tank, frame, drum rinse w/ rotating nozzle, outlet & 5mm venturi	695 L x 600 W x 800 H	PJR0120LKV5NA
	Tank, frame, drum rinse w/ rotating nozzle, outlet & 9mm venturi	695 L x 600 W x 800 H	PJR0120LKV9NA
200L	Tank only, no fittings	595 L x 600 W x 922 H	PJR0200LNA
	Tank, frame, no fittings	695 L x 600 W x 1120 H	PJR0200LKNA
	Tank, frame w/ complete drum rinse rotating nozzle & outlet	695 L x 600 W x 1120 H	PJR0200LKCNA
	Tank, frame, drum rinse w/ rotating nozzle, outlet & 5mm venturi	695 L x 600 W x 1120 H	PJR0200LKV5NA
	Tank, frame, drum rinse w/ rotating nozzle, outlet & 9mm venturi	695 L x 600 W x 1120 H	PJR0200LKV9NA
300L	Tank only, no fittings	680 L x 680 W x 920 H	PJR0300LNA
	Tank, frame, no fittings	755 L x 680 W x 1155 H	PJR0300LKNA
	Tank, frame w/ complete drum rinse rotating nozzle & outlet	755 L x 680 W x 1155 H	PJR0300LKCNA
	Tank, frame, drum rinse w/ rotating nozzle, outlet & 5mm venturi	755 L x 680 W x 1155 H	PJR0300LKV5NA
	Tank, frame, drum rinse w/ rotating nozzle, outlet & 9mm venturi	755 L x 680 W x 1155 H	PJR0300LKV9NA

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

SAFELOAD SYSTEM

10L

SCAN FOR PRICING

The SafeLoad system is designed to keep operators safe by removing the hardest and riskiest parts of chemical handling.

With road side operation and hands free mixing, crews stay on the ground, away from raw chemical, splashes and lifting heavy drums. It is a calmer, cleaner and much safer way to work.





FEATURES

Chemical measure and transfer system
10L calibrated measuring chamber
Integrated sump and sump screen
Suction system controls
Mix and rinse function
Venturi fitting

UPGRADE OPTIONS



1m Cabinet



1.5m Cabinet

CODE	DESCRIPTION
ATDC009L	10L SafeLoad System

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

SAFELOAD MAXI

300L

SCAN FOR PRICING

Fill your boom sprayer with the SafeLoad Maxi and cut mixing time without cutting corners. Built from real farmer feedback, it delivers exceptional agitation and faster chemical dissolution so you spend less time mixing and more time spraying.

With a high-flow 1,000+ LPM pump and agitation system, it handles both liquid formulations and difficult granular products like AMS and WDGs, maximising mixing performance while minimising waste, contamination and operator effort.



WHAT SETS IT APART

Dual-position rinse nozzle. Jugs with the lid open, full tank interior with it closed.

Square-profile hopper. Breaks the swirl, dissolves granules faster.

Two-way fork pockets.
Pick it up from either side.

300L, ute tray sized.
Batching that travels with the sprayer

FEATURES

LLDPE IMFO Sump tank
2" Banjo/Hypro pump (1000+ L/min)
Honda GX200
Galvanised RHS frame
4-way forklift pockets



AGITATION MANIFOLD
Keeps chemical moving for faster, more complete mixing, even with tough granular products.




LEVEL MARKINGS
Clear visual fill levels let you mix without guesswork or overfilling.

CODE	DESCRIPTION	DIMENSIONS	DRY WT.
ATDC300L	300L SafeLoad Maxi	1500 L x 1000 W x 1320 H	140kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

BALL BAFFLES

LIQUID LOAD SAFETY SOLUTION



GUARANTEED • MADE IN AUSTRALIA •

ELIMINATE LIQUID SLOSH & SURGE

Ball Baffles divide the liquid into small pockets so a wave never builds enough to shift the vehicle's balance. The result is a steadier load and less stress on the tank through braking and turns.

BALL BAFFLE SYSTEMS

GREATER SAFETY & STABILITY

SCAN FOR PRICING

1 YEAR WARRANTY

The Rapid Spray Ball Baffle System cuts liquid surge and keeps your tank steady, with lightweight and rust proof spheres that fully baffle the tank for smoother transport.

Proven performance you can rely on. Easy to retrofit and independently tested by LoadSafe Australia, the system reduces movement, lowers wear on brakes and tyres, and helps keep every trip controlled and stable.



FEATURES

Food grade polypropylene
Australian Made!
Suitable for water and aggressive chemicals (e.g. diesel)
Suitable for steel and fibreglass tanks
Fitted or non-fitted options
2 piece design - no clips or ties

MINIMAL LIQUID DISPLACEMENT

195mm : 150ml / ball
355mm : 428ml / ball

195MM OR 355MM

Different size Ball Baffles to suit different lid openings and tank capacities

7-SECOND ASSEMBLY TIME

Just twist and click and throw them in

REDUCES BRAKING DISTANCE UP TO 46%!

As demonstrated by independent testing

CODE	DESCRIPTION	LIQUID DISPLACEMENT	DRY WT	QTY REQUIRED
ARB195B	Ø195mm Ball Baffle - 44/box (baffles 308L)	150ml / ball	126gm / ball	1 ball / 7L tank capacity
ARB195F	Ø195mm Ball Baffle Fitted*	150ml / ball	126gm / ball	1 ball / 7L tank capacity
ARB355B	Ø355mm Ball Baffle - 25/box (baffles 1,000L)	428ml / ball	478gm / ball	1 ball / 40L tank capacity
ARB355F	Ø355mm Ball Baffle Fitted*	428ml / ball	478gm / ball	1 ball / 40L tank capacity

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.



BALL BAFFLE ASSEMBLY - ONLY TAKES 7 SECONDS!
Check out the video on rapidspray.net/resources/videos



TESTED AND APPROVED BY LOADSAFE AUSTRALIA
Check out the video on rapidspray.net/resources/videos

LIQUID COMPATIBILITY GUIDE FOR BALL BAFFLES:


Ball Baffles are lightweight, easy to install, and compatible with a variety of liquids. However, not all liquids are suitable for use with Ball Baffles.

Use the chart on the right to quickly determine which liquids work best and ensure optimal performance for your transport needs.


GUARANTEED • MADE IN AUSTRALIA •

*Cleaning always required when switching from one liquid to another.

LIQUID TYPE	COMPATIBILITY
Water	✓ Suitable
Diesel	✓ Suitable
Liquid Fertiliser	✓ Suitable
Herbicides	✓ Suitable
Pesticides	✓ Suitable
AdBlue® (DEF)	✓ Suitable
Petrol	✗ Not suitable
Acids	✗ Not suitable
Alcohol	✗ Not suitable








FLOMAX



TANK SPARES
LIDS & BASKET FILTERS

SCAN FOR PRICING

1 YEAR COMPONENTRY WARRANTY

150MM SCREW LID

150mm diameter
Female thread
Spring lever valve & gasket



CODE	DESCRIPTION
ARLP150AV	150mm Screw Lid

250MM POLY SCREW LID

255mm diameter | Male thread
Fixed labyrinth breather valve | Gasket
Suits tank openings: 215 - 225mm



CODE	DESCRIPTION
ARLP250VSR	250mm Screw Lid with Rim

455MM HINGE LID

455mm diameter | Hinge style
Fixed ring labyrinth
Breather valve
Rim & gasket seal
Suits tank openings: 415 - 430mm



CODE	DESCRIPTION
ARLP450VSR	455mm Poly Hinge Lid

455MM STAINLESS STEEL

455mm diameter | Hinge style
Twin labyrinth breather valve
Fixing ring with screw holes
Stainless Steel construction
Lockable with gasket seal



CODE	DESCRIPTION
ARLS450VSR	455mm Stainless Steel Lid

BASKET FILTER

#18 mesh screen


A.


B.

	CODE	SUITS PUMP
A.	ARK200	Suits 250mm Screw Lid
B.	ARK400	Suits 455mm Hinge Lid



Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

TANK SPARES
TANK FITTINGS

SCAN FOR PRICING

1 YEAR COMPONENTRY WARRANTY

POLY FLANGED TANK OUTLET FITTINGS

	CODE	DESCRIPTION
A.	ARFP020	¾" poly tank outlet
	ARFP025	1" poly tank outlet
	ARFP032	1 ¼" poly tank outlet
	ARFP038	1 ½" poly tank outlet
	ARFP050	2" poly tank outlet
	ARFP050R	2" poly tank outlet reverse thread



BRASS FLANGED TANK OUTLET FITTINGS

	CODE	DESCRIPTION
A.	ARFB020	¾" brass tank outlet
	ARFB025	1" brass tank outlet
	ARFB032	1 ¼" brass tank outlet
	ARFB038R	1 ½" brass tank outlet reverse thread
	ARFB050R	2" brass tank outlet reverse thread
	ARFB080R	3" brass tank outlet reverse thread
	ARFB100R	4" brass tank outlet reverse thread



CROC-LOC BOLTED TANK FITTINGS

304 Stainless Steel
EPDM gasket standard on 2"
VITON standard on 3" & 4"
BUNA optional

RAPID SPRAY EXCLUSIVE!

Suitable for liquid fertiliser, molasses and most liquids.
Easy to tighten, superior leak free performance!

	CODE	DESCRIPTION
A.	ARBS050	2" SS 4-bolt Croc-loc outlet
B.	ARBS080	3" SS 6-bolt Croc-loc outlet
	ARBS100	4" SS 8-bolt Croc-loc outlet

A.



B.



Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

TANK SPARES
ADD-ONS

SCAN FOR PRICING

1 YEAR COMPONENTRY WARRANTY

TANK LEVEL KIT

Clear tube with red floating ball
1.5m / 2m tube length



CODE	DESCRIPTION
ARN001	Tank level kit - 1.5m
ARN002	Tank level kit - 2m

HYDRANT FILLER KIT

Easy filling without need to climb on vehicle.
Complies with air gap for safety back flow regulations, protecting water source.
Comes with camlock fittings and lid.



CODE	DESCRIPTION
ARH038	38mm Hydrant filler kit
ARH050	50mm Hydrant filler kit
ARH080	80mm Hydrant filler kit

TOP FILL FUNNEL

Suits 450mm tank opening
Galvanised top fill funnel





CODE	DESCRIPTION
ARU450	Top fill funnel

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

TANK SPARES
SUREFIT MOUNTING PINS

SCAN FOR PRICING

1 YEAR COMPONENTRY WARRANTY

SUREFIT TANK MOUNTING PINS

CODE	SIZE	SUITS		ORDER QTY	
		CARTAGE TANKS	SPRAY TANKS		
ASP18X200	18 x 200mm	400L / 600L	400 / 600 / 800/ 1000L	4	
ASP18X230	18 x 230mm	800L / 1000L	-	4	
ASP18X260	18 x 260mm	-	1200L / 1500L	4	
ASP24X260	24 x 260mm	1200L / 1500L / 6000L / 7000L / 8000L	2000L / 8000L	4	
ASP24X330	24 x 330mm	2000L - 18000L	3400L - 8000L	4	600 - 6000L Cartage tanks 400L - 3000L Spray tanks
				6	3400L - 8000L Spray tanks
				8	7000L - 18000L Cartage tanks



Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.


POTABLE WATER
POTABLE WATER



SPOT FIRE, PROPERTY PROTECTION, BACK BURNING CONTROL, TREE WATERING, WASH DOWN, DUST SUPPRESSION & STOCK WATER TRANSFER

The Rapid Spray firefighting range is designed not only for critical fire protection but also for year-round versatility. Our equipment, from compact UTV units to large ute-mounted slip-ons and trailers, offers practical solutions beyond firefighting. Use it for tree and turf irrigation, transferring stock water for livestock, machinery wash down, dust control, and even support biosecurity by preventing the spread of weeds and pests. With Rapid Spray, you have reliable, multi-purpose equipment ready for any need on your property.



FIRE

FIREFIGHTING TRAILERS

THE ULTIMATE WATER SOURCE



GUARANTEED • MADE IN AUSTRALIA •

HITCH & GO FIREFIGHTING SOLUTION

These robust machines have been designed and built to help you effectively and efficiently put out grassfires and bushfires. Although these road-registerable trailers share a basic design, each comes with different accessories that can be modified to specific needs.

FIRE MARSHAL TRAILER

ON-FARM | ON-ROAD / ADR COMPLIANT

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

Experience the convenience of "Hitch & Go" with the reliable and effective Fire Marshal Trailers.

Commonly used for tree watering, stock water transfer and/or cleaning tasks - you'll find a job for your fire trailer all year round!

A.



FEATURES

UV stabilised polyethylene tank
450L/min RapidPro 2" fire pump
Pressure relief valve & return line
GX200 Honda motor
36m x 19mm firefighting hose
Poly manual hose reel
Adjustable firefighting nozzle
Galvanised steel single axle trailer
Leaf suspension springs
14" wheels with Ford hub pattern
50mm tow hitch and jockey wheel
6m x Bottom fill kit
455mm hinge lid
Anti-spill lip around lid

ON-ROAD/ADR COMPLIANT FEATURES

Waterproof LED lights
Disc brakes
Ball Baffles
**Registration not included*

NEW DESIGN!

Rebuilt around the way you work. Quicker repairs, better braking, less downtime.



ONBOARD BOTTOM FILL HOSE STORAGE
Stowed onboard and out of the dirt



DISC BRAKES
Disc brakes stay cool, stay clean, and keep their bite



REPLACEABLE MUDGUARDS
Replace just the damaged panel and get straight back to work.



REPLACEABLE REAR LIGHT PLATE
No cutting, no rewiring the whole rig, just fit and go

	CODE	DESCRIPTION	DIMENSIONS
	SRFX1000LZ	**1000L On-Farm** Marshal Trailer - Single Axle	3250 L x 1770 W x 1375 H
A.	SRFQ1000LZ	**1000L On-Road / ADR Compliant** Marshal Trailer - Single Axle	3250 L x 1770 W x 1375 H

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

SLIP-ON FIRE FIGHTERS

HIGH CAPACITY



POWERFUL FIREFIGHTING PERFORMANCE

Designed, manufactured and built in Australia by Australians who understand the power and pace of bushfires all too well. With powerful firefighting pumps, easy deploy frames and quick fill features, these are the complete firefighting package!

Disclaimer: Please note that the pump depicted in the picture may differ from the one provided.

FIRE RANGER

1,200L - 2,500L

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

The Fire Ranger delivers high capacity water and reliable performance, giving you confidence when protecting property, machinery and work sites.

With a strong tank, dependable pump power and practical features, this slip-on unit is ready to support rural properties, industrial sites and emergency crews when it matters most.

A.



*** Pump shown different to pump supplied.*

FEATURES

UV stabilised polyethylene tank
450L/min RapidPro 2" fire pump
Pressure relief valve & return line
GX200 Honda motor
36m x 19mm firefighting hose
Poly manual hose reel
Adjustable firefighting nozzle
6m x Bottom fill kit
Quick change-over system
Ball Baffle system fitted
Galvanised steel frame
455mm hinge lid
Anti-spill lip around lid



BALL BAFFLE SYSTEM
Increased stability to ensure safety of crew and others



SECURE MOUNTING
With SureFit mounting pins

25YR TANK
3YR ENGINE
5YR PUMP
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
	PFU1200LZ	**1200L** Fire Ranger with 450L/min RapidPro Pump	2150 L x 1700 W x 850 H	155kg
	PFU1500LZ	**1500L** Fire Ranger with 450L/min RapidPro Pump	2150 L x 1700 W x 1100 H	175kg
	PFU2000LZ	**2000L** Fire Ranger with 450L/min RapidPro Pump	2950 L x 2000 W x 1050 H	200kg
A.	PFU2500LZ	**2500L** Fire Ranger with 450L/min RapidPro Pump	2800 L x 2000 W x 1250 H	215kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

ULTIMATE FIRE

400L - 1000L

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

The Ultimate Fire Ranger brings side and front loading versatility together with a tough slip-on design that delivers reliable suppression wherever it is needed.

With durable tank construction and dependable pump performance, it supports rapid fire response and can assist with water transfer, dust control and wash-down when required.

A.



FEATURES

UV stabilised polyethylene tank
450L/min RapidPro 2" fire pump
Pressure relief valve & return line
Quick fill valve
GX200 Honda motor
36m x 19mm firefighting hose
Poly manual hose reel
Adjustable brass nozzle
Galvanised steel frame
Forklift pockets
Sling points
400L-600L: 250mm screw lid
800L-1000L: 455mm screw lid
Anti-spill lip around lid

UPGRADE OPTIONS



BALL BAFFLE SYSTEM



BOTTOM FILL KIT

See page 74 for more info.


25YR TANK
3YR ENGINE
5YR PUMP
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS
	SFU0400LZ	**400L** Ultimate Fire with 450L/min RapidPro pump	1950 L x 1360 W x 700 H
A.	SFU0600LZ	**600L** Ultimate Fire with 450L/min RapidPro pump	1950 L x 1360 W x 935 H
	SFU0800LZ	**800L** Ultimate Fire with 450L/min RapidPro pump	1950 L x 1360 W x 890 H
	SFU1000LZ	**1000L** Ultimate Fire with 450L/min RapidPro pump	1950 L x 1360 W x 1045 H

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

COMPACT FIRE FIGHTERS

QUICK DEPLOY



BE FIRE READY

Compact, space saving firefighting equipment designed to fit into the back of your UTV for rapid action when you need it. Tough and durable – great for equipment wash down, tree watering and anywhere you need a powerful portable water source.

GUARANTEED • MADE IN AUSTRALIA •

FIRESCOUT CORE

360L | 600L

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

Use a FireScout once and you'll never face fire season unprepared again. Compact, UTV-ready and built for fast deployment because when fire threatens, every second counts.

Available in 360L or 600L, it fits your UTV or tray back and tub back dual cab ute. It features a built-in 36m hose reel, reliable water delivery across any terrain, and year-round use for wash-down and dust suppression.



FEATURES

UV stabilised polyethylene tank
450L/min RapidPro 2" fire pump
GX200 Honda motor
36m x 19mm firefighting hose
Poly manual hose reel
Adjustable brass nozzle
Forklift pockets for easy loading
250mm screw lid
Moulded tie-down points
Anti-spill lip around lid

GUARANTEED • MADE IN AUSTRALIA •

25YR TANK
3YR ENGINE
5YR PUMP
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS
A.	SFS0360LZ	**360L** FireScout Core with 450L/min RapidPro pump	910 L x 1100 W x 840 H
	SFS0600LZ	**600L** FireScout Core with 450L/min RapidPro pump	1300 L x 1100 W x 840 H

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.



UPDATED MANIFOLD
now with a 3-way ball valve for rapid refilling



ADJUSTABLE FIREFIGHTING NOZZLE
Ideal for adjusting spray depending on task

UPGRADE OPTIONS



BOTTOM FILL KIT
Quick fill unit from any water source. See page 74.

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

FIRE MARSHAL

250L | 325L

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**

The Fire Marshal earns its place on your UTV every single day and not just when fire threatens.

Available in 250L or 325L with a low-slung step-baffled tank for stability on rough ground, it handles back burning, tree watering and stock water supply as confidently as it tackles fire response.

A.



B.



FEATURES

UV stabilised polyethylene tank
120L/min 75psi F/F pump
GX35 Honda motor
36m x 19mm firefighting hose
Poly manual hose reel
Adjustable firefighting nozzle
Compact moulded design with tie-down points at front & rear
250mm screw lid
Anti-spill lip around lid opening
Front drain bung

GUARANTEED • MADE IN AUSTRALIA •

25YR TANK
3YR ENGINE
5YR PUMP
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
A.	SF0250ALZ	**250L** Fire Marshal w/ 120L/min F/F pump	910 L x 760 W x 700 H	29.7kg
	SF0250ALZH4	**250L** Fire Marshal w/ 120L/min F/F pump, 36m poly reel hose	910 L x 730 W x 1035 H	39.7kg
	SF0325LZ	**325L** Fire Marshal w/ 120L/min F/F pump	910 L x 1050 W x 1035 H	45kg
B.	SF0325LZH4	**325L** Fire Marshal w/ 120L/min F/F pump, 36m poly reel hose	910 L x 1050 W x 1050 H	55kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.





Fire Marshal 325 being used for stock yard cleaning, equipment wash down and emergency spot fire response at Sylvester Pastoral.



FIREFIGHTING ACCESSORIES



READY TO GO AT ANYTIME

Pump kits, firefighting hose reels, pumps, nozzles and more - make it easy to keep your firefighting unit ready to go at all times!

FIREFIGHTING HOSE REEL

36M X 19MM

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

POLY FIREFIGHTING HOSE REEL


36m x 19mm poly firefighting hose
Adjustable firefighting nozzle
Poly manual hose reel
Galvanised steel base mount
15yr poly warranty







CODE	DESCRIPTION	DIMENSIONS	BASE PLATE DIMENSION
AFHW10B036M19	36m Poly Firefighting Hose Reel	620 L x 340 W x 660 H	240 L x 240 W



FIREFIGHTING ACCESSORIES
BOTTOM FILL KIT

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

BOTTOM FILL KIT

6m hose
Camlock fittings
Foot strainer

FILL ANYWHERE
Quickly fill up fire unit from any water source!





1 YEAR COMPONENTRY WARRANTY

CODE	DESCRIPTION
AFK006	6m Bottom Fill Kit
AFK006FS	6m Bottom Fill Kit with storage bracket *for FireScout only



Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.





PORTABLE DIESEL PODS FOR UTES, TRUCKS AND TRAILERS FOR ON-SITE DIESEL REFUELLING

Our diesel refuelling range includes transport tanks, ute and UTV-mounted units, and diesel trailers. Made from certified diesel-grade materials and fitted with high-quality components, our diesel refuelling range is designed for reliability. With efficient transfer pumps, they make refuelling simple and effective for various applications, including farming, civil works, and construction projects.

DIESEL



MOBILE DIESEL REFUELLING

TAMPER PROOF



PORTABLE DIESEL REFUELLING

Choose from the Genius and Active ranges of portable refuelling tanks. Manufactured in Australia from diesel grade polyethylene, our diesel tanks are backed by a full-term 15-year warranty. When you use our diesel tanks, your fuel will be protected from the elements and is guaranteed not to spill during transport.

Scan the QR. Watch our tamper-proof Diesel Unit in action!

GENIUS DIESEL REFUELLING

100L - 1200L

Machines don't stop for fuel runs and with a Genius Diesel Pod on site, neither do you.

With a lockable pump cover, it brings the fuel bowser to your farm, civil site or remote job. Your equipment keeps turning over and your day stays on schedule.



FEATURES

Diesel grade UV stabilised polyethylene tank
40L/min - 60L/min pump options*
4m - 6m x 20mm diesel grade hose*
Heavy duty auto shut-off nozzle
Diesel gun holder bracket
4m battery cables
*Not all options available on all models

PUMP OPTIONS & WARRANTY

12V 40L/min DieselFlo - 1yr warranty
12V 45L/min Fluid Italy - 2yr warranty
12V 60L/min Fluid Italy - 2yr warranty



DUSTBOSS® BREATHER

For clean fuel



PADLOCKABLE WEATHERPROOF PUMP COVER

Tamper proof and theft protection
(padlock not included)



SECURE MOUNTING

Moulded grooves for strap mounting and brass inserts under tank for direct mounting

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

100L GENIUS DIESEL

Low Profile tank design
40L/min pump
2" filler and cap
Heavy duty auto shut-off nozzle
Diesel gun holder bracket
4m battery cables
Dust & spill proof diesel breather

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**



CODE	DESCRIPTION	12V PUMP	DIMENSIONS	DRY WT
DUL0100LD040V1	**100L Low** Genius Diesel with 4m hose	40L/min DieselFlo	800 L x 680 W x 465 H	28kg

200L GENIUS DIESEL

Improved compact tank designs
40L/min - 45L/min pump options
Larger filler cup opening
Heavy duty auto shut-off nozzle
Diesel gun holder bracket
4m battery cables
Dust & spill proof diesel breather

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**



CODE	DESCRIPTION	12V PUMP	DIMENSIONS	DRY WT
DUL0200ALD040V1	**200L Compact** Genius Diesel with 4m hose	40L/min DieselFlo	800 L x 680 W x 710 H	31kg
DUL0200ALF045V1	**200L Compact** Genius Diesel with 6m hose	45L/min Fluid Italy	800 L x 680 W x 710 H	33kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

300L GENIUS DIESEL

Slim tank design
40L/min - 45L/min pump options
2" filler and cap
Heavy duty auto shut-off nozzle
Diesel gun holder bracket
4m battery cables
Dust & spill proof diesel breather

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**

Great for fitting between tool boxes!



CODE	DESCRIPTION	12V PUMP	DIMENSIONS	DRY WT
DUL0300LD040V1	**300L Slim** Genius Diesel with 4m hose	40L/min DieselFlo	1290 L x 600 W x 770 H	40kg
DUL0300LF045V1	**300L Slim** Genius Diesel with 6m hose	45L/min Fluid Italy	1290 L x 600 W x 770 H	42kg

400L GENIUS DIESEL

Slim or Compact tank styles
40L/min - 60L/min pump options
Larger filler cup opening
Heavy duty auto shut-off nozzle
Diesel gun holder bracket
4m battery cables
Dust & spill proof diesel breather

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**

A.



B.



	CODE	DESCRIPTION	12V PUMP	DIMENSIONS	DRY WT
A.	DUL0400LD040V1	**400L Compact** Genius Diesel w/ 4m hose	40L/min DieselFlo	1150 L x 820 W x 780 H	38kg
A.	DUL0400LF045V1	**400L Compact** Genius Diesel w/ 6m hose	45L/min Fluid Italy	1150 L x 820 W x 780 H	39kg
B.	DUL0400ALD040V1	**400L Slim** Genius Diesel with 4m hose	40L/min DieselFlo	1290 L x 600 W x 965 H	38kg
B.	DUL0400ALF045V1	**400L Slim** Genius Diesel with 6m hose	45L/min Fluid Italy	1290 L x 600 W x 965 H	39kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

600L GENIUS DIESEL

40L/min - 60L/min pump options
1" high flow nozzle (60L/min pumps)
2" filler and cap
Heavy duty auto shut-off nozzle
Diesel gun holder bracket
4m battery cables
Dust & spill proof diesel breather

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**



CODE	DESCRIPTION	12V PUMP	DIMENSIONS	DRY WT
DUL0600LD040V1	**600L** Genius Diesel with 4m hose	40L/min DieselFlo	1700 L x 880 W x 740 H	63kg
DUL0600LF045V1	**600L** Genius Diesel with 6m hose	45L/min Fluid Italy	1700 L x 880 W x 740 H	65kg
DUL0600LF060V1	**600L** Genius Diesel with 6m hose	60L/min Fluid Italy	1700 L x 880 W x 740 H	68kg

800L GENIUS DIESEL

40L/min - 60L/min pump options
1" high flow nozzle (60L/min pumps)
2" filler and cap
Heavy duty auto shut-off nozzle
Diesel gun holder bracket
4m battery cables
Dust & spill proof diesel breather

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**





OPTIONAL BALL BAFFLES
ARB355F x 20

CODE	DESCRIPTION	12V PUMP	DIMENSIONS
DUL0800LD040V1	**800L** Genius Diesel with 4m hose	40L/min DieselFlo	1700 L x 1000 W x 860 H
DUL0800LF045V1	**800L** Genius Diesel with 6m hose	45L/min Fluid Italy	1700 L x 1000 W x 860 H
DUL0800LF060V1	**800L** Genius Diesel with 6m hose	60L/min Fluid Italy	1700 L x 1000 W x 860 H

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

1000L GENIUS DIESEL

40L/min - 60L/min pump options
1" high flow nozzle (60L/min pumps)
2" filler and cap
Heavy duty auto shut-off nozzle
Diesel gun holder bracket
4m battery cables
Dust & spill proof diesel breather

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**



OPTIONAL BALL BAFFLES
ARB355F x 25



CODE	DESCRIPTION	12V PUMP	DIMENSIONS
DUL1000LD040V1	**1000L** Genius Diesel with 4m hose	40L/min DieselFlo	1700 L x 1000 W x 1025 H
DUL1000LF045V1	**1000L** Genius Diesel with 6m hose	45L/min Fluid Italy	1700 L x 1000 W x 1025 H
DUL1000LF060V1	**1000L** Genius Diesel with 6m hose	60L/min Fluid Italy	1700 L x 1000 W x 1025 H

1200L GENIUS DIESEL

40L/min - 60L/min pump options
1" high flow nozzle (60L/min pumps)
2" filler and cap
Heavy duty auto shut-off nozzle
Diesel gun holder bracket
4m battery cables
Dust & spill proof diesel breather

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**



OPTIONAL BALL BAFFLES
ARB355F x 30



CODE	DESCRIPTION	12V PUMP	DIMENSIONS
DUL1200LD040V1	**1200L** Genius Diesel with 4m hose	40L/min DieselFlo	1700 L x 1000 W x 1190 H
DUL1200LF045V1	**1200L** Genius Diesel with 6m hose	45L/min Fluid Italy	1700 L x 1000 W x 1190 H
DUL1200LF060V1	**1200L** Genius Diesel with 6m hose	60L/min Fluid Italy	1700 L x 1000 W x 1190 H

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

GENIUS DIESEL ACCESSORIES

STEEL FRAMES | FLOW METER


GENIUS DIESEL TANK STEEL FRAME

SCAN FOR PRICING

Easy to load convenience
Forklift pockets*
Hot dip galvanised for durability

**Check compatibility with forklift tines before ordering. Fitting required. Bolts not included.*

5 YEAR FRAME WARRANTY



A.

	CODE	DESCRIPTION	SUITS	DIMENSIONS
	ASFD00100	Steel Frame (not forkliftable)	DUL0100L / DUL0200AL	700 L x 580 W x 50 H
A.	ASFD00200	Steel Frame with Forklift Pockets	DUL0400L (Compact)	860 L x 748 W x 50 H
	ASFD00300	Steel Frame with Forklift Pockets	DUL0300L / DUL0400AL (Slim)	1200 L x 510 W x 50 H
	ASFD00450	Steel Frame with Forklift Pockets	DUL0600L	1500 L x 780 W x 50 H
	ASFD00800	Steel Frame with Forklift Pockets	DUL0800L / DUL1000L / DUL1200L	1480 L x 800 W x 50 H

5 DIGIT ELECTRONIC FLOW METER

SCAN FOR PRICING

Suits 40-45L/min or 60L/min pumps
10L - 100L/min flow rate
70psi max pressure
1" inlet/outlet
Polypropylene body
Compatible with most chemicals & diesel

1 YEAR COMPONENTRY WARRANTY



CODE	SUITS PUMP
ADFPE20D5K	40-45L/min Kit, fittings inc.
ADFPE25D5K	60L/min Kit, fittings inc.

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

ACTIVE DIESEL

1,500L - 10,000L

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

When your operation runs on thousands of litres a day, you need a tank that's built to match and not one you'll outgrow.

Australian-made to international standards and backed by a 15-year warranty, the Active Diesel Tank features a no-spill lockable lid system and optional Ball Baffles for safe transport, and doubles as a stationary tank for fixed on-site or on-farm refuelling... so your site never waits on fuel.

A.



FEATURES

Diesel grade UV stabilised polyethylene tank
60L/min - 120L/min pump options
6m x 1" diesel grade hose
Heavy duty auto shut-off nozzle
2" filler, mesh filter and cap
4m battery cables
Dust proof diesel breather
'SureFit' mounting pins inc.
Skid frame and hose reels options available

GUARANTEED • MADE IN AUSTRALIA •

15YR TANK 2YR PUMP WARRANTY

	DESCRIPTION	DIMENSIONS	DRY WT	60L/MIN FLUID ITALY PUMP	120L/MIN HIGH FLOW PUMP
	1500L Active Diesel	1700 L x 1320 W x 1280 H	95kg	DUC1500LF060V1	DUC1500LH120K
A.	**2000L** Active Diesel	2000 L x 1420 W x 1270 H	120kg	DUC2000LF060V1	DUC2000LH120K
	2500L Active Diesel	2000 L x 1420 W x 1465 H	135kg	DUC2500LF060V1	DUC2500LH120K
	3000L Active Diesel	2340 L x 1420 W x 1400 H	180kg	DUC3000LF060V1	DUC3000LH120K
	5000L Active Diesel	2760 L x 2000 W x 1600 H	263kg	DUC5000LF060V1	DUC5000LH120K
	6000L Active Diesel			DUC6000LF060V1	DUC6000LH120K
	7000L Active Diesel			DUC7000LF060V1	DUC7000LH120K
	8000L Active Diesel			DUC8000LF060V1	DUC8000LH120K
	10000L Active Diesel			DUC10000LF060V1	DUC10000LH120K

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

ACTIVE DIESEL ACCESSORIES

STEEL FRAMES | BALL BAFFLES

ACTIVE DIESEL TANK STEEL FRAME


Easy to load convenience
Forklift pockets*
Hot dip galvanised for durability

**Check compatibility with forklift tines before ordering.*
Fitting required. Bolts not included.

5 YEAR FRAME WARRANTY

SCAN FOR PRICING

A.



	CODE	DESCRIPTION	SUITS	DIMENSIONS	DRY WT
	ASFC01200	Steel Frame with Forklift Pockets	1200L / 1500L	1790 L x 1200 W x 120 H	111kg
A.	ASFC02000	Steel Frame with Forklift Pockets	2000L / 2500L	2100 L x 1200 W x 120 H	143kg
	ASFC03000	Steel Frame with Forklift Pockets	3000L	2390 L x 1390 W x 120 H	153kg
	ASFC04000	Steel Frame with Forklift Pockets	4000L / 5000L / 6000L	2800 L x 1755 W x 150 H	165kg

DIESEL FILTER & CARTRIDGE KIT

Suits 400L and larger (exc. Slim)
70L/min max flow rate
30 micron filtration
Water absorption
1" inlet/outlet

**Fitting required*

CODE
ADC30M25F



SCAN FOR PRICING

BALL BAFFLES SUIT 400L - 10000L

Anti-surge system eliminates slosh and surge for better vehicle stability.

**Not suitable for petrol*

CODE	SIZE	QTY REQ.	TANK SIZE	BOX QTY.
ARB195B	195mm	1 ball per 7L	400L - 600L	44
ARB355B	355mm	1 ball per 40L	800L - 5,000L	25



SCAN FOR PRICING

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

RAPIDBLUE

100L - 1200L ADBLUE

SCAN FOR PRICING

15YR TANK
2YR PUMP
WARRANTY

AdBlue handling done wrong contaminates your fluid and kills your equipment. The Rapid Blue Unit is built to get it right, every time.

Made from urea-grade polyethylene with a stainless steel vane pump and auto-shut-off nozzle, it dispenses cleanly and precisely — protecting your modern diesel fleet from the inside out.



*Metal gun pictured.
Marketing purposes only.





FEATURES

UREA grade polyethylene tank
35L/min Svelto pump
Stainless steel rotary vanes
Padlockable weatherproof pump cover
4m x 19mm AdBlue grade hose
Poly manual delivery handgun
Gun holder bracket
2" filler and cap
Dust & spill proof breather

ROTARY VANE PUMP

Clogs less, higher flow rate and easy maintenance

SECURE MOUNTING

Grooved for straps with brass inserts for mounting

	CODE	DESCRIPTION	12V PUMP	DIMENSIONS	DRY WT
	DAL0100LT035AV1	**100L** RapidBlue unit	35L/min Svelto	800 L x 680 W x 465 H	32kg
A.	DAL0200ALT035AV1	**200L** RapidBlue unit	35L/min Svelto	800 L x 680 W x 710 H	34kg
	DAL0300LT035AV1	**300L** RapidBlue unit	35L/min Svelto	1255 L x 600 W x 770 H	40kg
	DAL0400LT035AV1	**400L** RapidBlue unit	35L/min Svelto	1150 L x 820 W x 780 H	43kg
	DAL0600LT035AV1	**600L** RapidBlue unit	35L/min Svelto	1700 L x 880 W x 740 H	63kg
	DAL0800LT035AV1	**800L** RapidBlue unit	35L/min Svelto	1700 L x 1000 W x 860 H	85kg
	DAL1000LT035AV1	**1000L** RapidBlue unit	35L/min Svelto	1700 L x 1000 W x 1025 H	98kg
	DAL1200LT035AV1	**1200L** RapidBlue unit	35L/min Svelto	1700 L x 1000 W x 1190 H	112kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

DIESEL TANKS

HIGH-QUALITY FUEL TRANSPORT



AN EXTENSIVE TANK RANGE

Crafted from high-quality, UV-stabilised polyethylene, these tanks offer superior durability and longevity. With features like impact resistance, anti-spill technology, and secure locking mechanisms, you can rest assured that your fuel is safe and secure.

GUARANTEED • MADE IN AUSTRALIA •

DIESEL TANK

400L - 10,000L

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

Running out of fuel on site doesn't just cost you time... it costs you money. An Active Diesel Tank makes sure that never happens.

Built from approved diesel-grade poly with a lockable, splash-resistant filler system and a built-in earth strap, it stores your fuel securely and safely; ready to dispense the moment your machinery needs it.

A.



FEATURES

Diesel grade UV stabilised polyethylene
Graduation markings (*not on all models)
Padlockable filler cap with strainer cap and anti loss chain
Splash resistant breather system
Earth strap for static build-up prevention
Removable plate for easy tank access
2 inch suction tube access

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
	DTC00400L	**400L** Free Standing Diesel Tank	1190 L x 1050 W x 530 H	28kg
	DTC00600L	**600L** Free Standing Diesel Tank	1190 L x 1050 W x 725 H	37kg
	DTC00800L	**800L** Free Standing Diesel Tank	1350 L x 1200 W x 690 H	55kg
	DTC01000L	**1000L** Free Standing Diesel Tank	1400 L x 1200 W x 900 H	65kg
	DTC01200L	**1200L** Free Standing Diesel Tank	1700 L x 1320 W x 860 H	70kg
	DTC01500L	**1500L** Free Standing Diesel Tank	1700 L x 1320 W x 1050 H	85kg
	DTC02000L	**2000L** Free Standing Diesel Tank	2000 L x 1420 W x 1070 H	110kg
	DTC02500L	**2500L** Free Standing Diesel Tank	2000 L x 1420 W x 1265 H	125kg
	DTC03000L	**3000L** Free Standing Diesel Tank	2340 L x 1520 W x 1200 H	170kg
	DTC03400L	**3400L** Free Standing Diesel Tank	2960 L x 1450 W x 1230 H	190kg
	DTC04400L	**4400L** Free Standing Diesel Tank	2960 L x 1450 W x 1470 H	200kg
	DTC04800L	**4800L** Free Standing Diesel Tank	2340 L x 1550 W x 1880 H	225kg
	DTC05000L	**5000L** Free Standing Diesel Tank	2790 L x 2000 W x 1400 H	250kg
	DTC06000L	**6000L** Free Standing Diesel Tank	2760 L x 2000 W x 1556 H	300kg
	DTC07000L	**7000L** Free Standing Diesel Tank	3250 L x 1920 W x 1640 H	325kg
	DTC08000AL	**8000L** Free Standing Diesel Tank	3620 L x 2070 W x 1560 H	400kg
A.	DTC10000AL	**10000L** Free Standing Diesel Tank	3600 L x 2250 W x 1850 H	475kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

DIESEL TRAILERS

HEAVY DUTY TRANSPORT



RELIABLE FUEL TRANSPORT, ANYWHERE

Our range of diesel trailers is designed to meet the demanding needs of the construction, mining, and agricultural industries. Built to last, these heavy-duty trailers offer superior strength, durability, and versatility. With a focus on safety and efficiency, our diesel trailers are equipped with features to ensure secure and reliable transport of your fuel.

GUARANTEED • MADE IN AUSTRALIA •

DIESEL MARSHAL TRAILER

ON-FARM | ON-ROAD ADR COMPLIANT

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

Your fuel supply shouldn't be limited by how far your site is from the nearest bowser. The Diesel Marshal Trailer makes sure it isn't.

Available in on-farm and on-road configurations, it tows 1000L of diesel directly to your machinery; complete with optional filter, hose reel and flow meter.



**120L/min High Flow pump upgrade pictured*

FEATURES

Diesel grade UV stabilised poly tank
60L/min Fluid Italy pump
6m x 1" diesel grade hose
Heavy duty auto shut-off nozzle
Leaf suspension springs
Galvanised steel single axle trailer
14" wheels with Ford hub pattern
50mm tow hitch and jockey wheel
4m battery cables

ADR COMPLIANT FEATURES

Waterproof LED lights
Ball Baffles

**Registration not included.*



POLY PUMP BOX
Protect pump from weather and secure diesel from thieves!



BALL BAFFLE SYSTEM
Increased stability to ensure safety of crew and others

15YR TANK
5YR CHASSIS
3YR ENGINE
5YR PUMP
WARRANTY

CODE	DESCRIPTION	DIMENSIONS
DSRX1000LF060V1	**1000L On-Farm** Marshal Trailer - Single Axle	3250 L x 1770 W x 1375 H
DSRQ1000LF060V1	**1000L On-Road / ADR Compliant** Marshal Trailer - Single Axle	3250 L x 1770 W x 1375 H

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

1000L DIESEL MARSHAL TRAILER + DIESEL HOSE REEL UPGRADE



TAILOR YOUR DIESEL MARSHAL UNIT

with a range of add-on accessories. Choose from an electronic flow meter, diesel hose reel, diesel filter and cartridge, and Ball Baffles, delivering precise dispensing, cleaner fuel and stable, controlled transport in one customisable unit.




DIESEL TRAILER ACCESSORIES

FLOW METERS | HOSE REELS | BALL BAFFLES

1 YEAR COMPONENTRY WARRANTY

5 DIGIT ELECTRONIC FLOW METER

Suits 40-45L/min or 60L/min pumps
10L - 100L/min flow rate
70psi max pressure
1" inlet/outlet
Polypropylene body
Compatible with most chemicals & diesel



SCAN FOR PRICING

CODE	SUITS PUMP
ADFPE20D5K	40-45L/min Kit, fittings inc.
ADFPE25D5K	60L/min Kit, fittings inc.

DIESEL HOSE REEL

Spring retractable hose
8m x 25mm hose



SCAN FOR PRICING

CODE	DESCRIPTION
ADHR008M25	**8m x 25mm** Spring Retractable Diesel hose reel

DIESEL FILTER & CARTRIDGE KIT

70L/min max flow rate | 30 micron filtration
Water absorption | 1" inlet/outlet.

**Fitting required*



SCAN FOR PRICING

CODE
ADC30M25F

BALL BAFFLES SUIT 400L - 10000L

Anti-surge system eliminates slosh & surge for better vehicle stability. **Not suitable for petrol*



SCAN FOR PRICING

CODE	SIZE	QTY REQ.	TANK SIZE	BOX QTY.
ARB195B	195mm	1 ball per 7L	400L - 600L	44
ARB355B	355mm	1 ball per 40L	800L - 10,000L	25

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

DIESEL PUMPS & ACCESSORIES

MAXIMISE YOUR DIESEL UNIT



AN EXTENSIVE RANGE

We always want to make sure you get the most from our range of products. Rapid Spray offers a comprehensive selection of diesel tank accessories. To enhance your tank's functionality, you can purchase extra pumps, flow meters, filters and other accessories.

DIESEL PUMPS

DIESELFLO | FLUID ITALY

SCAN FOR PRICING

1-2 YEAR PUMP WARRANTY

40L/MIN DIESELFLO

Kit includes:
40L/min pump | Auto shut-off nozzle
4m x 19mm hose | 25mm Suction hose
Hose fittings | Pump Head Port: 3/4"



PUMP	VOLT	PUMP ONLY	PUMP KIT
40L/min DieselFlo	12V	ADPX040V1P	ADPX040V1K

45L/MIN FLUID ITALY - COMMERCIAL GRADE

Kit includes:
45L/min pump | Auto shut-off nozzle
6m x 19mm hose | 25mm Suction hose
Hose fittings | Pump Head Port: 1"



PUMP	VOLT	PUMP ONLY	PUMP KIT
45L/min Fluid Italy	12V	ADPF045V1P	ADPF045V1K
45L/min Fluid Italy	24V	ADPF045V2P	ADPF045V2K

60L/MIN FLUID ITALY | DIESELFLO

Kit includes:
60L/min pump | High flow auto shut-off nozzle
6m x 25mm hose | 25mm Suction hose
Hose fittings | Pump Head Port: 1"

A.



PUMP	VOLT	PUMP ONLY	PUMP KIT
60L/min Fluid Italy	12V	ADPF060V1P	ADPF060V1K
60L/min Fluid Italy	24V	ADPF060V2P	ADPF060V2K
A. 60L/min DieselFlo	240V	ADPX060V3P	ADPX060V3K

120L/MIN HIGH FLOW PUMP

Kit includes:
120L/min pump | GX35 Honda motor
6m x 25mm hose | 25mm Suction hose
Pressure relief with 1m hose
Hose fittings | Pump Head Port: 1"



PUMP	PUMP ONLY	PUMP KIT
120L/min High Flow Pump	ADPX120MP	ADPX120MPK

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

PUMPS & ACCESSORIES

SVELTO BLUE | HOSE & HOSE REELS

1 YEAR COMPONENTRY WARRANTY

35L/MIN SVELTO BLUE

Suitable for AdBlue

Kit includes:

35L/min pump
S/S manual nozzle
4m x 19mm hose
25mm Suction hose
Hose fittings

SCAN FOR PRICING



PUMP	VOLT	PUMP ONLY	PUMP KIT
35L/min Svelto	12V	ADPT035V1P	ADPT035AV1K

DIESEL HOSE

DieselFlo or Fluid Italy hose
20mm - 25mm hose
Crimped ends

SCAN FOR PRICING

*Picture for illustrative purposes only.
Not all hose supplied with springs.

	CODE	DESCRIPTION
A.	ADZ04M20	**4m x 19mm** DieselFlo hose
	ADZF6M20	**6m x 19mm** Fluid Italy hose
	ADZF10M20	**10m x 19mm** Fluid Italy hose
	ADZF6M25	**6m x 25mm** Fluid Italy hose
	ADZF10M25	**10m x 25mm** Fluid Italy hose



DIESEL HOSE REEL

Spring retractable hose
8m x 25mm hose

*Only suitable for 60L/min and above

SCAN FOR PRICING



CODE	DESCRIPTION
ADHR008M25	**8m x 25mm** Spring Retractable Diesel hose reel

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

PUMPS & ACCESSORIES

HANDGUNS | FILTERS

DIESEL AUTO SHUT-OFF HANDGUN

Auto Shut-off
3/4" & 1" Diesel Handgun

SCAN FOR PRICING



A.



B.



	CODE	DESCRIPTION
A.	ADGA20	¾" (20mm) Auto shut-off handgun
B.	ADGA25	1" (25mm) High flow auto shut-off gun

DIESEL FILTER & CARTRIDGE KIT

1" inlet / outlet | 70L/min max flow
30 micron filtration
Water absorbing
Suitable for all units above 400L capacity

SCAN FOR PRICING




	CODE	DESCRIPTION
A.	ADC30M25F	**Diesel Cartridge** Complete
	ADC30M25C	**Filter Cartridge** only
	ADC30M25H	**Filter Holder** only

5 DIGIT ELECTRONIC FLOW METER

000.00L
Suits 40-45L/min or 60L/min pumps
10L - 100L/min | 70psi max pressure
1" inlet/outlet | Polypropylene body

SCAN FOR PRICING



CODE	SUITS PUMP
ADFPE20D5K	40-45L/min Kit, fittings inc.
ADFPE25D5K	60L/min Kit, fittings inc.

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.



AGRICULTURAL & COMMERCIAL SPRAYERS FOR THE HOME GARDENER, THE CONTRACTOR, COUNCILS, GOVERNMENT AND LARGE FARM & PROPERTY OWNERS

Rapid Spray provides a wide range of Australian-made sprayers tailored to suit various agricultural and industrial needs. The collection includes handheld and backpack sprayers for precision work, 12-volt spot sprayers and trailers for effective weed control, compact UTV sprayers for flexible use, and larger field and linkage sprayers for broad coverage. Built to endure Australia's tough conditions, these sprayers offer durability and reliable performance across all types of applications.

SPRAYERS



PROFESSIONAL FIELD SPRAYERS

THE UTE SPRAYER RANGE



HIGH PERFORMANCE SPRAYING POWER

The Ultimates - ideal for the back of your ute - get the right high performing field sprayer to suit your requirements. Giving you the spraying power you need, the capacity required and the features you want, these Australian Made field sprayers are reliable, tough and built to stand all spraying conditions!

GUARANTEED • MADE IN AUSTRALIA •

ULTIMATE FIELD SPRAYER

400L / 600L / 800L / 1000L

SCAN FOR PRICING

The sprayer you choose today is the one you'll be using for years. It had better be built right from the start.

Mounted on a hot-dipped galvanised frame with a fully draining sump tank, direct-drive pump and a tangle-free manual poly reel, the Ultimate is designed to spend more time in the paddock and less time in the workshop.

A.



FEATURES

UV stabilised polyethylene tank
33L/min 580psi Maruyama pump
Pressure regulator & gauge
GX200 Honda motor
30m Poly manual hose reel
Turbo 400 spray gun
Suction filter and drain valve
Forklift pockets and sling points
Fully draining sump tank
250mm screw lid
Moulded tie-down points



GALVANISED STEEL FRAME made to suit the toughest of Australian conditions




AUSTRALIAN POLY TANK with 25 year warranty for guaranteed durability

25YR TANK
3YR ENGINE
3YR PUMP
3YR REEL
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
	PUF0400L0330H3	**400L** Ultimate Field Sprayer with 30m Poly Manual Reel	1950 L x 1150 W x 650 H	124kg
	PUF0600L0330H3	**600L** Ultimate Field Sprayer with 30m Poly Manual Reel	1950 L x 1150 W x 890 H	126kg
A.	PUF0800L0330H3	**800L** Ultimate Field Sprayer with 30m Poly Manual Reel	1950 L x 1200 W x 700 H	144kg
	PUF1000L0330H3	**1000L** Ultimate Field Sprayer with 30m Poly Manual Reel	1950 L x 1200 W x 1045 H	146kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

Rapid Spray



INTRODUCING THE

MEGADRIVE

THE WORLD'S MOST ADVANCED REMOTE REWIND REEL
BUILT FOR REAL PULLING POWER.

THE MEGADRIVE REEL DELIVERS SMOOTH, CONTROLLED OPERATION GIVING YOU INCREDIBLE PULLING POWER WITH BRUSHLESS MOTOR AND SMART PACE CONTROL. BUILT TO MAKE LONG DAYS EASIER.



MOST POWERFUL & RELIABLE

3x more torque thanks to the brushless direct motor. No belts, chains or pulleys.

EASIEST TO USE

MyPace™ adaptive variable speed rewind adjusts to your pace.

SAFEST TO OPERATE

Encapsulated waterproof electronics and smooth no-jerk rewind movement.

ULTIMATE MEGADRIVE FIELD SPRAYER

400L / 600L / 800L / 1000L

SCAN FOR PRICING

NEW PRODUCT

If the Buddy Smart Reel changed the way you spray, the MegaDrive will make you wonder how you ever managed without it.

With 3x more torque, a brushless direct-drive motor and MyPace™ adaptive variable speed rewind, it handles the roughest terrain and the longest hose runs without breaking a sweat.



FEATURES

UV stabilised polyethylene tank
33L/min 580psi Maruyama pump
Pressure regulator & gauge
GX200 Honda motor
100m/150m MegaDrive Buddy Reel
Turbo 400 spray gun
Suction filter and drain valve
Forklift pockets and sling points
Fully draining sump tank
250mm screw lid
Moulded tie-down points



GENUINE MARUYAMA
Performance guarantee with 3 year pump warranty

25YR TANK
3YR ENGINE
3YR PUMP
3YR REEL
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
	PUF0400L0330M1	**400L** Ultimate Field Sprayer with 100m MegaDrive Buddy	1890 L x 1200 W x 660 H	123kg
	PUF0600L0330M1	**600L** Ultimate Field Sprayer with 100m MegaDrive Buddy	1950 L x 1150 W x 890 H	132kg
	PUF0800L0330M1	**800L** Ultimate Field Sprayer with 100m MegaDrive Buddy	1950 L x 1200 W x 700 H	140kg
A.	PUF1000L0330M1	**1000L** Ultimate Field Sprayer with 100m MegaDrive Buddy	1950 L x 1200 W x 1045 H	148kg
	PUF0400L0330M6	**400L** Ultimate Field Sprayer with 150m MegaDrive Buddy	1890 L x 1200 W x 660 H	137kg
	PUF0600L0330M6	**600L** Ultimate Field Sprayer with 150m MegaDrive Buddy	1950 L x 1150 W x 890 H	145kg
	PUF0800L0330M6	**800L** Ultimate Field Sprayer with 150m MegaDrive Buddy	1950 L x 1200 W x 700 H	154kg
	PUF1000L0330M6	**1000L** Ultimate Field Sprayer with 150m MegaDrive Buddy	1950 L x 1200 W x 1045 H	162kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

ULTIMATE TWIN MEGADRIVE FIELD SPRAYER

400L / 600L / 800L / 1000L

SCAN FOR PRICING

Two MegaDrive reels. Double the torque. Double the reach. For operations where covering more ground isn't optional... it's the whole point.

NEW PRODUCT

Cut your spraying time in half. Two brushless direct-drive motors with MyPace™ adaptive variable speed rewind, working simultaneously across your toughest paddocks.

A.



FEATURES

UV stabilised polyethylene tank
45L/min 580psi Maruyama pump
Pressure regulator & gauge
GX200 Honda motor
Twin 100/150m MegaDrive Buddy Reel
Turbo 400 spray gun
Suction filter and drain valve
Fully draining sump tank



SLING IT / FORK IT
Easy transfer and storage!

25YR TANK
3YR ENGINE
3YR PUMP
3YR REEL
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
	PUF0400L0450TM1	**400L** Ultimate Field Sprayer w. Twin 100m MegaDrive Buddy	1890 L x 1200 W x 660 H	179kg
A.	PUF0600L0450TM1	**600L** Ultimate Field Sprayer w. Twin 100m MegaDrive Buddy	2000 L x 1150 W x 890 H	187kg
	PUF0800L0450TM1	**800L** Ultimate Field Sprayer w. Twin 100m MegaDrive Buddy	2000 L x 1200 W x 700 H	196kg
	PUF1000L0450TM1	**1000L** Ultimate Field Sprayer w. Twin 100m MegaDrive Buddy	2000 L x 1200 W x 1045 H	204kg
	PUF0400L0450TM6	**400L** Ultimate Field Sprayer w. Twin 150m MegaDrive Buddy	1890 L x 1200 W x 660 H	185kg
	PUF0600L0450TM6	**600L** Ultimate Field Sprayer w. Twin 150m MegaDrive Buddy	2000 L x 1150 W x 890 H	193kg
	PUF0800L0450TM6	**800L** Ultimate Field Sprayer w. Twin 150m MegaDrive Buddy	2000 L x 1200 W x 700 H	202kg
	PUF1000L0450TM6	**1000L** Ultimate Field Sprayer w. Twin 150m MegaDrive Buddy	2000 L x 1200 W x 1045 H	210kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

COMMERCIAL SERIES
ULTIMATE MEGADRIVE FIELD SPRAYER

400L / 600L / 800L / 1000L

TALK TO OUR TEAM
1800 011 000




CHECK OUT THE UFT DEVICE
PAGE 234

CONTRACTOR APPROVED

Built on contractor feedback from the field

Put the Ultimate Field Sprayer to work and feel the difference serious contracting gear makes. Built for operators who spray day in, day out, it delivers the power, reach and reliability a commercial spray job demands.

With a Bertolini pump and a heavy-duty reel system built to go the distance, it is engineered for consistent, all-day performance across broadacre and contract spraying work.



A.

FEATURES

Bertolini PA330
3 way 'Sting' regulator and gauge
Honda GX200 electric start with high current charge
MegaDrive 150m reel
Engine hour meter
18Ah heavy duty 'Predator' AGM battery with battery level meter
Anderson plug for trickle/ maintenance charge during off season
Optional: Oil drain kit



BERTOLINI PA330
34L/min 40 bar 580 psi

25YR TANK
3YR ENGINE
3YR PUMP
3YR REEL
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
	PUFC0400L0330M1	**400L** Commercial Ultimate Field Sprayer with 100m MegaDrive	1890 L x 1200 W x 660 H	123kg
	PUFC0600L0330M1	**600L** Commercial Ultimate Field Sprayer with 100m MegaDrive	1950 L x 1150 W x 890 H	132kg
	PUFC0800L0330M1	**800L** Commercial Ultimate Field Sprayer with 100m MegaDrive	1950 L x 1200 W x 700 H	140kg
A.	PUFC1000L0330M1	**1000L** Commercial Ultimate Field Sprayer with 100m MegaDrive	1950 L x 1200 W x 1045 H	148kg
	PUFC0400L0330M6	**400L** Commercial Ultimate Field Sprayer with 150m MegaDrive	1890 L x 1200 W x 660 H	137kg
	PUFC0600L0330M6	**600L** Commercial Ultimate Field Sprayer with 150m MegaDrive	1950 L x 1150 W x 890 H	145kg
	PUFC0800L0330M6	**800L** Commercial Ultimate Field Sprayer with 150m MegaDrive	1950 L x 1200 W x 700 H	154kg
	PUFC1000L0330M6	**1000L**Commercial Ultimate Field Sprayer with 150m MegaDrive	1950 L x 1200 W x 1045 H	162kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

COMMERCIAL SERIES
ULTIMATE TWIN MEGADRIVE FIELD SPRAYER

400L / 600L / 800L / 1000L

TALK TO OUR TEAM
1800 011 000

Put two operators to work at once with the Ultimate Twin MegaDrive and watch your spray job get done in half the time.



CHECK OUT THE UFT DEVICE
PAGE 234

CONTRACTOR APPROVED

Built on contractor feedback from the field

With a larger Bertolini pump and two independent reel and handpiece setups, it is engineered for consistent, all-day performance when one operator alone can't keep up with the job.



FEATURES

Bertolini PA530
3 way 'Sting' regulator and gauge
Hatz Diesel 1B20
2x MegaDrive 150m reel
Engine hour meter
2x 18Ah heavy duty 'Predator' AGM battery with battery level meter
Anderson plug for trickle/ maintenance charge during off season
Optional: Oil drain kit



BERTOLINI PA530
54L/min 40 bar 580 psi

25YR TANK
3YR ENGINE
3YR PUMP
3YR REEL
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
	PUFC0400L0450TM1	**400L** Commercial Ultimate Field Sprayer w. Twin 100m MegaDrive	1890 L x 1200 W x 660 H	179kg
A.	PUFC0600L0450TM1	**600L** Commercial Ultimate Field Sprayer w. Twin 100m MegaDrive	2000 L x 1150 W x 890 H	187kg
	PUFC0800L0450TM1	**800L** Commercial Ultimate Field Sprayer w. Twin 100m MegaDrive	2000 L x 1200 W x 700 H	196kg
	PUFC1000L0450TM1	**1000L** Commercial Ultimate Field Sprayer w. Twin 100m MegaDrive	2000 L x 1200 W x 1045 H	204kg
	PUFC0400L0450TM6	**400L** Commercial Ultimate Field Sprayer w. Twin 150m MegaDrive	1890 L x 1200 W x 660 H	185kg
	PUFC0600L0450TM6	**600L** Commercial Ultimate Field Sprayer w. Twin 150m MegaDrive	2000 L x 1150 W x 890 H	193kg
	PUFC0800L0450TM6	**800L** Commercial Ultimate Field Sprayer w. Twin 150m MegaDrive	2000 L x 1200 W x 700 H	202kg
	PUFC1000L0450TM6	**1000L** Commercial Ultimate Field Sprayer w. Twin 150m MegaDrive	2000 L x 1200 W x 1045 H	210kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

ULTIMATE BUDDY FIELD SPRAYER

400L / 600L / 800L / 1000L

SCAN FOR PRICING

Once you've controlled a hose reel from 2km away, going back to winding it by hand feels like a step backwards.

Remote-controlled, maintenance-free and built to work as hard as you do... the Buddy Smart Reel changes the way you spray for good. everything else just as effortless.

A.





This unit is now fitted with the new and improved SLAM 907

FEATURES

UV stabilised polyethylene tank
33L/min 580psi Maruyama pump
Pressure regulator & gauge
50m/100m Buddy Smart Reel
Turbo 400 spray gun
Suction filter and drain valve
Forklift pockets and sling points
Fully draining sump tank
250mm screw lid
Moulded tie-down points

WORTH KNOWING:

The pumps we use are genuine Maruyama and Bertolini units. Both are supported with readily available seal kits and spares, so a worn pump is a quick rebuild rather than a full replacement.

25YR TANK
3YR ENGINE
3YR PUMP
3YR REEL
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
	PUF0400L0330R5	**400L** Ultimate Field Sprayer with 50m Buddy Smart Reel	1890 L x 1200 W x 660 H	123kg
	PUF0600L0330R5	**600L** Ultimate Field Sprayer with 50m Buddy Smart Reel	1950 L x 1150 W x 890 H	132kg
	PUF0800L0330R5	**800L** Ultimate Field Sprayer with 50m Buddy Smart Reel	1950 L x 1200 W x 700 H	140kg
	PUF1000L0330R5	**1000L** Ultimate Field Sprayer with 50m Buddy Smart Reel	1950 L x 1200 W x 1045 H	148kg
	PUF0400L0330R1	**400L** Ultimate Field Sprayer with 100m Buddy Smart Reel	1890 L x 1200 W x 660 H	137kg
A.	PUF0600L0330R1	**600L** Ultimate Field Sprayer with 100m Buddy Smart Reel	1950 L x 1150 W x 890 H	145kg
	PUF0800L0330R1	**800L** Ultimate Field Sprayer with 100m Buddy Smart Reel	1950 L x 1200 W x 700 H	154kg
	PUF1000L0330R1	**1000L** Ultimate Field Sprayer with 100m Buddy Smart Reel	1950 L x 1200 W x 1045 H	162kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.


555 EE2
BLACK TOYOTA


Rapid
HEAVY DUTY SWIVEL REEL


OHV
HONDA

ULTIMATE TWIN BUDDY FIELD SPRAYER

400L / 600L / 800L / 1000L

SCAN FOR PRICING

Two operators. Two hoses. Half the time. The Ultimate Twin Buddy takes large-scale weed control and makes it feel effortless.

Two remote-controlled Buddy Smart Reels working simultaneously and covering twice the ground without twice the effort.

A.





This unit is now fitted with the new and improved SLAM 907

FEATURES

UV stabilised polyethylene tank
45L/min 580psi Maruyama pump
Pressure regulator & gauge
GX200 Honda motor
Twin 100 / 150m Buddy Smart Reel
Turbo 400 spray gun
Suction filter and drain valve
Fully draining sump tank



SLING IT / FORK IT
Easy transfer and storage!

25YR TANK
3YR ENGINE
3YR PUMP
3YR REEL
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
	PUF0400L0450TR1	**400L** Ultimate Field Sprayer w. Twin 100m Buddy Smart Reel	1890 L x 1200 W x 660 H	179kg
	PUF0600L0450TR1	**600L** Ultimate Field Sprayer w. Twin 100m Buddy Smart Reel	2000 L x 1150 W x 890 H	187kg
	PUF0800L0450TR1	**800L** Ultimate Field Sprayer w. Twin 100m Buddy Smart Reel	2000 L x 1200 W x 700 H	196kg
A.	PUF1000L0450TR1	**1000L** Ultimate Field Sprayer w. Twin 100m Buddy Smart Reel	2000 L x 1200 W x 1045 H	204kg
	PUF0400L0450TR6	**400L** Ultimate Field Sprayer w. Twin 150m Buddy Smart Reel	1890 L x 1200 W x 660 H	185kg
	PUF0600L0450TR6	**600L** Ultimate Field Sprayer w. Twin 150m Buddy Smart Reel	2000 L x 1150 W x 890 H	193kg
	PUF0800L0450TR6	**800L** Ultimate Field Sprayer w. Twin 150m Buddy Smart Reel	2000 L x 1200 W x 700 H	202kg
	PUF1000L0450TR6	**1000L** Ultimate Field Sprayer w. Twin 150m Buddy Smart Reel	2000 L x 1200 W x 1045 H	210kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

ULTIMATE FIELD SPRAYER + 6M FLAT FOLD STEEL BOOM

CALL RAPID SPRAY FOR THE COMPLETE ULTIMATE FIELD SPRAYER AND BOOM SETUP OPTIONS



THE ULTIMATE WEED FIGHTING WEAPON

The Ultimate Field Sprayer, featuring a 33L/min 580psi Maruyama pump driven by a GX200 Honda motor, effortlessly simplifies weed spraying, delivering superior performance and efficiency.

FLAT FOLD STEEL BOOM

Available in 6m and 8m width complete with stainless steel tubes and no-drip nozzle bodies.
Achieve precision spraying with its 110 degree .02 Yellow Wide Range nozzles.

"(I) found that the reliability and simplicity of the system far outweighs other systems that I've used in terms of mechanical reels. Whereas electric - the system is more realiable.

PRESS HAULAGE PTY LTD

Discover what our clients are saying. Scan the QR code.

ULTIMATE FIELD SPRAYER UPGRADES

SUITS ALL ULTIMATE MODELS

*Fitting required.

SCAN FOR PRICING

HONDA ELECTRIC START UPGRADE

Honda GX200E Petrol engine
Electric start

**Upgrade price only*



CODE

Add 'E' to code before REEL (T/R1)

12V HATZ DIESEL ENGINE UPGRADE

Hatz 1B20 single cylinder diesel engine
12V electric start
Battery pack inc.

**Upgrade price only*



CODE

Add 'D' to code before REEL (T/R1)

BOOM CONTROL KIT

To suit Ultimate with Maruyama pump
Fitted to Ultimate Field Sprayer

**Required for boom spraying with Maruyama pump.*



CODE

ADD 'BR' TO END OF CODE

BOOM MOUNT BRACKETS

Galvanised steel frame
See page 178 for more information.

**Required for all boom setups*



CODE

ATMBMB

4M POLY BOOM

Breakaway arms
110° non-drip nozzles
Impact proof poly

See page 175 for more information.



CODE

ABP040

FLAT FOLD STEEL BOOM

6 / 8m width
110° low drift nozzles



CODE

ABMF060KF



ABMF080KF

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

SPRAYSCOUT NOW WITH TWIN MEGADRIVE REELS

NEW PRODUCT



SPRAYSCOUT MEGADRIVE

360L / 600L

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

The SprayScout already transforms your UTV into a capable sprayer. The MegaDrive takes it somewhere most setups simply can't follow.

NEW PRODUCT

With 3x more torque and MyPace™ adaptive variable speed rewind built in, it handles the longest runs and the roughest ground without missing a beat.



This unit is now fitted with the new and improved SLAM 907

A.

FEATURES

UV stabilised polyethylene tank
33L/min 580psi Maruyama pump
Pressure regulator & gauge
GX200 Honda motor
Turbo 400 spray gun
Suction filter and drain valve
Forklift pockets and sling points
Fully draining sump tank
250mm screw lid
Moulded tie-down points



EASY LEVEL VIEW
with sight gauge on all models



COMPACT 600L IDEAL FOR UTES
designed to fit between the wheel arches of a dual cab ute

25YR TANK
3YR ENGINE
3YR PUMP
3YR REEL
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT.
A.	PUS0360L0330M1	**360L** SprayScout with 100m MegaDrive Buddy Reel	910 L x 1100 W x 900 H	112kg
	PUS0600L0330M1	**600L** SprayScout with 100m MegaDrive Buddy Reel	1260 L x 1100 W x 920 H	-
	PUS0360L0330M6	**360L** SprayScout with 150m MegaDrive Buddy Reel	910 L x 1100 W x 900 H	112kg
	PUS0600L0330M6	**600L** SprayScout with 150m MegaDrive Buddy Reel	1260 L x 1100 W x 920 H	-

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

SPRAYSCOUT TWIN MEGADRIVE

360L / 600L

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

For those who've outgrown every other sprayer on the market, the SprayScout Twin MegaDrive is where serious output meets serious technology.

NEW PRODUCT

Two MegaDrive reels, 3x the torque each, MyPace™ adaptive variable speed rewind on both and it's all from the back of your UTV or dual cab ute.



This unit is now fitted with the new and improved SLAM 907

A.

FEATURES

UV stabilised polyethylene tank
45L/min 580psi Maruyama pump
Pressure regulator & gauge
GX200 Honda motor
Turbo 400 spray gun
Suction filter and drain valve
Forklift pockets and sling points
Fully draining sump tank
250mm screw lid
Moulded tie-down points



EASY LEVEL VIEW
with sight gauge on all models



COMPACT 600L IDEAL FOR UTES
designed to fit between the wheel arches of a dual cab ute

25YR TANK
3YR ENGINE
3YR PUMP
3YR REEL
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT.
A.	PUS0360L0450TM1	**360L** SprayScout w. 100m Twin MegaDrive Buddy Reel	910 L x 1100 W x 900 H	160kg
	PUS0600L0450TM1	**600L** SprayScout w. 100m Twin MegaDrive Buddy Reel	1260 L x 1100 W x 920 H	192kg
	PUS0360L0450TM6	**360L** SprayScout w. 150m Twin MegaDrive Buddy Reel	910 L x 1100 W x 900 H	160kg
	PUS0600L0450TM6	**600L** SprayScout w. 150m Twin MegaDrive Buddy Reel	1260 L x 1100 W x 920 H	192kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

SPRAYSCOUT BUDDY

360L / 600L

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

Your UTV or dual cab ute is already out there every day. The SprayScout Buddy turns it into a serious spraying machine without taking up any extra space.

Purpose-built to fit between the wheel arches, with a Buddy Smart Reel designed in from the start and a built-in 17L flush tank so you're always ready for the next chemical.



A.

This unit is now fitted with the new and improved SLAM 907

FEATURES

UV stabilised polyethylene tank
33L/min 580psi Maruyama pump
Pressure regulator & gauge
GX200 Honda motor
Turbo 400 spray gun
Suction filter and drain valve
Forklift pockets and sling points
Fully draining sump tank
250mm screw lid
Moulded tie-down points



EASY LEVEL VIEW with sight gauge on all models



COMPACT 600L IDEAL FOR UTES designed to fit between the wheel arches of a dual cab ute

25YR TANK
3YR ENGINE
3YR PUMP
3YR REEL
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT.
A.	PUS0360L0330R1	**360L** SprayScout with 100m Buddy Smart Reel	910 L x 1100 W x 900 H	112kg
	PUS0600L0330R1	**600L** SprayScout with 100m Buddy Smart Reel	1260 L x 1100 W x 920 H	160kg
	PUS0360L0330R6	**360L** SprayScout with 150m Buddy Smart Reel	910 L x 1100 W x 900 H	112kg
	PUS0600L0330R6	**600L** SprayScout with 150m Buddy Smart Reel	1260 L x 1100 W x 920 H	160kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.



“They’re just a good, handy, reliable machine. I use a lot of them every day. I run work crews. I cover thousands and thousands of hectares every year. We always find good service in Central Queensland.

DESERT CHANNELS GROUP

Discover what our clients are saying. Scan the QR code.







SPRAYSCOUT TWIN BUDDY

360L / 600L

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

One hose gets the job done.
Two means you're finished before anyone else has started.

Two Buddy Smart Reels working simultaneously from your UTV or dual cab ute. It's covering twice the ground, with the same compact footprint that fits right between the wheel arches.

A.



This unit is now fitted with the new and improved SLAM 907

FEATURES

UV stabilised polyethylene tank
45L/min 580psi Maruyama pump
Pressure regulator & gauge
GX200 Honda motor
Turbo 400 spray gun
Suction filter and drain valve
Forklift pockets and sling points
Fully draining sump tank
250mm screw lid
Moulded tie-down points



SUCTION FILTER & DRAIN VALVE
For fast and efficient draining of tank



DOUBLE REEL SPRAYING POWER
Great for getting the job done quickly and efficiently!

25YR TANK
3YR ENGINE
3YR PUMP
3YR REEL
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT.
A.	PUS0360L0450TR1	**360L** SprayScout Buddy w. Twin 100m Buddy Smart Reel	910 L x 1120 W x 900 H	160kg
	PUS0600L0450TR1	**600L** SprayScout Buddy w. Twin 100m Buddy Smart Reel	1260 L x 1120 W x 920 H	192kg
	PUS0360L0450TR6	**360L** SprayScout Buddy w. Twin 150m Buddy Smart Reel	910 L x 1120 W x 900 H	160kg
	PUS0600L0450TR6	**600L** SprayScout Buddy w. Twin 150m Buddy Smart Reel	1260 L x 1120 W x 920 H	192kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

SPRAYSCOUT TWIN BUDDY + 6M STEEL BOOM

360L



SPRAYSCOUT TWIN BUDDY

The SprayScout stands as your primary defence against weeds—an efficient UTV sprayer with twin reels, offering both compact design and uncompromised capacity and performance.

BOOM MOUNT BRACKETS

Guaranteed durable galvanised steel frame designed to slip into SprayScout forklift pockets

6M FLAT FOLD STEEL BOOM

Equipped with stainless steel tubes and non-drip nozzle bodies, this product comes with #50 mesh nozzle filters and features 110-degree .02 Yellow Wide Range nozzles.

SPRAYSCOUT UPGRADES

SUITS ALL SPRAYSCOUT MODELS

*Fitting required.

SCAN FOR PRICING

IN-CAB SOLENOID CONTROL

Switch box and cables
10mm hose tails
10 bar (145psi)



CODE
ATVS10BX2W
ATVS10BX3W

BOOM MOUNT BRACKETS

Galvanised steel frame
360L / 600L
5yr frame warranty



CODE
ATMBMS360
ATMBMS600

BOOMLESS NOZZLE KITS

Ideal for use with UTV sprayers or ute sprayers.
2m x 10mm hose & clamps
Brass boomless nozzle
Steel mounting bracket & fittings

See page 172 for more information.



CODE
ABK02K
ABK05K
ABK10K

VERSATILE BOOM

1.2m wide
4m spray width
110° low drift nozzles
TeeJet OC-04 brass offset end nozzles

See page 174 for more information.



CODE
ABVL040

4M POLY BOOM

Breakaway arms
110° non-drip nozzles
Impact proof poly

See page 166 for more information.



CODE
ABP040

FLAT FOLD STEEL BOOM

6 / 8m width
110° low drift nozzles

See page 176 for more information.



CODE
ABMF060KF
ABMF080KF



Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

LINKAGE SPRAYERS

12V & PTO OPTIONS



BUILT TO PERFORM

The Linkage Sprayers range is packed with features to ensure you get the most out of your 3-point linkage unit. With smart contoured, low profile tank designs, easy access pumps and valves and the unique in-built handwash tanks, these Australian Made linkage sprayers are truly in a class of their own!

FIELDLINK ECO

400L / 600L / 800L

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

Steep slopes, rough paddocks, uneven ground... the FieldLink Eco handles it all without rattling your confidence.

Its specially contoured tank hugs the back of your tractor for a lower centre of gravity, keeping you stable and in control across terrain that would unsettle lesser sprayers.

A.



FEATURES

UV stabilised polyethylene tank
75L/min 217psi Bertolini pump
15m x 10mm spray delivery hose
Powerjet spray gun
3-way regulator & gauge
15L fresh water tank with tap
3-point linkage galvanised steel frame
Category 1 & 2 pins
Sight level gauge
Large 450mm hinge lid
Large basket filter to stop debris
PTO shaft with all models



FORKLIFT POCKETS
Easy storage and safe loading



EASY ACCESS CONTROLS
within hand distance from the cab of an open tractor

25YR TANK
1YR PUMP
5YR FRAME
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS
A.	SLF0400L	**400L** FieldLink Eco with 75L/min Bertolini pump	940 L x 750 W x 1180 H
	SLF0600L	**600L** FieldLink Eco with 75L/min Bertolini pump	1230 L x 890 W x 1550 H
	SLF0800L	**800L** FieldLink Eco with 75L/min Bertolini pump	1200 L x 890 W x 1750 H

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

FIELDLINK PRO

400L / 600L / 800L

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

Serious spraying demands more than just a tank on a tractor. The FieldLink Pro is built for operators who know the difference a fully equipped setup makes.

With an integrated flush tank, easy access multi-controller and optional hose reel upgrade, it delivers the kind of comfort and control that turns a long day's spraying into a job well done.

A.



FEATURES

UV stabilised polyethylene tank
75L/min 217psi Bertolini pump
15m x 10mm spray delivery hose
Powerjet spray gun
3-way multi-control regulator & gauge
3-point linkage galvanised steel frame
Category 1 & 2 pins
Forklift pockets - for safe loading!
Sight level gauge
Large 450mm hinge lid
Large basket filter to stop debris
PTO shaft with all models



DRAIN & FLUSH TANK
Easily flush pump and lines



15L FRESH WATER TANK WITH TAP

25YR TANK
1YR PUMP
5YR FRAME
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS
	PLF0400L0750	**400L** FieldLink Pro with 75L/min Bertolini pump, 40L flush tank	940 L x 750 W x 1180 H
	PLF0600L0750	**600L** FieldLink Pro with 75L/min Bertolini pump, 70L flush tank	1230 L x 890 W x 1550 H
A.	PLF0800L0750	**800L** FieldLink Pro with 75L/min Bertolini pump, 70L flush tank	1200 L x 890 W x 1750 H

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.


Rapid
FIELD LINK 400


FIELD LINK 400


Rapid
Spray

FIELDLINK UPGRADES

BOOMLESS NOZZLES & BOOMS

BOOMLESS NOZZLE

90° or 180° brass nozzle | Stainless steel bracket
2m x 10mm spray hose with clamps
FieldLink boom mount adaptor

SCAN FOR PRICING





90°



180°



CODE	ORDER SUFFIX	DESCRIPTION
ABK05FLK	BN05	**#5 - 14m** Boomless Nozzle Kit with boom mount adaptor (add BN05 to code)
ABK10FLK	BN10	**#10 - 15m** Boomless Nozzle Kit with boom mount adaptor (add BN10 to code)
ABK20FLK	BN20	**#20 - 17m** Boomless Nozzle Kit with boom mount adaptor (add BN20 to code)

STEEL BOOM

6m / 8m Steel boom
110° non-drip nozzles
Swing, breakaway arms
Hot-dip galvanised - rust free protection

SCAN FOR PRICING





CODE	DESCRIPTION	DIMENSIONS	DRY WT
ABMF060KF	**6m** Flat Fold Steel Boom	2150 L x 1700 W x 250 H	38kg
ABMF080KF	**8m** Flat Fold Steel Boom	2150 L x 1750 W x 250 H	43kg

POLY BOOM

15yr guaranteed poly arms
110° non-drip nozzles
Swing, breakaway arms

SCAN FOR PRICING



CODE	DESCRIPTION	DIMENSIONS	DRY WT
ABP040	**4m** Poly Boom with X-Fold breakaway arms	1120 L x 1330 W x 200 H	18kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

FIELDLINK UPGRADES
HOSE REELS & REGULATORS

30M / 50M MANUAL HOSE REEL

**FieldLink upgrade price only.*
30m / 50mm spray hose
Heavy duty poly
Easy rotating handle

See page 187 for more information.



SCAN FOR PRICING

**Not fitted. Mounting required.*

CODE	DESCRIPTION	DIMENSIONS	DRY WT
ATHW05B030M10	**30m** Base Mount Poly Reel with 30m Spray Hose	460L x 280 W x 480 H	9.7kg
ATHW05B050M10	**50m** Base Mount Poly Reel with 50m Spray Hose	470L x 400 W x 500 H	13kg

BUDDY SMART REEL

**FieldLink upgrade price only.*
50m x 10mm spray hose or
100m x 8mm spray hose
Turbo 400 spray gun

See page 185 for more information.



SCAN FOR PRICING

**Not fitted. Mounting required.*

CODE	DESCRIPTION	DIMENSIONS	DRY WT
ATHB050M10FL	**50m** Buddy Smart Reel with Remote Control	536 L x 230 W x 538 H	29kg
ATHB0100M08FL	**100m** Buddy Smart Reel with Remote Control	536 L x 230 W x 538 H	29kg

ELECTRIC ON/OFF CONTROLLER

**FieldLink Pro model only.*
4-way manual valve controller
Electric On/Off
140L/min 20 bar
Manual pressure control

SCAN FOR PRICING

ORDER CODE

ADD 'EMC' TO CODE



ELECTRIC PRESSURE CONTROLLER

6 / 8m width
110° low drift nozzles

See page 176 for more information.

SCAN FOR PRICING

ORDER CODE

ADD 'EC' TO CODE



Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.


KUBOTA

12V SPRAYLINK

300L

SCAN FOR PRICING

Not every job needs the biggest setup on the paddock. Sometimes the smartest choice is a sprayer that does exactly what you need without the fuss.

The SprayLink runs off your tractor's 12V system with zero engine maintenance to worry about, delivering steady spray coverage across a 4 metre boom width. It's simple, capable and ready to go.



FEATURES

UV stabilised polyethylene tank
12V 15.2L/min 60psi Delavan pump
6m x 10mm spray hose
Powerjet spray gun
Pressure regulator & gauge
3.6m Electrical leads
Versatile boom - 4m spray width
3-point linkage galvanised steel frame
Category 1 linkage pins
Fully draining sump tank
250mm screw lid



VERSATILE BOOM
with 110° non-drip nozzles



EASY ACCESS PUMP
Quick operation and fuss free maintenance

25YR TANK
2YR PUMP
5YR FRAME
WARRANTY

CODE	DESCRIPTION	DIMENSIONS
PLV0300AL0152BV04	**300L** SprayLink with 12V 15.2L/min pump, Versatile boom	940 L x 750 W x 1180 H

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

SPRAYLINK PTO

300L

SCAN FOR PRICING

When you need to cover more ground with proper boom pressure behind you, the SprayLink PTO is where the tractor's own power becomes your biggest advantage.

Driven directly by your tractor's PTO shaft, the Italian Bertolini pump delivers a higher flow rate and 290psi of consistent pressure, giving you the grunt for larger boom widths and serious spray coverage.



FEATURES

UV stabilised polyethylene tank
22L/min 290psi Bertolini pump
6m x 10mm spray hose
Powerjet spray gun
Pressure regulator & gauge
4m Poly boom with non-drip nozzles
3-point linkage galvanised steel frame
Category 1 linkage pins
Fully draining sump tank
250mm screw lid
PTO shaft



4M RAPID POLY BOOM
Designed to withstand the harshest conditions.



SLIMLINE TANK
for increased stability once on tractor


25YR TANK
2YR PUMP
5YR FRAME
WARRANTY

CODE	DESCRIPTION	DIMENSIONS
PLP0300AL0220BP04	**300L** SprayLink with 22L/min Bertolini pump, 4m Poly boom	940 L x 750 W x 1180 H

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

UTV SPRAYERS

THE COMPACT SPRAYER RANGE




GO ANYWHERE SPRAYING MOBILITY

UTVs are fast becoming the vehicle of choice for many people wanting to get around their properties fast and safely. They also offer the added benefit of being able to carry large loads while easily traversing hard to reach terrain. Making sure you have the right sprayer to suit your UTV is paramount.


MADE TO FIT YOUR UTV

Tray dimensions are approximate averages for common UTV models. Actual tray size may vary.
Always refer to your UTV owner's manual for specific measurements and weight limits.




SMALL

- ● 250L Marshal
- ○ 325L Marshal
- ○ 360L SprayScout



MEDIUM

- ● 250L Marshal
- ● 325L Marshal
- ○ 360L SprayScout



LARGE

- ● 250L Marshal
- ● 325L Marshal
- ● 360L SprayScout



PERFECT FIT FOR LEADING UTV BRANDS

Our UTV sprayers are designed to seamlessly fit on the most trusted UTV brands in the market. Whether you're using your UTV for farm work, firefighting, or property maintenance, our sprayers ensure reliable performance and easy compatibility.

JOHN DEERE · can-am · Kubota · Kawasaki · HONDA · CFMOTO · POLARIS

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

12V MARSHAL-Q

250L / 325L

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

The Marshal-Q proves that the best sprayer for your UTV can also be the lightest, quietest and easiest to live with.


At just 30kg and powered by your UTV's 12V system, it is a joy to use every day. The quietest in its range, making it a natural fit for municipal spraying and noise sensitive areas.



A.

FEATURES

UV stabilised poly tank
8.3L/min 60psi 12V Delavan pump
6m x 10mm spray delivery hose
Powerjet spray gun - 700mm
Powder coated steel pump plate and hose wrap
3.6m 12V Electrical leads
Pressure regulator & gauge
In-built handles and tie-down points



**Spray distance varies with nozzle size and pump pressure.*



STEP BAFFLED TANK
helps reduce slosh & surge with moulded tie-down points

25YR TANK 1YR PUMP WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
A.	SU0250AL0083	**250L** Marshal-Q with 8.3L/min pump, 6m hose	910 L x 730 W x 670 H	30kg
	SU0325L0083	**325L** Marshal-Q with 8.3L/min pump, 6m hose	910 L x 1000 W x 750 H	44kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

12V MARSHAL-Q MANUAL

250L / 325L

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

All the quiet, effortless appeal of the Marshal-Q gets even better with a poly hose reel added to the mix.

A compact and tidy setup that homeowners, farmers and professional users all love. A unit with great reach, whisper quiet operation and everything you need to get the job done comfortably.



A.

FEATURES

UV stabilised poly tank
8.3L/min 60psi 12V Delavan pump
Pressure regulator & gauge
Boom outlet
30m x 10mm Poly Rapid Reel
Powerjet spray gun - 700mm
Powder coated steel pump plate
3.6m 12V Electrical leads
In-built handles and tie-down points



RELIABLE PUMP OPERATION with pressure regulator to adjust for boom spraying.

25YR TANK 1YR PUMP WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
A.	SU0250AL0083H3	**250L** Marshal-Q with 30m Manual Poly Hose Reel	910 L x 730 W x 835 H	39.7kg
	SU0325L0083H3	**325L** Marshal-Q with 30m Manual Poly Hose Reel	910 L x 1050 W x 1035 H	53.7kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

12V MARSHAL-Q BUDDY

250L / 325L

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

The Marshal-Q is already a joy to use. Add the Buddy Smart Reel and weed spraying on your UTV genuinely becomes something to look forward to.

Whisper quiet 12V operation with a remote controlled hose reel that rewinds at the push of a button. Truly a compact setup that makes every spraying session feel effortless.



A.

FEATURES

250L UV stabilised poly tank
8.3L/min 60psi 12V Delavan pump
50m Buddy Smart Reel
Powerjet spray gun - 700mm
Powder coated steel pump plate and hose wrap
3.6m 12V Electrical leads
Pressure regulator and gauge
In-built handles and tie-down points



BUDDY SMART REEL
with in-built radio system and on-board control panel.



BUDDY SMART REMOTE CONTROL
2km line-of-sight radio signal strength!

25YR TANK
1YR PUMP
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
A.	SU0250AL0083R5	**250L Buddy** Marshal-Q with 50m Buddy Smart Reel	910 L x 730 W x 940 H	60kg
	SU0325L0083R5	**325L Buddy** Marshal-Q with 50m Buddy Smart Reel	910 L x 1050 W x 1035 H	74kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

12V MARSHAL-Q + VERSATILE BOOM

250L



QUIETEST MARSHAL SPRAYER

Perfect for municipal spraying in noise-sensitive areas, this sprayer, coupled with the Poly Manual Hose Reel becomes the ideal choice for homeowners, farmers or professional users.

4M SPRAY WIDTH VERSATILE BOOM

The system features 110° low drift nozzles and taps for a 7-way nozzle control, providing versatility in your spraying options.

LIGHTWEIGHT UTV HITCH MOUNT

Durable and versatile, our product features a galvanised steel frame with a T-bar for effortless mounting of small booms. The package comes complete with a hitch pin and clip, and a 50mm hitch receiver for added convenience.

MARSHAL-Q OPTIONS
SUITABLE FOR ALL MODELS

SCAN FOR PRICING

BOOMLESS NOZZLE KITS

2m x 10mm hose & clamps | Brass boomless nozzle
Steel mounting bracket & fittings

See page 172 for more information.



CODE
ABK02K
ABK05K
ABK10K

VERSATILE BOOM

1.2m wide
4m spray width
110° low drift nozzles
TeeJet OC-04 brass offset end nozzles

See page 174 for more information.



CODE
ABVL040

LIGHTWEIGHT UTV HITCH MOUNT

Galvanised steel frames
Mounting hardware inc.
Suits Versatile Boom and Boomless Nozzles


See page 178 for more information.



CODE
ATKUBM50MMLW

MARSHAL ANGLED MOUNTING FEET

Galvanised steel feet frame
Mounting hardware inc.
Increased drainage | Forklift safe
Standard on Pro models



CODE
ASKSFTK

250L MARSHAL ATV TRAILER

Single axle
Rear boom mount
50mm tow hitch
22" high flotation tyres

*250L Marshal units only



CODE
ASTA00250K



Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.


MARSHAL
PLUS 250
UBOTA


HONDA
HONDA
GX
35


rapidspray.net
1800 011 000
4X4

MARSHAL PLUS

250L / 325L

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

The Marshal Plus proves that the best sprayer for your property doesn't have to be the most complicated one.


Compact, capable and a pleasure to use every day. It comes with a built-in 10L handwash tank*, adjustable pressure regulator and a step-baffled tank that fits your UTV without a fight.



A.

FEATURES

250L/325L UV stabilised poly tank
12L/min 360psi Commando Pump
GX35 Honda motor
30m manual hose reel
Turbo 400 spray gun
Pressure regulator & gauge
Front drain bung
In-built handles and tie-down points




SPRAY DISTANCE
Fan: 5m Jet: 10m

Spray distance varies with nozzle size and pump pressure.



10L HANDWASH TANK
with tap for easy cleaning

*Manual reel versions only



SPARE BOOM OUTLET
Easily switch between boom or hand gun spraying.

25YR TANK
1YR ENGINE
1YR PUMP
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
A.	SU0250AL0120H	**250L** Marshal Plus with 30m Manual Hose Reel	910 L x 730 W x 700 H	37kg
	SU0325L0120H3	**325L** Marshal Plus with 30m Manual Hose Reel**	910 L x 1000 W x 750 H	49kg

** Only available on the 250L model.*
***H3 model supplied with 30m poly hose reel. Only available on the 325L model.*

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

BUDDY MARSHAL PLUS

250L / 325L

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING


Everything you love about the Marshal Plus gets even better when the hose rewinds itself at the push of a button.

The Buddy Smart Reel takes the everyday joy of a capable compact UTV sprayer and removes the one part operators wish they didn't have to do manually.



FEATURES

250L/325L UV stabilised poly tank
12L/min 360psi Commando Pump
GX35 Honda motor
50m Buddy Smart Reel
Turbo 400 spray gun
Pressure regulator & gauge
Front drain bung
In-built handles and tie-down points



**Spray distance varies with nozzle size and pump pressure.*



EFFORTLESS HOSE MANAGEMENT
50m of retractable hose for quick and tidy storage



TARGETED SPRAYING
Turbo 400 spray gun with multiple spraying patterns

25YR TANK
1YR ENGINE
1YR PUMP
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
A.	SU0250AL0120R5	**250L** Marshal Plus with 50m Buddy Smart Reel	910 L x 730 W x 940 H	67kg
B.	SU0325L0120R5	**325L** Marshal Plus with 50m Buddy Smart Reel	910 L x 1000 W x 750 H	81kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

MARSHAL PLUS ATV TRAILER

250L

SCAN FOR PRICING

The Perfect Fit

The innovative inverted axle design provides two length configurations, ensuring a perfect match for your ATV and sprayer.



FEATURES

250L Marshal Plus unit
High quality galvanised steel
50mm tow hitch
Single axle
22" high flotation tyres
Rear boom mount



VERSATILE BOOM OPTION
1.2m wide boom
4m spray width

5 YEAR TRAILER WARRANTY

CODE	DESCRIPTION	DIMENSIONS*	DRY WT*
PRAM0250L0120H	**250L** Marshal Plus with 30m Manual Hose Reel & ATV Trailer	1150 L x 1190 W x 316 H	23.9kg

*TRAILER ONLY

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

MARSHAL PRO

250L

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

Serious spraying demands more than just a tank on a UTV. The Marshal Pro is built for operators who know the difference a properly engineered setup makes.


With a 580psi Maruyama pump, Buddy Smart Reel and a fully draining tank on mounting feet designed for complete drainage and safe loading, it delivers the kind of performance and durability that earns its place on your property day after day.

B.



FEATURES

250L UV stabilised poly tank
33L/min 580psi Maruyama pump
GX200 Honda motor
50/100m Buddy Smart Reel
Turbo 400 spray gun
3-way Regulator and gauge
Galvanised steel mounted angled feet
Front drain bung



**Spray distance varies with nozzle size and pump pressure.*

25YR TANK
3YR ENGINE
3YR PUMP
3YR REEL
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS
A.	SU0250AL0330H3	**250L** Marshal Pro with 30m Manual Hose Reel	910 L x 730 W x 935 H
B.	SU0250AL0330R5	**250L** Marshal Pro with **50m** Buddy Smart Reel - 10mm hose	910 L x 730 W x 960 H
B.	SU0250AL0330R18	**250L** Marshal Pro with **100m** Buddy Smart Reel - 8mm hose	910 L x 730 W x 960 H

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

MARSHAL PRO ATV TRAILER

250L

SCAN FOR PRICING



Effortless Transportation

Easily hitch it to your ATV using a standard ball coupling, providing a stable platform to tackle rough terrain and cover long distances with ease.



FEATURES

250L Marshal Pro unit
High quality galvanised steel
50mm tow hitch
Single axle
22" high flotation tyres
Rear boom mount



VERSATILE BOOM OPTION
1.2m wide boom
4m spray width

5 YEAR TRAILER WARRANTY

CODE	DESCRIPTION	DIMENSIONS*	DRY WT*
PRAM0250L0330H3	**250L** Marshal Pro with 30m Manual Hose Reel & ATV Trailer	1150 L x 1190 W x 316 H	23.9kg
PRAM0250L0330R5	**250L** Marshal Pro with 50m Buddy Smart Reel & ATV Trailer	1150 L x 1190 W x 316 H	23.9kg
ASTA00250K	250L Marshal ATV Trailer	1150 L x 1190 W x 316 H	23.9kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

Twin Marshal Pro 325 as featured on
Sylvester Pastoral in the Barrington Tops, NSW







MARSHAL PRO

325L

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

When your property demands more and your UTV needs to keep up, the Marshal Pro 325L delivers exactly that.


With a larger yet compact 325L tank and the same 580psi Maruyama pump and Buddy Smart Reel setup, it covers more ground between refills without adding bulk to your UTV.



This unit is now fitted with the new and improved SLAM 907

FEATURES

325L UV stabilised poly tank
33L/min 580psi Maruyama pump
GX200 Honda motor
50/100m Buddy Smart Reel
Turbo 400 spray gun
3-way Regulator and gauge
Galvanised steel mounted angled feet
Front drain bung



ENHANCED DRAINAGE AND LOADING SAFETY



DOUBLE REEL SPRAYING POWER

25YR TANK
3YR ENGINE
3YR PUMP
3YR REEL
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT.
A.	SU0325L0330H3	**325L** Marshal Pro w. 30m Manual Hose Reel	1050 L x 900 W x 835 H	91kg
	SU0325L0330R5	**325L** Marshal Pro w. **50m** Buddy Smart Reel - 10mm hose	1050 L x 900 W x 920 H	91kg
	SU0325L0330R18	**325L** Marshal Pro w. **100m** Buddy Smart Reel - 8mm hose	1050 L x 900 W x 920 H	102kg
B.	SU0325L0330TR18	**325L** Marshal Pro w. **Twin 100m** Buddy Smart Reel - 8mm hose	1050 L x 900 W x 920 H	122kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.



Discover what our clients are saying. Scan the QR code.

“It’s great working with another Australian company; that has history; that supplies quality product to the farmers; that was built by a farmer, for the farmers

MACKA'S AUSTRALIAN BLACK ANGUS BEEF

MARSHAL OPTIONS

SUITS MARSHAL PLUS & MARSHAL PRO

SCAN FOR PRICING

BOOMLESS NOZZLE KITS

Ideal for use with ATV sprayers or ute sprayers.
2m x 10mm hose & clamps | Brass boomless nozzle
Steel mounting bracket & fittings

See page 172 for more information.





CODE
ABK02K
ABK05K
ABK10K

LIGHTWEIGHT UTV HITCH MOUNT

Galvanised steel frames
Mounting hardware inc.
Suits Versatile Boom and
Boomless Nozzles


See page 178 for more information.



CODE
ATKUBM50MMLW

MARSHAL ANGLED MOUNTING FEET

Galvanised steel feet frame
Mounting hardware inc.
Increased drainage | Forklift safe
Standard on Pro models



CODE
ASKSFTK

VERSATILE BOOM

1.2m wide | 4m spray width
110° low drift nozzles
TeeJet OC-04 brass offset end nozzles

See page 174 for more information.



CODE
ABVL040

250L MARSHAL ATV TRAILER

Single axle
Rear boom mount
50mm tow hitch
22" high flotation tyres

*250L Marshal units only



CODE
ASTA00250K

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

12V SPRAYERS & ACCESSORIES

MADE FOR SPOT & BOOM SPRAYING



SPOT OR BOOM SPRAYING

A solution to meet every spot or boom spraying application whether it be tow behind spraying, low profile for your quad or a larger, compact high capacity UTV sprayer. Ideal for small scale weed control or pest eradication, the 12V Sprayer range is suitable for the application of most fertilisers, pesticides, herbicides and more!

RAPIDLINE SPOT SPRAYERS

57L / 95L

SCAN FOR PRICING

Sometimes the best sprayer for the job is the one you can grab, fill and get going with in under a minute.

The RapidLine is compact, uncomplicated and genuinely satisfying to use, with a translucent tank so you always know exactly what you have left, a triple filtration system and a 2 year extendable warranty for complete peace of mind.



A.

FEATURES

3.8L/min 60psi 12V pump
3-stage filtration system
UV resistant translucent tank
Large lid with basket filter
4.5m spray hose
Poly spray lance
Adjustable poly-cone nozzle
Drain plug



EASY ON/OFF TRIGGER
with lock on/off feature

2 YEAR EXTENDABLE WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
A.	SVS0057L0038	**57L** RapidLine 12V Spot Sprayer with 3.8L/min pump	800 L x 444 W x 360 H	6.3kg
	SVS0095L0038	**95L** RapidLine 12V Spot Sprayer with 3.8L/min pump	980 L x 470 W x 450 H	8.3kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

RAPIDLINE 12V TRAILER & BROADCAST NOZZLE SPRAYER

57L / 95L

SCAN FOR PRICING

The RapidLine Eco Trailer takes the simplicity of the spot sprayer and adds the freedom to cover more ground without lifting a finger.


Tow it behind your quad or ride on, switch on the 12V pump and the 1.2m broadcast nozzle kit does the rest. Expect wide, even coverage across lawns, gardens and lifestyle blocks with zero fuss.



A.



WET & MUDDY GROUND!
Large pneumatic tyres ideal for lawns.



SPOT TO BOOM
Convert your spot sprayer into a boom sprayer with broadcast nozzle kit and lid mount

2 YEAR EXTENDABLE WARRANTY


FEATURES

3.8L/min 40psi 12V pump
Hitch mount tow behind trailer
1.2m spray width broadcast nozzle kit
3-stage filtration system
Durable steel frame
Large pneumatic tyres

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
A.	SVT0057L0038B1	**57L** RapidLine 12V Spot Sprayer Trailer w. 1.2m broadcast nozzle kit	1520 L x 720 W x 560 H	16.3kg
	SVT0095L0038B1	**95L** RapidLine 12V Spot Sprayer Trailer w. 1.2m broadcast nozzle kit	1520 L x 720 W x 750 H	18.3kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.





Exclusive to Rapid Spray, the RapidMix, Australia's first and only spot sprayer with Clean Tank Technology - allowing for greater control over the mixing and measuring of chemicals and cleaning your sprayer.





RAPIDMIX SPOT SPRAYERS

57L / 95L

SCAN FOR PRICING

The RapidMix is the spot sprayer that genuinely changes the way you think about spraying chemicals on your property.

With separate water and chemical tanks that mix only at the nozzle, you can swap chemicals mid session, dial in precise mixing ratios and walk away knowing your main tank stays clean and ready for next time.

A.



FEATURES


8.3L/min 60psi 12V pump
5L or 7L separate chemical tank
Pressure gauge & regulator
Quick switch boom or spot spray
Flow control valve
4.5m spray hose
Poly spray lance with cushion grip trigger

OPTIONAL UPGRADES

2m Spray Boom Kit
5m Boomless Spray Kit
Adjustable Hitch Mount Trailer



COMPLETE SPRAYING CONTROL
flow control valves and 7 chemical dilution rates



UV TRANSLUCENT TANK
easy to view liquid levels in both main and chemical tanks

2 YEAR EXTENDABLE WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
	SVSM0057L0083	**57L** RapidMix 12V Spot Sprayer with 5L chemical tank	978 L x 368 W x 476 H	10.9kg
	PTCM0005L	**5L** RapidMix Chemical Tank (57L RapidMix only)	464 L x 298 W x 159 H	1.5kg
A.	SVSM0095L0083	**95L** RapidMix 12V Spot Sprayer with 7L chemical tank	1118 L x 511 W x 460 H	14kg
	PTCM0007L	**7L** RapidMix Chemical Tank (95L RapidMix only)	553 L x 222 W x 159 H	1.5kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

RAPIDMIX TRAILER & BOOM SPRAYER

57L / 95L

SCAN FOR PRICING

Everything that makes the RapidMix so clever is now on a trailer with a boom to cover even more ground.

Tow it behind your ride on or quad, switch between spot spray and boom at will, and walk away at the end of the day with a clean tank and zero wasted chemical.

A.



FEATURES

8.3L/min 60psi 12V pump
5L or 7L separate chemical tank
Hitch mount trailer with pneumatic tyres
7 mixing rate settings 7 - 117ml/L
Pressure gauge & regulator
Quick switch boom or spot spray
Flow control valve
4.5m spray hose
Poly spray lance with cushion grip trigger

BOOM OPTIONS

2m Spray Boom kit
5m Boomless Spray kit



BOOM OR SPOT SPRAY
with quick switch valve

2 YEAR EXTENDABLE WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
A.	SVTM0057L0083B2	**57L** RapidMix 12V Spot Sprayer Trailer with 2m boom	1365 L x 1040 W x 676 H*	23.4kg
	SVTM0095L0083B2	**95L** RapidMix 12V Spot Sprayer Trailer with 2m boom	1365 L x 1040 W x 760 H*	26.5kg
	SVTM0057L0083B5	**57L** RapidMix 12V Spot Sprayer Trailer with 5m boomless noz	1390 L x 740 W x 676 H*	22kg
	SVTM0095L0083B5	**95L** RapidMix 12V Spot Sprayer Trailer with 5m boomless noz	1390 L x 740 W x 760 H*	25.1kg

*Not including boom height (adjustable).

Dimensions and weight may vary due to the manufacturing process. For confirmed weights and dimensions, please contact Rapid Spray.

SPRAYER UPGRADES

SUITABLE FOR 57L & 95L SPRAYERS

1 YEAR WARRANTY

2M DUAL NOZZLE BOOM SPRAY KIT

Minimum 6.8L/min pump
2m spray width
Adjustable height brackets

See page 173 for more information.

SCAN FOR PRICING




*Not including boom height (adjustable).

CODE	DIMENSIONS	DRY WT
ABSC020	1040 L x 45 W x 85 H*	2.5kg

BOOMLESS NOZZLE SPRAY KIT

Minimum 6.8L/min pump
1.2 - 5m spray width
Multiple boom setups
Fan tip or wide angle spray

SCAN FOR PRICING



CODE	DIMENSIONS	DRY WT
ABSC050	740 L x 70 W x 50 H	1.1kg

HITCH MOUNT TRAILER

Suits 57L and 95L sprayers*
Durable steel frame
Boom mount kit inc.
Large pneumatic tyres

SCAN FOR PRICING



*RapidLine / Mix spot sprayers only.

CODE	DIMENSIONS	DRY WT
ATK057095T	1320 L x 720 W x 310 H	10kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.



BUILT IN AUSTRALIA, BACKED IN AUSTRALIA.

Local manufacturing means parts, support, and know-how are never an ocean away.



SPOT SPRAYERS VS. BOOM SPRAYERS

WHEN TO USE THE SPECIFIC TYPE OF SPRAYER?

SPOT SPRAYER	BOOM SPRAYER
Apply chemicals to specific target areas	More widespread application
High precision in spraying	Highly efficient for large-scale operations
Minimises chemical wastage	Reduces spraying time and labour
Reduces risk of off-target damage	Adaptable to varying area sizes
Well-suited for small-scale operations	





Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

SPOT RANGER HP SPOT SPRAYER

60L / 95L

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

When standard pressure just isn't cutting through, the Spot Ranger HP is the Australian made answer.

A higher pressure pump and PowerJet brass nozzle deliver the reach and penetration to tackle tough spot spraying jobs with confidence.

B.



FEATURES

60L: 4.0L/min 70psi RapidLine 12V pump
95L: 6.8L/min 120psi RapidLine 12V pump
UV resistant tank
Front or rear hose wraps
Large lid opening
Basket filter to stop debris

OPTIONAL UPGRADE

Zero Turn Trailer kit



EASY CARRY HANDLES
with provision for straps and tank graduation markings



OPTIMAL SPRAYING EXPERIENCE
with 700mm PowerJet spray gun and 6m x 10mm spray hose

25YR TANK
2YR PUMP
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
	SVR0060L0040	**60L** Spot Ranger HP with 4.0L/min 12V RapidLine Pump	1000 L x 480 W x 380 H	8.5kg
B.	SVR0095L0068	**95L** Spot Ranger HP with 6.8L/min 12V RapidLine Pump	1000 L x 480 W x 490 H	9.5kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

SPOT RANGER SPOT SPRAYER

60L / 95L

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

The Spot Ranger is the Australian made sprayer that farmers keep coming back to. It's reliable, thoughtfully designed and genuinely enjoyable to use.

Versatile enough for spot spraying or trailer boom attachment, with a 25 year tank warranty and the kind of practical details that make the job feel easy every time.



B.



A.

FEATURES

8.3L/min 60psi Delavan 12V pump
Pressure gauge & regulator
6m x 10mm spray hose
Powerjet spray gun - 700mm
UV resistant tank
Front or rear hose wraps

OPTIONAL UPGRADE

Zero Turn Trailer kit
2m Spray boom kit
3m Spray boom kit



140° DEFLECTOR NOZZLE
for complete spray coverage



TOW BEHIND TRAILER SPRAYER
Ideal for either boom spraying or spot spraying in larger areas.

25YR TANK
2YR PUMP
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
	SVR0060L0083	**60L** Spot Ranger with 8.3L/min 12V Delavan Pump	1000 L x 480 W x 380 H	8.5kg
A.	SVR0095L0083	**95L** Spot Ranger with 8.3L/min 12V Delavan Pump	1000 L x 480 W x 490 H	9.5kg
	SVRT0095L0083ZB2	**95L** Spot Ranger w/ Hitch Mount Trailer and 2m Spray Boom	1200 L x 1000 W x 810 H	23.5kg
B.	SVRT0095L0083ZB3	**95L** Spot Ranger w/ Hitch Mount Trailer and 3m Spray Boom	1200 L x 1100 W x 810 H	24.5kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

SPRAYER UPGRADES
SUITABLE FOR SPOT RANGER

1 YEAR WARRANTY

ZERO TURN TRAILER

Mounts a variety of boom kits
Suits Spot Ranger 60L & 95L only
Ideal for mower tow-behind

*Do not exceed 10km/h

SCAN FOR PRICING






CODE	DESCRIPTION	DIMENSIONS
ATK06095TZ	Zero Turn Trailer	1180 L x 1100 W x 550 H

SPRAY BOOM KITS

140° deflector nozzle
Breakaway & fold arms - 3m/4m only
2/3/4m spray widths

SCAN FOR PRICING



ABSC020 - 2m

ABS030 - 3m

ABS040 - 4m

NEW DESIGN!







CODE	DESCRIPTION	DIMENSIONS
ABSC020	2m Spray Boom kit	1040 L x 75 W x 85 H
ABS030	3m Boom kit, folding arms	2120 L x 75 W x 85 H
ABS040	4m Boom kit, folding arms	3100 L x 75 W x 85 H

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

HANDHELD, BACKPACK & TROLLEY SPRAYERS

1L - 30L



HOME GARDEN, COMMERCIAL & INDUSTRIAL

The Handheld, Backpack & Trolley Sprayers range is ideal for home gardeners, professional landscapers or commercial users. Designed with ease of use, comfort and low maintenance in mind, you will find the perfect solution to every chemical spraying requirement.

COMPRESSION SPRAYERS

4L

SCAN FOR PRICING

The Chapin Pro Series is the hand sprayer that commercial and industrial users trust when the chemicals get serious and the job demands more.



ADJUSTABLE NOZZLES

for multiple spraying patterns







FEATURES

Translucent tank
100mm wide lid opening
Pressure relief valve
Anti-clog filter
1m clear hose with poly wand
Brass, poly-fan and poly-cone nozzles
Viton seals - suitable for aggressive chemicals

WHILE STOCKS LAST!

2 YEAR WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
A.	SMPCP0004L	**4L** Pro Series Compression Sprayer	213 L x 213 W x 406 H	2kg

SPARES

COMPRESSION SPRAYERS

1 YEAR COMPONENTRY WARRANTY

SCAN FOR PRICING

PRO SERIES VITON REPAIR KIT

To suit Pro Series models:
SMPCP0004L



CODE
CCP64601

PRO SERIES NOZZLE KIT

To suit Pro Series models
SMPCP0004L



CODE
CCP68131

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

HOME & GARDEN BACKPACK SPRAYERS

15L

SCAN FOR PRICING

A great garden deserves a sprayer that is just as easy and enjoyable to use as the hobby itself.

WHILE STOCKS LAST!

Lightweight, comfortable on your back and switchable between left or right hand use, the RapidLine Backpack makes weed control and garden maintenance feel less like a chore and more like something you actually look forward to.



FEATURES

Lever action piston pump
Left / right pump lever handle
1.2m spray hose
Poly shut-off trigger and lance
Translucent tank for easy level view



LOW SPILL RISK with large lid opening and basket filter for debris



COMFORTABLE DESIGN with adjustable shoulder straps and adjustable pump handle

2 YEAR WARRANTY

CODE	DESCRIPTION	DIMENSIONS	DRY WT
SMKRP0015L	**15L** Home & Garden backpack sprayer	374 L x 228 W x 556 H	4.7kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

RAPIDPRO DIAPHRAGM PUMP BACKPACK SPRAYERS

15L

SCAN FOR PRICING

When your spraying jobs get serious, the RapidPro Diaphragm Pump Backpack is the one that steps up to meet them.

Built with Viton seals for aggressive chemical compatibility, a 3 stage filtration system for clog free performance and a lever action diaphragm pump that delivers consistent pressure all day long.



FEATURES

Lever action diaphragm pump
3-stage filtration system
1.2m transparent spray hose
Poly spray lance
Adjustable brass, poly-cone and poly-fan nozzles
Left / right pump lever handle
Viton seals - aggressive chemicals



COMFORTABLE TRIGGER
with cushion grip



PADDED SHOULDER STRAPS
with across chest support straps

2 YEAR WARRANTY

CODE	DESCRIPTION	DIMENSIONS	DRY WT
SMKRPD0015L	**15L** RapidPro diaphragm pump backpack sprayer	240 L x 240 W x 620 H	4.7kg

DIAPHRAGM VS. PISTON

WHY BUY A DIAPHRAGM PUMP OVER A PISTON PUMP?

DIAPHRAGM PUMP	PISTON PUMP
Suitable for wettable powders	Suitable for liquid concentrates only
Very reliable	Easy to maintain
Less pumping effort	Able to achieve higher pressures
Longevity with harsh chemicals	

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

RAPIDMIX BACKPACK SPRAYERS

15L

SCAN FOR PRICING

The RapidMix Backpack changes the way you think about carrying chemicals on your back because your main tank never touches them.

Separate 1L chemical tanks mix with water only at the pump, so you can swap chemicals mid job, dial in your exact mix ratio and walk away with a clean tank every single time.



FEATURES

40-60psi piston hand pump
2 x 1L separate chemical tanks
Left / right pump handle
Mixing ratio dial
Adjustable nozzle tips - brass, poly-cone and poly-fan
In-tank filter - removable
Ultra comfort padded straps
Wide 6" lid opening
Snap-in carry cap



LOW SPILL RISK
with large lid opening and basket filter for debris



MIX RATIO DIAL
Mixes chemical concentrate from 4ml-71ml per litre. Mix rate setting guide included.

2 YEAR WARRANTY

CODE	DESCRIPTION	DIMENSIONS	DRY WT
SMKCM0015L	**15L** RapidMix Backpack Sprayer	203 L x 203 W x 457 H	4.5kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

RAPIDLINE RECHARGEABLE HAND SPRAYERS

5L / 8L

SCAN FOR PRICING

Once you've sprayed without ever pumping by hand, going back to a manual sprayer feels like a step nobody needs to take.

The RapidLine Rechargeable builds up pressure automatically and keeps it consistent for up to 1.8 hours on a single charge. It's lightweight, cordless and ready to make garden and property spraying genuinely effortless.



FEATURES

1.8hr continuous spray
3.5hr charge time
Rechargeable 10V battery
Fine pressure adjustment
Lightweight battery pump
Hose rack for neater storage
Adjustable fan, cone and deflector



CONVENIENT BUTTON
for quick and automated sprayer pressure build up



MIX RATIO DIAL
Mixes chemical concentrate from 4ml-71ml per litre. Mix rate setting guide included.

2 YEAR WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
A.	SVBRP005L	**5L** RapidLine Rechargeable Handheld Sprayer	222.4 L x 205.6 W x 469.7 H	1.89kg
B.	SVBRP008L	**8L** RapidLine Rechargeable Handheld Sprayer	222.4 L x 205.6 W x 558.7 H	2.08kg

Dimensions and weight may vary due to the manufacturing process. For confirmed weights and dimensions, please contact Rapid Spray.

RAPIDLINE 10V RECHARGEABLE BACKPACK SPRAYERS

10L

SCAN FOR PRICING

The RapidLine 10L Rechargeable Backpack is the sweet spot between compact hand sprayers and heavy duty commercial units. Once you put it on, you'll understand why.

With 3.5 hours of continuous spray time, consistent 15 to 40psi diaphragm pump pressure and a weatherproof pump chamber, it handles everything from herbicides to disinfectants without skipping a beat; on your back, without pumping by hand.







FEATURES

15-40psi diaphragm pump
3.5hr continuous spray
2.5hr charge time
Rechargeable 10V battery
Fine pressure adjustment

EASY TOP CARRY HANDLE
for carrying & wand storage

FAST BATTERY CHARGE
2.5hrs battery charge with charge indicator lights

2 YEAR WARRANTY

CODE	DESCRIPTION	DIMENSIONS	DRY WT
SVBRP0010L	10L 10V RapidLine Rechargeable Backpack Sprayer	350 L x 150 W x 450 H	5kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

RAPIDPRO 24V RECHARGEABLE BACKPACK SPRAYERS

15L

SCAN FOR PRICING

Serious spraying demands serious battery power and the RapidPro 24V delivers exactly that with up to 200L per charge and 2 hours of uninterrupted, pump free performance.

Viton and Santoprene seals stand up to the most aggressive chemicals, a 3 stage filtration system keeps flow consistent all day and padded adjustable shoulder straps mean you arrive at the end of the job feeling as good as you did at the start.



FEATURES

2hr continuous spray
3-stage filtration system
Rechargeable 24V battery
Viton and Santoprene seals
1.2m transparent spray hose
Poly lance with cushion grip shut-off trigger
Adjustable brass, poly-cone and poly-fan nozzles
Battery charger inc.



LOW SPILL RISK
with large lid opening and basket filter



EASY BATTERY CHARGE
4hrs battery charge with charge indicator lights

2 YEAR WARRANTY

CODE	DESCRIPTION	DIMENSIONS	DRY WT
SVBRP0015L	15L 24V RapidLine Rechargeable Backpack Sprayer	374 L x 228 W x 556 H	4.8kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

RAPIDLINE 7.2V TROLLEY SPRAYER

12L

SCAN FOR PRICING

Keeping on top of weeds and garden pests is so much easier when you're not carrying anything at all.

The RapidLine 7.2V Trolley rolls effortlessly wherever you need it, lithium ion powered for consistent pressure with a 3m hose for real reach and a large easy fill opening that makes refilling a pleasure rather than a chore.



FEATURES

7.2V 1.0L/min 17-26psi pump
Lithium Ion battery
1.3hr runtime
3m length hose
Safety pressure release valve
Large funnel shaped filler opening
Large loop handle with comfortable grip
Easy to move wheels



SAFETY PRESSURE VALVE

Prevents overpressure and regulates optimal pressure level



ADJUSTABLE HANDLE

Improved manoeuvrability

2 YEAR EXTENDABLE WARRANTY

CODE	DESCRIPTION	DIMENSIONS	DRY WT
SVL0012L0010	**12L** RapidLine 7.2V Trolley Sprayer with 1.0L/min pump	317.1 L x 369.9 W x 884.4 H	3.92kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

RAPIDPRO 24V TROLLEY SPRAYER

30L

SCAN FOR PRICING

When the garden or lifestyle block demands more than a basic trolley can deliver, the RapidPro 24V is the one that rises to meet it.

With a 60psi pump, 4.5m hose, 4ply inflatable tyres that handle any surface and a removable handle for easy storage, it brings serious performance to everyday property maintenance without any of the usual fuss.



FEATURES

24V 3.8L/min 60psi pump
30L translucent tank
Lance clips storage
4.5m length hose
1.5m spray width deflector nozzle
6mm solid axle
Adjustable nozzles



REMOVABLE HEAVY DUTY TUBULAR STEEL TROLLEY HANDLE
For easy storage



4PLY, 10" INFLATABLE TYRES
Ideal for rough terrain

2 YEAR EXTENDABLE WARRANTY

CODE	DESCRIPTION	DIMENSIONS	TANK DRY WT
SVL0030L0038	**30L** RapidPro 24V Trolley Sprayer with 3.8L/min pump	1340 L x 500 W x 770 H	10.5kg

Dimensions and weight may vary due to the manufacturing process. For confirmed weights and dimensions, please contact Rapid Spray.

BOOMS

SMALL - LARGE



SPRAY WITH CONFIDENCE

Ranging from small booms for spot sprayers to large steel booms for professional field sprayers, the boom range is extensive in its spray width coverage, features and fitting capabilities.

NOZZLES
BOOM JET / BOOMLESS

1 YEAR COMPONENTRY WARRANTY

SCAN FOR PRICING

BOOMJET NOZZLE

Heavy duty brass body
3 x TeeJet nozzles
2 x Off-centre tips
Wide spray swath



BOOMJET FIT KIT


BoomJet nozzle
2m x 10mm spray hose
Mounting bracket

BAR	L/MIN (MAX)	SPRAY WIDTH	NOZZLE	NOZZLE FIT KIT.
1.5	7.26	10.2	ABJ006	ABJ006KF
2.0	8.38	10.3		
2.5	9.37	10.5		
1.5	11.6	12.0	ABJ010	ABJ010KF
2.0	12.89	12.1		
2.5	14.41	12.3		
1.5	24.00	14.3	ABJ020	ABJ020KF
2.0	27.72	15.2		
2.5	30.99	15.8		
1.5	47.44	17.1	ABJ040	ABJ040KF
2.0	54.78	18.2		
2.5	61.25	19.2		

BOOMLESS NOZZLE

Heavy duty brass nozzle body
90° / 180° swath spraying angles
Spraying up to 17m from a single nozzle
Steel mounting bracket & u-bolt
Easy change spray plates
On/Off tap valve
Male 1/2" BSP fitting
Optimum mounting height
0.5-0.7m above spray target

SCAN FOR PRICING



BOOMLESS NOZZLE FIT KIT

2m x 10mm spray hose | Hose clamps

PSI	L/MIN (MAX)	SPRAY WIDTH	5	6	8	10	12	NOZZLE	NOZZLE FIT KIT
30	3.2	6.7	57	48	36	29	24	ABK02	ABK02K
40	3.8	7	65	54	41	33	27		
50	4.1	7.3	67	56	42	34	28		
60	4.5	7.6	71	59	44	36	30		
30	6.4	13.14	58	49	37	29	24	ABK05	ABK05K
40	7.6	14	65	54	41	33	27		
50	8.4	14.6	69	58	43	35	29		
60	9.1	15.2	72	60	45	36	30		
30	14	15.2	111	92	69	55	46	ABK10	ABK10K
40	15.9	15.2	126	105	78	63	52		
50	17.4	15.8	132	110	83	66	55		
60	18.9	15.8	144	120	90	72	60		
30	19.3	16.4	141	118	88	71	59	ABK20	ABK20K
40	22.4	16.4	164	137	102	82	68		
50	25.4	17	179	149	112	90	75		
60	26.9	17.6	183	153	115	92	76		

BOOMLESS NOZZLE CHART



Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.


SMALL BOOM
12V SPOT SPRAYER BOOMS

1 YEAR WARRANTY

SCAN FOR PRICING

SPRAY BOOM KITS

2/3/4m spray widths
140° deflector nozzle
Breakaway & fold arms - 3m/4m only
Minimum of 6.8L/min pump required



ABSC020 - 2m

ABS030 - 3m

ABS040 - 4m

NEW DESIGN!

**Not including bracket height.*

CODE	DESCRIPTION	DIMENSIONS*
ABSC020	2m Spray Boom kit	1040 L x 75 W x 85 H
ABS030	3m Boom kit, folding arms	2120 L x 75 W x 85 H
ABS040	4m Boom kit, folding arms	3100 L x 75 W x 85H



SPRAY BOOM KITS

1.2m - 5m spray width
Multiple configurations:
- Fan tip
- Wide angle spray

Minimum 6.8L/min pump required

1 YEAR WARRANTY


SCAN FOR PRICING



Fan Tip



Wide Angle



CODE	DESCRIPTION	DIMENSIONS
ABSC050	Boomless Nozzle Spray Kit	762 L x 69 W x 112 H



VERSATILE BOOM


1.2M FRAME / 4M SPRAY WIDTH


SCAN FOR PRICING

The Versatile Boom lives up to its name in the most satisfying way possible, giving you seven different spraying patterns across a 4m wide coverage so you can tackle weeds, fence lines and firebreaks with a single setup.



7 DIFFERENT SPRAYING PATTERNS





FEATURES

Sprays up to 4m wide
110° low-drift nozzles - non-drip filters
TeeJet OC-04 brass offset end nozzles
On / Off ball valve tap - three centre nozzles
On / Off ball valve tap - OC end jet nozzles
Boom mount brackets
1.2m wide steel frame
T-piece and valve for filtering in-line

SEE IT IN ACTION! SCAN THE QR.



GUARANTEED • MADE IN AUSTRALIA •

5YR FRAME
1YR COMPONENTRY
WARRANTY

CODE	DESCRIPTION	DIMENSIONS	DRY WT
ABVL040	**1.2m** Versatile Spray boom with 4m spray width	1200 L x 240 W x 660H	5kg
ABVL040UK	**1.2m** Versatile Spray boom with Lightweight UTV Hitch mount	1200 L x 240 W x 660H	9.5kg


Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

RAPID POLY BOOM

4M

SCAN FOR PRICING

Built tough enough to handle rough country without rusting, cracking or asking for maintenance, the Rapid Poly Boom is the boom sprayer that just keeps going season after season without complaint.





FEATURES

UV stabilised polyethylene arms
Hot dip galvanised steel
Spring loaded breakaway arms
Fitted with 110° low drift nozzles
Non-drip protected nozzles
Adjustable height mounting brackets
Plumbed with 12mm spray hose

SEE IT IN ACTION! SCAN THE QR.



GUARANTEED • MADE IN AUSTRALIA •

5YR FRAME
15YR POLY ARMS
1YR COMPONENTRY
WARRANTY

CODE	DESCRIPTION	DIMENSIONS	SPRAY WIDTH
ABP040	**4m** Rapid Poly Boom with breakaway arms	1120 L x 1330 W x 200 H	4 metres


Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

FLAT FOLD STEEL BOOM

6M / 8M

SCAN FOR PRICING

The Flat Fold Steel Boom takes the hits that come with real paddock work and keeps on spraying, with stainless steel tubes, spring loaded breakaway arms and a flat fold design that fits the FieldLink, Ultimate and SprayScout without compromise.



FEATURES

Hot dip galvanised steel - rust free protection!
Spring loaded breakaway arms
Fitted with 110° low drift nozzles
Non-drip protected nozzles
Adjustable height mounting brackets
Plumbed with 12mm spray hose
TeeJet nozzle compatible
Left/right isolating on/off taps

SEE IT IN ACTION! SCAN THE QR.




GUARANTEED • MADE IN AUSTRALIA •

5YR FRAME
1YR COMPONENTRY
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	SPRAY WIDTH
A.	ABMF060KF	**6m** Flat-fold Steel Boom with breakaway arms	2150 L x 1700 W x 250 H	6 metres
	ABMF080KF	**8m** Flat-fold Steel Boom with breakaway arms	2150 L x 1750 W x 250 H	8 metres

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.











BOOM BRACKETS & MOUNTS

SMALL - LARGE BOOMS

5 YEAR FRAME WARRANTY

SCAN FOR PRICING

LIGHTWEIGHT UTV HITCH MOUNT

Heavy duty galvanised steel frame
T-bar for mounting smaller booms
Includes hitch pin and clip
50mm hitch receiver

USE WITH
Versatile Boom
Boomless Nozzles



CODE

ATKUBM50MMLW

HEAVY DUTY UTV HITCH MOUNT

Heavy duty galvanised steel frame
U frame for mounting large booms
Includes hitch pin and clip
50mm hitch receiver

USE WITH
Steel Boom - up to 8m
Rapid Poly Boom
Versatile Boom



CODE

ATKUBM50MM

SPRAYSCOUT BOOM MOUNTS

Heavy duty galvanised steel frame
Boom mount brackets for SprayScout models only - designed to slip into SprayScout forklift pockets



CODE

ATMBMS360

ATMBMS600

ULTIMATE FIELD SPRAYER BOOM MOUNTS

Heavy duty galvanised steel frame
Boom mount brackets for Ultimate field sprayers
Designed to slip into Ultimate frame forklift pockets



CODE

ATMBMB

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

HOSE REELS & SPRAY GUNS

SUIT EVERY APPLICATION



TAKE BACK CONTROL OF SPRAYING

Guarantee spraying ease with the complete range of Buddy Smart Reels and Rapid Poly Reels with unparalleled features and warranties. Find the right spray gun to suit any task from spot spray or high pressure for atomisation. A solution for every application!

Rapid Spray



THE ALL NEW

MEGADRIVE

The world's most advanced remote rewind reel built for real pulling power.

BUDDY MEGADRIVE

12V AUTO REWIND REEL

NEW PRODUCT

100/150M REEL **SPARE PARTS**

SCAN FOR PRICING

Once you have used the Buddy Smart Reel and loved it, the MegaDrive is where that same technology grows up into something altogether more powerful.

With 3x more torque, MyPace™ adaptive variable speed rewind, a brushless direct drive motor and zero maintenance design, it handles the longest hose runs and the toughest Australian conditions without breaking a sweat.



A.

*Spray gun sold separately.

FEATURES

100 and 150m hose options
10mm spray hose
12V brushless direct drive motor
2km line-of-sight radio remote
Encapsulated waterproof electronics
Runs off a standard 12V vehicle battery
Built in Engine Stop/Start

*Note: circuit can be retrofitted to existing sprayers (*diesel engines may require an additional relay or fuel solenoid)*

NEW MYPACE™ REMOTE
Variable-speed rewind puts the pace in your hands. Two speeds became a full range, giving you complete control over every wind-in.





BRUSHLESS HIGH TORQUE DIRECT DRIVE MOTOR
Means zero maintenance on belts or chains

GUARANTEED • MADE IN AUSTRALIA •

3 YEAR WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	BASE PLATE	DRY WT
A.	ATHM100M10	**100m** Buddy MegaDrive Smart Reel	710 L x 260 W x 710 H	333 L x 255 W	45kg
	ATHM150M10	**150m** Buddy MegaDrive Smart Reel	710 L x 260 W x 710 H	333 L x 255 W	48kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

HOSE REEL SPARES
BUDDY MEGADRIVE REEL

1 YEAR COMPONENTRY WARRANTY

SCAN FOR PRICING & SPARE PARTS

MYPACE™ REMOTE CONTROL

Supplied with 2 AA batteries - 915MHz



CODE	
ARIR3SS	MyPace™ Remote with Start and Stop
ARIR1CVL	Lanyard
AYZ020	Leather MyPace™ Remote Belt Pouch



Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.




BUDDY
MEGADRIVE


MEGADRI
REEL P
WER
OFF
ON
START
SPRAY
SCOUT


Rapid
ON
OFF
BUDDY SMART REEL









“I should have had one of these probably 40 years ago. Now, you haven’t got to go and lift it over stones, rocks or sticks or stumps. Makes things a lot easier, alright.

KEV HENNESSY

Discover what our clients are saying. Scan the QR code.

BUDDY SMART REEL

12V / 24V AUTO REWIND REEL

50M REEL **SPARE PARTS**

100/150M REEL **SPARE PARTS**

SCAN FOR PRICING

Use a Buddy Smart Reel once and winding a hose by hand will feel like something you used to do before you knew better.

Australian made with a direct drive brushless DC motor, MyPace™ variable speed rewind, zero maintenance and a simple 4 bolt retro fit to your existing spray rig, it is the remote controlled hose reel that operators across the country keep coming back to.



A.

*Spray gun sold separately.

FEATURES

50, 100 and 150m hose options
10mm or 8mm spray hose options
12/24V brushless direct drive motor
2km line-of-sight radio remote
On-board control board
Low voltage protection
High pressure performance - rated 1,000psi
Tapered spool for consistent hose layup
Retro fit - easy 4-bolt mounting



MYPACE™ REMOTE
Unique 2-button remote offers custom rewind speeds. You can choose a speed that suits the terrain you are working in.



BRUSHLESS HIGH TORQUE DIRECT DRIVE MOTOR
Means zero maintenance on belts or chains

GUARANTEED • MADE IN AUSTRALIA •

3 YEAR WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	BASE PLATE	DRY WT
A.	ATHB050M10	**50m** Buddy Smart Reel - 10mm hose	536 L x 230 W x 538 H	270 L x 230 W	22kg
	ATHB05B100M08	**100m** Buddy Smart Reel - 8mm hose	536 L x 230 W x 538 H	270 L x 230 W	20.5kg
	ATHB100M10	**100m** Buddy Smart Reel - 10mm hose	710 L x 260 W x 710 H	333 L x 255 W	42kg
	ATHB150M10	**150m** Buddy Smart Reel - 10mm hose	710 L x 260 W x 710 H	333 L x 255 W	45kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

HOSE REEL SPARES
BUDDY SMART REEL

1 YEAR COMPONENTRY WARRANTY

SCAN FOR PRICING & SPARE PARTS

MYPACE™ REMOTE CONTROL

Supplied with 2 AA batteries - 915Mhz

USE WITH

Buddy Smart Reels from
Serial No. SB1000 and onwards

CODE	
ARIR1CSM	MyPace™ Remote
ARIR1CPL	Lanyard & Pouch





BUDDY SMART REEL VS. MANUAL REELS: A GAME-CHANGER FOR SPRAYERS

Compare the innovative features of the Buddy Smart Reel with traditional manual reels and see how automation can transform your spraying experience with improved safety, productivity, and reliability.

FEATURE	BUDDY SMART AUTO REWIND REEL	MANUAL REEL
Ease of Use	One-touch operation.	Requires manual effort.
Efficiency	Saves time with faster hose deployment and retrieval.	Slower process, increasing time spent on tasks.
Fatigue Reduction	Minimises physical strain, ideal for prolonged use.	Can cause fatigue, especially in large areas.
Cost-Effectiveness	Save time and complete spraying jobs faster.	Lower upfront price. Higher ongoing labour cost.
Compatibility	Easily integrates with a wide range of sprayers and systems.	Limited compatibility depending on model and design.

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

RAPID POLY REEL

MANUAL HOSE REEL

NEW PRODUCT

SCAN FOR PRICING

Not every spraying setup needs a remote control. Sometimes you just need a hose reel that is Australian made, rust free and built to outlast everything else on the rig.

The Rapid Poly Reel delivers exactly that with a UV stabilised poly spool, 600psi rated braided hose, full flow ball bearing swivel and a hot dip galvanised steel frame that shrugs off the elements season after season.


A.



FEATURES

30m, 50m and 100m hose options
10mm spray hose
600psi rated
Poly spool - rust and corrosion resistant
Hot dip galvanised steel frame
Lock pin prevents spool unravelling
Easy wind rotating handle

12mm spray hose available
Ring 1800 011 000 for price.





15YR POLY 5YR FRAME WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
	ATHW05B030M10	**30m Base Mount** with 10mm hose	470 L x 280 W x 480 H	9.7kg
A.	ATHW05B050M10	**50m Base Mount** with 10mm hose	470 L x 280 W x 480 H	13kg
	ATHW10B100M10	**100m Base Mount** with 10mm hose	615 L x 370 W x 660 H	24kg
	ATHW05B10	**30/50m Base Mount** Bare Reel	470 L x 280 W x 480 H	5.7kg
	ATHW10B10	**100m Base Mount** Bare Reel	615 L x 370 W x 660 H	10kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.












Images for marketing purposes only.
Spray may look different to what is pictured.

SPRAY LANCES
HOME & GARDEN

SCAN FOR PRICING & SPARE PARTS



ECONOMY SPRAY LANCE

Chromed aluminium wand
On/Off hand trigger
Brass or poly adjustable nozzles
10mm hose tail

1 YEAR WARRANTY

	CODE	DESCRIPTION	PRESSURE	LENGTH	DRY WT
A.	AHL012RP	**Jacto Lance** - suits Jacto backpack sprayers	5 bar / 70psi	750mm	0.3kg
B.	AHG112TRP	**RapidJet** Ergonomic spray gun (5 - 15L/min)	17 bar / 250psi	755mm	0.4kg
C.	AHL009RP	**760mm Economy** spray lance - with adjustable nozzle	7 bar / 100psi	760mm	0.2kg
D.	AHL008RP	**800mm Economy** spray lance	4 bar / 60psi	800mm	0.2kg
E.	AHL010RP	**Telescopic** spray lance - with trigger lock	5 bar / 70psi	1310mm	0.3kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.








POWERJET
SPRAY GUN

1 YEAR WARRANTY

SCAN FOR SPARE PARTS

SPOT 300 POWERJET

Heavy duty reinforced poly handle
Stainless steel lance
Adjustable brass spray 1.5mm nozzle
Teflon seals
10mm hose tail



SCAN FOR PRICING

CODE	DESCRIPTION	MAX FLOW	PRESSURE	LENGTH	DRY WT
AHG105TRP	**Spot 300** PowerJet spray gun	5 - 15L/min	40 bar / 580psi	300mm	0.7kg

POWERJET PISTOL GRIP

Heavy duty reinforced poly handle
Stainless steel lance
Adjustable brass spray nozzle
10mm hose tail & swivel

SCAN FOR PRICING



Fan

Jet

	CODE	DESCRIPTION	MAX FLOW	PRESSURE	LENGTH	DRY WT
A.	AHG109STRP	**PowerJet 475** spray gun	5 - 15L/min	20 bar / 300psi	475mm	0.6kg
B.	AHG110STRP	**PowerJet 700** spray gun	5 - 15L/min	20 bar / 300psi	700mm	0.6kg
C.	AHG111STRP	**PowerJet 865** spray gun	5 - 15L/min	20 bar / 300psi	865mm	0.7kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.



DRIPLESS SHUT-OFF
SPRAYGUN

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

Stop unintentional drips with this brass Dripless nozzle spray gun - stops drips at the tip!



FEATURES

Heavy duty reinforced poly handle
Stainless steel lance
Adjustable brass cone nozzle
10mm hose tail
Viton seals

1 YEAR WARRANTY

CODE	DESCRIPTION	MAX FLOW	PRESSURE	LENGTH	DRY WT
AHG113TRP	**Dripless** spray gun	1.5 - 2.5L/min	4 bar / 60psi	850mm	0.7kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.




PISTOL GRIP
SPRAY GUN

SCAN FOR **SPARE PARTS**

SCAN FOR PRICING

Heavy duty steel, aluminium and brass construction, the Pistol Grip long range spray gun is ideal for tough spraying conditions!



FEATURES

Stainless steel / aluminium / brass construction
High pressure capacity
Teflon seals
Adjustable spray 2.5mm nozzle
10mm hose tail & swivel

1 YEAR WARRANTY

CODE	DESCRIPTION	MAX FLOW	PRESSURE	LENGTH	DRY WT
AHG104STRP	**Pistol Grip** all metal spray gun	1.5 - 2.5L/min	55 bar / 800psi	180mm	0.8kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.



TURBO 400
SPRAY GUN

SCAN FOR **SPARE PARTS**

With multiple spray patterns, ergonomic design and heavy duty construction, the Turbo 400 is the ultimate spray gun ideal for professional and general use spraying.

FEATURES

Adjustable atomiser nozzle for fine mist spraying
Viton seal - aggressive chemicals
High pressure capacity
Adjustable lance length

1 YEAR WARRANTY

PENCIL STREAM
Ideal for distance spraying / high pressure



MID STREAM
Covers a large area quickly



FINE MIST
Reduction in droplet size for full leaf coverage



Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

POLY TURBO 400 SPRAY GUN

Heavy duty poly handle
Adjustable atomiser nozzle
Viton seal - aggressive chemicals
High pressure capacity
2.3mm nozzle | 10mm hose tail

SCAN FOR PRICING



NOZZLE SHROUD
Back spray protection



CODE	DESCRIPTION	MAX FLOW	PRESSURE	LENGTH	DRY WT
AHG102STRP	**Poly handle Turbo 400** spray gun	8 - 22L/min	50 bar / 725psi	400mm	0.6kg

SLAM 907 SPRAY GUN

Ergonomic nylon® handgrip
Equipped with adjustable air mixing diffuser
Perfect micro spraying of the liquid and low impact on the cultivation treated
Handy spray lock lever
Pipe in stainless steel

SCAN FOR PRICING



SAFETY LOCK
Compliant with UNI EN 907



CODE	DESCRIPTION	MAX FLOW	PRESSURE	DRY WT
AHG106STRP	**Slam 907** spray gun	23L/min	50 bar / 725psi	1.2kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

PUMPS, MOTORS & REGULATORS

CONFIDENT SPRAYING



LEADING PUMP BRANDS

Find the best pump to suit your spraying application whether it be a 12V pump or a high performance motorised diaphragm pump. With market leading global brands available, you are guaranteed quality when spraying in the field.

RAPIDLINE 12V

4.1L/MIN - 26.5L/MIN

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**

4.1L/MIN

Viton valves
Santoprene diaphragm
10mm hose barbs
Intermittent duty cycle

*Hose fittings not required

A.



6.8L/MIN

Viton valves | Santoprene diaphragm
3D quick attach ports
Suction filter and hose fittings inc.
Continuous duty cycle

B.



19.0L/MIN

Viton valves | Santoprene diaphragm
5D quick attach ports
Suction filter and hose fittings inc.
Continuous duty cycle

C.



26.5L/MIN

Viton valves | Santoprene diaphragm
5D quick attach fittings
Suction filter and hose fittings inc.
Continuous duty cycle

D.



2 YEAR EXTENDABLE WARRANTY

	CODE	DESCRIPTION	BEST FOR	AMPS (MAX)	MAX FLOW	PRESSURE
A.	APR0040	**4.0L/min** RapidLine	Spot spraying	4	4.0L/min	4.8 bar / 70psi
B.	APR0068Q	**6.8L/min** RapidLine	Spot spraying	12	6.8L/min	8 bar / 120psi
C.	APR0190Q	**19.0L/min** RapidLine	Spot & small boom	18	19.0L/min	4 bar / 60psi
D.	APR0265Q	**26.5L/min** RapidLine	Med-large boom	25	26.5L/min	4 bar / 60psi

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

DELAVAN PUMPS

WHY BUY DELAVAN PUMPS?

Delavan pumps are a firm favourite of spraying contractors and farmers all around the world. Delavan USA utilise bigger bearings and heavier motor casings so the pumps run longer and cooler every day.

LONG LASTING VITON VALVES

DURABLE SANTOPRENE DIAPHRAGM

DUAL BEARINGS FOR SMOOTHER RUNNING



QUICK ATTACH FITTINGS

3D = ⅝" (16mm OD)

5D = ¾" (19mm OD)





DELAVAN PUMPS - 12V

3.8L/MIN - 7.5L/MIN

2 YEAR PUMP WARRANTY

2200-201

3.8L/min 2 bar 40psi
10mm hose barbs
***Fittings not required*

7801-201

3.8L/min 4 bar 60psi
3D quick attach ports
10mm elbow fittings

A.



B.



SCAN FOR PRICING & SPARE PARTS

	NAME	BEST FOR	AMPS (MAX)	MAX FLOW	PRESSURE	PUMP & FITTING	PUMP, REG & FILTER KIT
A.	**2200-201**	Spot spraying	3.5A	3.8L/min	2 bar / 40psi	APD0038RP**	N/A
B.	**7801-201**	Spot spraying	5A	3.8L/min	4 bar / 60psi	APD0038Q10ERP	APD0038Q10ERPK

7802-201

7.5L/min 4 bar 60psi
3D quick attach ports
10mm elbow fittings

7812-201

7.5L/min 4 bar 60psi
3/8" female threaded ports
10mm elbow fittings

7802-201HS

7.5L/min 6.8 bar / 100psi
Cooling fins (CDPHS01)
3D quick attach ports
10mm elbow fittings

A.



B.



C.



SCAN FOR PRICING & SPARE PARTS

	NAME	BEST FOR	AMPS (MAX)	MAX FLOW	PRESSURE	PUMP & FITTING	PUMP, REG & FILTER KIT
A.	**7802-201**	Spot & small boom	6A	7.5L/min	4 bar / 60psi	APD0077Q10ERP	APD0077Q10ERPK
B.	**7812-201**	Spot & small boom	10A	7.5L/min	4 bar / 60psi	APD0077T10ERP	N/A
C.	**7802-201HS**	Spot & small boom	8.5A	7.5L/min	6.8 bar / 100psi	APD0076Q10ERP	APD0076Q10ERPK

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

DELAVAN PUMPS - 12V

8.3L/MIN - 19.0L/MIN

2 YEAR PUMP WARRANTY

7822-201

8.3L/min 4 bar / 60psi
5D quick attach ports
10mm elbow fittings

5930-201

11.4L/min 4 bar / 60psi
5D quick attach ports
10mm elbow fittings

7822FS-221

8.3L/min 4 bar / 60psi
Bypass/ Demand Pump
“Pulse Free” - eliminates pump cycling

A.



B.



SCAN FOR PRICING & SPARE PARTS

	NAME	BEST FOR	AMPS (MAX)	MAX FLOW	PRESSURE	PUMP & FITTING	PUMP, REG & FILTER KIT
A.	**7822-201**	Spot & small boom	8.5A	8.3L/min	4 bar / 60psi	APD0083Q10ERP	APD0083Q10ERPK
	7822FS-221	Spot spraying	13A	8.3L/min	D: 6 bar / 85psi B: 6.8 bar / 100psi	APDS0083Q10E	-
B.	**5930-201**	Spot & small boom	10A	11.4L/min	4 bar / 60psi	APD0114Q10ERP	APD0114Q10ERPK

5940-201

15.2L/min 4 bar / 60psi
5D quick attach ports
12mm elbow fittings

5950-201

19.0L/min 3 bar / 45psi
5D quick attach ports
12mm elbow fittings

A.



B.



SCAN FOR PRICING & SPARE PARTS

	NAME	BEST FOR	AMPS (MAX)	MAX FLOW	PRESSURE	PUMP & FITTING	PUMP, REG & FILTER KIT
A.	**5940-201**	Spot & small boom	12A	15.2L/min	4 bar / 60psi	APD0152Q12ERP	APD0152Q12ERPK
B.	**5950-201**	Spot & small boom	16A	19.0L/min	3 bar / 45psi	APD0190Q12ERP	APD0190Q12ERPK

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.


DELAVAN PUMPS - 12V

26.5L/MIN

2 YEAR PUMP WARRANTY

FB2

26.5L/min 6.8 bar / 100psi
Cooling fins (CDPHS0125)
5D quick attach ports
12mm elbow fittings



SCAN FOR PRICING & SPARE PARTS

	NAME	BEST FOR	AMPS (MAX)	MAX FLOW	PRESSURE	PUMP & FITTING	PUMP, REG & FILTER KIT
A.	**FB2**	Med-large boom	27A	26.5L/min	6.8 bar / 100psi	APD0265Q12ERP	APD0265Q12ERPK

DELAVAN PUMPS - 24V

7.5L/MIN - 15.2L/MIN

2 YEAR PUMP WARRANTY

7802-201/24

7.5L/min 6.8 bar / 100psi
Cooling fins (CDPHS01)
3D quick attach fittings
10mm elbow fittings

5940-201/24

15.2L/min 4 bar / 60psi
5D quick attach fittings
12mm elbow fittings

A.



B.



SCAN FOR PRICING & SPARE PARTS

	NAME	BEST FOR	AMPS (MAX)	MAX FLOW	PRESSURE	CODE
A.	**7802-201/24**	Spot & small boom	8.5A	7.5L/min	6.8 bar / 100psi	APD0076QV210E
B.	**5940-201/24**	Spot & small boom	8.5A	15.2L/min	4 bar / 60psi	APD0152QV212E

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.


HONDA
HONDA
GX
35





COMMANDO
PUMP & MOTOR

3YR ENGINE 1YR PUMP WARRANTY

SCAN FOR SPARE PARTS

FEATURES

Commando 12L/min 25 bar
360psi pump
Honda GX35 motor
Pressure regulator & gauge
Mounting feet

A.



B.



	CODE	DIMENSIONS	WT
A.	APP0120G (Pump only)	290 L x 130 W x 190 H	10kg
B.	APP0120GHA	555 L x 375 W x 375 H	15kg

SCAN FOR PRICING

COMMANDO PUMP, MOTOR & REEL

Commando 12L/min 25 bar 360psi pump
Honda GX35 motor
Pressure regulator & gauge
30m x 8mm manual hose reel
Genuine Turbo 400 spray gun
Frame with mounting feet



CODE	DIMENSIONS	WT
APP0120GH030G	550 L x 380 W x 380 H	20kg


SCAN FOR PRICING

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

MARUYAMA PUMPS

JAPANESE ENGINEERING YOU CAN COUNT ON.

Maruyama pumps hold steady pressure right across the flow curve and strip down easily for service· Reliability that shows up every day› not just on paper·



MARUYAMA
PUMP

3YEAR PUMP WARRANTY

SCAN FOR PRICING

MSD41 | MSD51

MSD41: 33L/min 40 bar 580psi
MSD51: 45L/min 40 bar 580psi
3 piston pump | Uniflow
Direct drive design | Chrome coated cylinders
3/4 key shaft
Pressure regulator inc.

A.



B.



	CODE	DIMENSIONS	WT
A.	APM0330R	195 L x 255 W x 210 H	5.3kg
B.	APM0450R	235 L x 337 W x 176 H	7.8kg

MARUYAMA
PUMP & MOTOR

3YR ENGINE 3YR PUMP WARRANTY

SCAN FOR PRICING

MSD41 | MSD51 W. HONDA GX200

MSD41: 33L/min 40 bar 580psi
MSD51: 45L/min 40 bar 580psi
GX200 Honda motor

A.



	CODE	DIMENSIONS	WT
A.	APM0330RZ	455 L x 385 W x 345 H	21.3kg
	APM0450RZ	495L x 385 W x 345 H	23.8kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

BERTOLINI
PTO DRIVE

SCAN FOR PRICING

POLY 2020

22L/min 20 bar 290psi
2 diaphragm pump
1 3/8 spline shaft
Stainless steel check valves
Wet end components anodised


A.



PA330

34L/min 40 bar 580psi
3 diaphragm pump
1 3/8 spline shaft
Stainless steel check valves
Wet end components anodised

B.



PA530

54L/min 40 bar 580psi
3 diaphragm pump
1 3/8 spline shaft
Stainless steel check valves
Wet end components anodised

C.



POLY 2073

75L/min 15 bar 218psi
3 diaphragm pump
1 3/8 spline shaft
Stainless steel check valves
Wet end components anodised

D.



ITALIAN-BUILT, INDUSTRY BENCHMARK.

Bertolini has set the standard in diaphragm pumps for decades.
Proven Italian engineering that outperforms and outlasts, tank after tank.

1 YEAR PUMP WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	WEIGHT
A.	APL0220S	**22.0L/min** POLY 2020	238 L x 304 W x 219 H	5.6kg
B.	APL0340S	**34L/min** PA330	239 L x 201 W x 220 H	2.4kg
C.	APL0540S	**54L/min** PA530	335 L x 230 W x 256 H	4kg
D.	APL0750S	**75L/min** POLY 2073	236 L x 240 W x 260 H	2.1kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

BERTOLINI
PTO DRIVE & GEARBOX

SCAN FOR PRICING

SCAN FOR **SPARE PARTS**

POLY 2020 & GEARBOX

22L/min 20 bar 290psi
2 diaphragm pump
Gearbox to suit | 3/4 key shaft


A.



PA330 & GEARBOX

34L/min 40 bar 580psi
3 diaphragm pump
Gearbox to suit | 3/4 key shaft

B.



PA530 & GEARBOX

54L/min 40 bar 580psi
3 diaphragm pump
Gearbox to suit
3/4 key shaft

C.



POLY 2073 & GEARBOX

75L/min 15 bar 218psi
3 diaphragm pump
Gearbox to suit
3/4 key shaft

D.



	CODE	DESCRIPTION	DIMENSIONS	WEIGHT
	APL0220 (Pump only)	**22.0L/min** POLY 2020	238 L x 183 W x 219 H	5.6kg
A.	APL0220KG	**22.0L/min** POLY 2020	463 L x 304 W x 219 H	10kg
	APL0340 (Pump only)	**34L/min** PA330	219 L x 145 W x 220 H	8.3kg
B.	APL0340KG	**34L/min** PA330	255 L x 201 W x 220 H	12kg
	APL0540 (Pump only)	**54L/min** PA530	275 L x 230 W x 256 H	14kg
C.	APL0540KG	**54L/min** PA530	286 L x 240 W x 260 H	13kg
	APL0750 (Pump only)	**75L/min** POLY 2073	236 L x 240 W x 260 H	11kg
D.	APL0750KG	**75L/min** POLY 2073	365L x 240 W x 260 H	15kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

BERTOLINI
PUMP, MOTOR & GEARBOX

SCAN FOR PRICING

POLY 2020 W. GEARBOX & GX200 HONDA MOTOR

22L/min 20 bar 290psi
2 diaphragm pump
Gear box to suit
GX200 Honda Motor
Wet end components anodised

A.



PA330 W. GEARBOX & GX200 HONDA MOTOR

34L/min 40 bar 580psi
3 diaphragm pump
Gear box to suit
GX200 Honda Motor
Wet end components anodised

B.



PA530 W. GEARBOX & GX200 HONDA MOTOR

54L/min 40 bar 580psi
3 diaphragm pump
Gear box to suit
GX200 Honda Motor
Wet end components anodised

C.



POLY 2073 W. GEARBOX & GX200 HONDA MOTOR

75L/min 15 bar 218psi
3 diaphragm pump
Gear box to suit
GX200 Honda Motor
Wet end components anodised

D.



1 YEAR PUMP WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	WEIGHT
A.	APL0220KGH	**22.0L/min** POLY 2020	696 L x 385 W x 345 H	20.5kg
B.	APL0340KGH	**34L/min** PA330	640 L x 385 W x 345 H	27kg
C.	APL0540KGH	**54L/min** PA530	740 L x 385 W x 345 H	35kg
D.	APL0750KGH	**75L/min** POLY 2073	625 L x 385 W x 345 H	30.2kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

BERTOLINI

PUMP, GEARBOX, REGULATOR & MOTOR

SCAN FOR PRICING

POLY 2020 W. GX200 HONDA MOTOR

22L/min 20 bar 290psi
2 diaphragm pump
GX200 Honda motor
Bertolini regulator & gauge
Stainless steel check valves



A.



PA330 W. GX200 HONDA MOTOR

34L/min 40 bar 580psi
3 diaphragm pump
GX200 Honda motor
Bertolini regulator & gauge
Stainless steel check valves



B.



PA530 W. GX200 HONDA MOTOR

54L/min 40 bar 580psi
3 diaphragm pump
GX200 Honda motor
Bertolini regulator & gauge
Stainless steel check valves




C.



POLY 2073 W. GX200 HONDA MOTOR

75L/min 15 bar 218psi
3 diaphragm pump
GX200 Honda motor
Arag regulator & gauge
Stainless steel check valves



D.



3YR ENGINE
1YR PUMP
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	WEIGHT
A.	APL0220KGHK	**22.0L/min** POLY 2020	696 L x 385 W x 345 H	26kg
B.	APL0340KGHK	**34L/min** PA330	640 L x 385 W x 345 H	28kg
C.	APL0540KGHK	**54L/min** PA530	740 L x 385 W x 345 H	29kg
D.	APL0750KGHK	**75L/min** POLY 2073	625 L x 385 W x 345 H	31kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

REGULATORS & CONTROLS

BERTOLINI | ARAG

SCAN FOR PRICING

BERTOLINI 15 BAR STING REGULATOR

Pressure gauge
3 way outlet with ball taps



USE WITH
Bertolini Poly 2073

CODE	L/MIN	PRESSURE
ATRB15B09013M3K	90L/min	15 bar / 218psi

BERTOLINI 40 BAR STING REGULATOR

Pressure gauge
3 way outlet with ball taps



USE WITH
Bertolini PA330
Bertolini PA530

CODE	L/MIN	PRESSURE
ATRB40B09013M3K	90L/min	40 bar / 580psi

ARAG MANUAL REGULATOR

Pressure gauge
3 way outlet with ball taps



CODE	L/MIN	PRESSURE
ATRA10B080X3M3	80L/min	9 bar / 140psi

ARAG REGULATOR - MULTI CONTROL

Regulator & gauge
3 manual section valves
Manual main ON/OFF




USE WITH
Bertolini Poly 2073

CODE	L/MIN	PRESSURE
ATRA20B14013M3	140L/min	20 bar / 290psi

ARAG REGULATOR - MULTI CONTROL

Regulator & gauge
2 electric section valves
1 manual section valve
Electric main ON/OFF




USE WITH
ATCC2WV
Control Box

CODE	L/MIN	PRESSURE
ATRA20B14023E2M1	140L/min	20 bar / 290psi

ARAG REGULATOR - MULTI CONTROL

Regulator & gauge
3 electric section valves
1 manual section valve
Electric main ON/OFF



USE WITH
ATCC2WVP3P
Control Box

CODE	L/MIN	PRESSURE
ATRA20B14023E3M1	140L/min	20 bar / 290psi

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

CONTROLS
BERTOLINI | ARAG

1 YEAR COMPONENTRY WARRANTY

SCAN FOR PRICING

ARAG SECTION VALVE

Single electric section valve
10mm hose tail
3 wire



CODE	L/MIN	PRESSURE
CAP8630011	140L/min	20 bar / 290psi

SOLENOID KIT

½" Brass single solenoid valve
3.6m electrical leads
½" BSP ports
10mm hose tails



CODE	L/MIN	PRESSURE
ATVS10B036RP	20L/min	9 bar / 140psi

CONTROL BOX 1 / 2 WAY

1 / 2 way switch box
Cables
3 wire



CODE	DETAIL
ATCC1W	1 way
ATCC2W	2 way

CONTROL BOX - ON / OFF

2 way switch box
Main ON/OFF switch
Cables
3 wire



CODE	DETAIL
ATCC2WV	2 way w. On/Off

CONTROL BOX - PRESSURE CONTROL

3 way switch box
Main ON/OFF switch
Pressure control switch
Cables
2/3 wire




CODE	DETAIL
ATCC3WVP3P	3 way w. On/Off



Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

NOZZLES

QUALITY & PRECISION



MOST POPULAR NOZZLE BRANDS

Rapid Spray stocks a large range of quality and precision spray nozzles from world famous components and nozzle suppliers including ASJ by ARAG and TeeJet. Offering outstanding accuracy, there are a wide range available for spraying most chemicals.

NOZZLE SELECTION GUIDE

TEEJET & ARAG (ASJ) NOZZLES

1 YEAR COMPONENTRY WARRANTY

CAUTION

Always consult with your local agronomist before commencing spraying. Always follow the chemical manufacturer's product label for specific rate and application recommendations. Rapid Spray is not a certified agronomist, and takes no responsibility or liability for incorrectly sprayed chemicals. Rapid Spray cannot give advice on spraying recommendations.

NOZZLE DROPLET SIZE

When choosing a nozzle, beware of spray drift. Finer droplets are at higher risk of spray drift than larger coarse droplets. Key factors when choosing a nozzle are:


Finer droplets: excellent leaf coverage, for critical spraying such as post-emergence applications.
Mid-range droplets: commonly used in the application of systemic herbicides, insecticide and fungicides.
Larger droplets: ideal for systemic and soil applied herbicides, minimal drift.

CATEGORY	SYMBOL	COLOUR CODE	APPLICATION TYPES
Extremely Fine	XF	Violet	Specialty applications only
Very Fine	VF	Red	
Fine	F	Orange	Maximum coverage - ideal for contact products
Medium	M	Yellow	
Coarse	C	Blue	
Very Coarse	VC	Green	Maximum drift control - ideal for systemic herbicides
Extremely Coarse	XC	White	
Ultra Coarse	UC	Black	


***Please note colours in Code / Pricing column indicate colour of nozzle, not droplet size.**

IDENTIFY YOUR NOZZLE

Each nozzle surface is embossed with the brand name, nozzle type, spray angle, capacity and material.



NOZZLE CODE EXPLAINED



Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.


NOZZLES
ARAG (ASJ)

SCAN FOR PRICING

LOW DRIFT NOZZLES

Pack 10

Available to 80° and 110°
Produces coarse droplets with narrow spray pattern
Moulded in polyacetal for outstanding wear
Can be used in knapsack sprayers where the nozzles are used on a 2 - 4 nozzle boom




LIQUID FERTILISERS


PESTICIDES & FOLIAR


HERBICIDES & BROADCAST

CAP
CNQG402900





SIZE	BAR	DROP SIZE	L/MIN	L/HA (NOZZLE SPACING: 50CM) 6 KM/H	8 KM/H	10 KM/H	12 KM/H	14 KM/H	16 KM/H	18 KM/H	80° PACK 10	110° PACK 10
LD08015 LD11015	1.5	F	0.42	85	64	51	42	36	32	28	CNSLD080015X10	CNSLD110015X10
	3	VF	0.60	120	90	72	60	51	45	40		
	4	VF	0.69	139	104	83	69	59	52	46		
	5	VF	0.77	155	116	93	77	66	58	52		
	7	VF	0.92	183	137	110	92	79	69	61		
LD08002 LD11002	1.5	F	0.57	113	85	68	57	48	42	38	CNSLD080020X10	CNSLD110020X10
	3	F	0.80	160	120	96	80	69	60	53		
	4	F	0.92	185	139	111	92	79	69	62		
	5	F	1.03	207	155	124	103	89	77	69		
	7	F	1.22	244	183	147	122	105	92	81		
LD08003 LD11003	1.5	M	0.85	170	127	102	85	73	64	57	CNSLD080030X10	CNSLD110030X10
	3	M	1.20	240	180	144	120	103	90	80		
	4	M	1.39	277	208	166	139	119	104	92		
	5	M	1.55	310	232	186	155	133	116	103		
	7	M	1.83	367	275	220	183	157	137	122		
LD08004 LD11004	1.5	C	1.13	226	170	136	113	97	85	75	CNSLD080040X10	CNSLD110040X10
	3	C	1.60	320	240	192	160	137	120	107		
	4	C	1.85	370	277	222	185	158	139	123		
	5	C	2.07	413	310	248	207	177	155	138		
	7	C	2.44	489	367	293	244	209	183	163		
LD08005 LD11005	1.5	C	1.41	283	212	170	141	121	106	94	CNSLD080050X10	CNSLD110050X10
	3	C	2.00	400	300	240	200	171	150	133		
	4	C	2.31	462	346	277	231	198	173	154		
	5	C	2.58	516	387	310	258	221	194	172		
	7	C	3.06	611	458	367	306	262	229	204		


Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

DEFLECTOR 140 NOZZLES

Pack 10

Wide spray to 140° - up to 1m spray width
Gives a narrow rectangular spray pattern
Reduced potential for clogging due to round orifice
Screwdriver slot at front enables nozzle alignment
Coarse droplets with reduced drift at 1 - 2 bar

SCAN FOR PRICING



HERBICIDES & BROADCAST



CAP
CNQG40290803



CODE	BAR	DROP SIZE	L/MIN	L/HA (NOZZLE SPACING: 100CM)						140° PACK 10
				6 KM/H	8 KM/H	10 KM/H	12 KM/H	14 KM/H	16 KM/H	
DEF140015	1	M	0.69	69	52	42	35	30	26	CNSDEF140015X10
	2	F	0.98	98	73	59	49	42	37	
	3	F	1.20	120	90	72	60	51	45	
	4	F	1.39	139	104	83	69	59	52	
	5	F	1.55	155	116	93	77	66	58	
	6	F	1.70	170	127	102	85	73	64	
DEF14002	1	M	0.92	92	69	55	46	40	35	CNSDEF140020X10
	2	F	1.31	131	98	78	65	56	49	
	3	F	1.60	160	120	96	80	69	60	
	4	F	1..85	185	139	111	92	79	69	
	5	F	2.07	207	155	124	103	89	77	
	6	F	2.26	226	170	136	113	97	85	
DEF140025	1	M	1.15	115	87	69	58	49	43	CNSDEF140025X10
	2	M	1.63	163	122	98	82	70	61	
	3	F	2.00	200	150	120	100	86	75	
	4	F	2.31	231	173	139	115	99	87	
	5	F	2.58	258	194	155	129	111	97	
	6	F	2.83	283	212	170	141	121	106	
DEF14003	1	M	1.39	139	104	83	69	59	52	CNSDEF140030X10
	2	M	1.96	196	147	118	98	84	73	
	3	F	2.40	240	180	144	120	103	90	
	4	F	2.77	277	208	166	139	119	104	
	5	F	3.10	310	232	186	155	133	116	
	6	F	3.39	339	255	204	170	145	127	
DEF14004	1	C	1.85	185	139	111	92	79	69	CNSDEF140040X10
	2	C	2.61	261	196	157	131	112	98	
	3	M	3.20	320	240	192	160	137	120	
	4	M	3.70	370	277	222	185	158	139	
	5	M	4.13	413	310	248	207	177	155	
	6	M	4.53	453	339	272	226	194	170	

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

NOZZLES
TEEJET

SCAN FOR PRICING

TURBO WIDE ANGLE 110°

Pack 10

Available in 110°
Tapered edge wide angle flat spray pattern for uniform coverage in broadcast spraying
Full coverage maintained over a wide pressure range
Ideal for use with machines using auto application rate controllers
Precision moulded in polyacetal - superior wear life
Large rounded internal passage to minimise clogging
Larger droplets for less drift (1 - 6 bar)

NOTE: Always double check your application rates. Tabulations are based on spraying water at 21°C (70°F)

PESTICIDES & FOLIAR | **HERBICIDES & BROADCAST** | **FUNGICIDE SPRAYING**







Scan the QR code to check the full ASJ and TeeJet range online.

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

AIR INDUCTION XR

Pack 10

110° wide - tapered flat spray angle
Two piece polymer construction
Compact size - prevents damage
Removable pre-orifice

NOTE: Always double check your application rates.
Tabulations are based on spraying water at 21°C (70°F)

SCAN FOR PRICING




	BAR	DROP SIZE	L/MIN	L/HA (NOZZLE SPACING: 50CM) 4 KM/H	5 KM/H	6 KM/H	7 KM/H	8 KM/H	10 KM/H	12 KM/H	16 KM/H	18 KM/H	20 KM/H	25 KM/H	30 KM/H	35 KM/H	110° PACK 10
AIXR110015	1.0	XC	0.34	102	81.6	68.0	58.3	51.0	40.8	34.0	25.5	22.7	20.4	16.3	13.6	11.7	CNSAIXR110015X10
	2.0	VC	0.48	144	115	96.0	82.3	72.0	57.6	48.0	36.0	32.0	28.8	23.0	19.2	16.5	
	3.0	C	0.59	177	142	118	101	88.5	70.8	59.0	44.3	39.3	35.4	28.3	23.6	20.2	
	4.0	C	0.68	204	163	136	117	102	81.6	68.0	51.0	45.3	40.8	32.6	27.2	23.3	
	5.0	M	0.76	228	182	152	130	114	91.2	76.0	57.0	50.7	45.6	36.5	30.4	26.1	
	6.0	M	0.83	249	199	166	142	125	99.6	83.0	62.3	55.3	49.8	39.8	33.2	28.5	
AIXR11002	1.0	XC	0.46	138	110	92.0	78.9	69.0	55.2	46.0	34.5	30.7	27.6	22.1	18.4	15.8	CNSAIXR110020X10
	2.0	VC	0.65	195	156	130	111	97.5	78.0	65.0	48.8	43.3	39.0	31.2	26.0	22.3	
	3.0	C	0.79	237	190	158	135	119	94.8	79.0	59.3	52.7	47.4	37.9	31.6	27.1	
	4.0	C	0.91	273	218	182	156	137	109	91.0	68.3	60.7	54.6	43.7	36.4	31.2	
	5.0	C	1.02	306	245	204	175	153	122	102	76.5	68.0	61.2	49.0	40.8	35.0	
	6.0	M	1.12	336	269	224	192	168	134	112	84.0	74.7	67.2	53.8	44.8	38.4	
AIXR110025	1.0	XC	0.57	171	137	114	97.7	85.5	68.4	57.0	42.8	38.0	34.2	27.4	22.8	19.5	CNSAIXR110025X10
	2.0	XC	0.81	243	194	162	139	122	97.5	81.0	60.8	54.0	48.6	38.9	32.4	27.8	
	3.0	VC	0.99	297	238	198	170	149	119	99.0	74.3	66.0	59.4	47.5	39.6	33.9	
	4.0	C	1.14	342	274	228	195	171	137	114	85.5	76.0	68.4	54.7	45.6	39.1	
	5.0	C	1.28	384	307	256	219	192	154	128	96.0	85.3	76.8	61.4	51.2	43.9	
	6.0	C	1.40	420	336	280	240	210	168	140	105	93.3	84.0	67.2	56.0	48.0	
AIXR11003	1.0	UC	0.68	204	163	136	117	102	81.6	68.0	51.0	45.3	40.8	32.6	27.2	23.3	CNSAIXR110030X10
	2.0	XC	0.96	288	230	192	165	144	115	96.0	72.0	64.0	57.6	46.1	38.4	32.9	
	3.0	VC	1.18	354	283	236	202	177	142	118	88.5	78.7	70.8	56.6	47.2	40.5	
	4.0	VC	1.36	408	326	272	233	204	163	136	102	90.7	81.6	65.3	54.4	46.6	
	5.0	C	1.52	456	365	304	261	228	182	152	114	101	91.2	73.0	60.8	52.1	
	6.0	C	1.67	501	401	334	286	251	200	167	125	111	100	80.2	66.8	57.3	
AIXR11004	1.0	UC	0.91	273	218	182	156	137	109	91.0	68.3	60.7	54.6	43.7	36.4	31.2	CNSAIXR110040X10
	2.0	XC	1.29	387	310	258	221	194	155	129	96.8	86.0	77.4	61.9	51.6	44.2	
	3.0	XC	1.58	474	379	316	271	237	190	158	119	105	94.8	75.8	63.2	54.2	
	4.0	VC	1.82	546	437	364	312	273	218	182	137	121	109	87.4	72.8	62.4	
	5.0	C	2.04	612	490	408	350	306	245	204	153	136	122	97.9	81.6	69.9	
	6.0	C	2.23	669	535	446	382	335	268	223	167	149	134	107	89.2	76.5	
AIXR11005	1.0	UC	1.14	342	274	228	195	171	137	114	85.5	76.0	68.4	54.7	45.6	39.1	CNSAIXR110050X10
	2.0	XC	1.61	483	386	322	276	242	193	161	121	107	96.6	77.3	64.4	55.2	
	3.0	XC	1.97	591	473	394	338	296	236	197	148	131	118	94.6	78.8	67.5	
	4.0	VC	2.27	681	545	454	389	341	272	227	170	151	136	109	90.8	77.8	
	5.0	C	2.54	762	610	508	435	381	305	254	191	169	152	122	102	87.1	
	6.0	C	2.79	837	670	558	478	419	335	279	209	186	167	134	112	95.7	
AIXR11006	1.0	UC	1.37	411	329	274	235	206	164	137	103	91.3	82.2	65.8	54.8	47.0	CNSAIXR110060X10
	2.0	XC	1.94	582	466	388	333	291	233	194	146	129	116	93.1	77.6	66.5	
	3.0	XC	2.37	711	569	474	406	356	284	237	178	158	142	114	94.8	81.3	
	4.0	VC	2.74	822	658	548	470	411	329	274	206	183	164	132	110	93.9	
	5.0	C	3.06	918	734	612	525	459	367	306	230	204	184	147	122	105	
	6.0	C	3.35	1005	804	670	574	503	402	335	251	223	201	161	134	115	

BRASS OFF-CENTRE FLAT SPRAY

SCAN FOR PRICING

Pack 10

Highly durable brass construction
Commonly installed in double and single swivel nozzle bodies
Wide spray swath attained with adjustable nozzle bodies



NOTE: Always double check your application rates.
Tabulations are based on spraying water at 21°C (70°F)

	BAR	L/MIN	L/HA (HEIGHT = 45CM)					L/HA (HEIGHT = 60CM)					CODE
			"W" cm	4 KM/H	6 KM/H	8 KM/H	10 KM/H	"W" cm	4 KM/H	6 KM/H	8 KM/H	10 KM/H	
OC-03	2.0	0.96	195	73.8	49.2	36.9	29.5	203	70.9	47.3	35.5	28.4	CNSOC030
	3.0	1.18	203	87.2	58.1	43.6	34.9	210	84.3	56.2	42.1	33.7	
	4.0	1.36	208	98.1	65.4	49.0	39.2	215	94.9	63.3	47.4	38.0	
OC-04	2.0	1.29	231	83.8	55.8	41.9	33.5	236	82.0	54.7	41.0	32.8	CNSOC040
	3.0	1.58	236	100	66.9	50.2	40.2	238	99.6	66.4	49.8	39.8	
	4.0	1.82	238	115	76.5	57.4	45.9	241	113	75.5	56.6	45.3	
OC-08	2.0	2.58	254	152	102	76.2	60.9	279	139	92.5	69.4	55.5	CNSOC080
	3.0	3.16	259	183	122	91.5	73.2	284	167	111	83.5	66.8	
	4.0	3.65	264	207	138	104	83.0	287	191	127	95.4	76.3	
OC-10													CNSOC100
OC-20													CNSOC200
OC-40													CNSOC400

See BoomJet Nozzle for more information. Page 172

FIRE / WASH DOWN NOZZLES

SCAN FOR PRICING

A.



B.



	CODE	DESCRIPTION
A.	CNAFB20F	**Brass 3/4 (20mm) Adjustable** firefighting nozzle
B.	CNAFP20F	**20mm Adjustable** firefighting nozzle
B.	CNAFP25F	**25mm Adjustable** firefighting nozzle
B.	CNAFP38F	**38mm Adjustable** firefighting nozzle



Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

NOZZLE HOLDERS

WET / DRY BOOM NOZZLE BODIES

SCAN FOR PRICING


WET BOOM NOZZLE BODIES



	DESCRIPTION	CAP, GASKET & BOLTS	SINGLE	PACK 4
A.	**Clamp Non-Drip Nozzle Holder** with check valve, suits ½" pipe		N/A	ATPNCVQ12SX4
B.	**Clamp Non-Drip Nozzle Holder** with check valve, suits ½" pipe, fittings inc.	✓	N/A	ATPNCVQ12CGBX4
C.	**Hinged Non-Drip Nozzle Holder** with check valve, suits ½" pipe		N/A	ATPNHVQ12SX4
D.	**Hinged Non-Drip Nozzle Holder** with check valve, suits ½" pipe, fittings inc.	✓	N/A	ATPNHVQ12CGBX4

DRY BOOM NOZZLE BODIES

SCAN FOR PRICING



	DESCRIPTION	WITHOUT CAP & GASKET		WITH CAP & GASKET	
		SINGLE	PACK 4	SINGLE	PACK 4
A.	**Nozzle Holder Elbow (1-way)** with 10mm hose barb (10mm hose)	N/A	-	ATPNDQE10C	-
B.	**Elbow Nozzle Holder** with check valve, 10mm hose barb	N/A	ATPNDVQE10X4	ATPNDVQE10C	ATPNDVQE10CX4
C.	**Nozzle Holder Tee (2-way)** with 10mm hose barb (10mm hose)	ATPNDQT10	-	ATPNDQT10C	-
D.	**Tee Nozzle Holder** with check valve, 10mm hose barb	N/A	ATPNDVQT10X4	N/A	ATPNDVQT10CX4
E.	**Nozzle Holder Cross (3-way)** with 10mm hose barb (10mm hose)	ATPNDQX10	-	ATPNDQX10C	-
F.	**Cross Nozzle Holder** with check valve, 10mm hose barb	N/A	ATPNDVQX10X4	N/A	ATPNDVQX10CX4
G.	**Vari Spacing Clamp** suits 1" (25mm) square tube	ATPNV25	-	-	-

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.


CHAPIN

SPREADERS




EASY APPLICATION OF FERTILISER & SEED WITH EVEN CONSISTENT SPREADING

Ideal for targeted fertilising or seeding with the small hand crank spreader, or large scale spreading across lawns or gardens with the tow-behind dual stop impeller spreader. Built tough, this spreader range with adjustable triggers, quick change rate settings and durable poly construction will become your first port of call for spreading fertiliser and seed.

HANDHELD & CHEST MOUNT

THE COMPACT SPREADER RANGE



LIGHTWEIGHT & EASY TO USE

With easy hand crank controls, adjustable gates and side baffles, the handheld and chest mount spreaders make spreading fertiliser and seed easy!

HAND CRANK

1.6L

SCAN FOR PRICING

Sometimes the best spreader for the job is the one that fits in your hand, weighs under a kilogram and goes exactly where the bigger ones cannot.

The Chapin Hand Crank delivers even fertiliser and seed distribution with enclosed gears that stay clean and a simple crank design that makes small garden spreading genuinely satisfying to do.



FEATURES

1.6L capacity scoop
Compatible with fertiliser & seeds
Easy hand crank design
Enclosed gears - protected from debris
Trigger gate control
3 rate adjustment gate settings
Even spread impeller
Lightweight - less than 1kg!
Small compact design



STRONG POLY CONSTRUCTION

1 YEAR WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
A.	SMSCH0002L	**1.6L** Hand Crank Spreader	304 L x 158 W x 177 H	0.45kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

CHEST MOUNT

11L

SCAN FOR PRICING

When you have more ground to cover than a hand spreader can handle, the Chest Mount steps up with an 11L weatherproof tank that goes wherever you walk.

Padded adjustable straps keep you comfortable across the whole job, while side baffles and an adjustable gate trigger give you even controlled coverage of fertiliser and seed every time.



FEATURES

Front, wide-mouth opening reduces spillage

Enclosed hopper protects from weather

Compatible with fertiliser and seed

Trigger control to adjust gate opening

Adjustable gate control for direction of spread

Side baffles deflect product spread

Padded adjustable shoulder straps



GATE CONTROL
for direction of spread



TRIGGER CONTROL
Adjustable for even fertiliser / seed spreading


1 YEAR WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
A.	SMSCK0011L	**11L** Chest Mount spreader	267 L x 254 W x 482 H	2.6kg

Dimensions and weight may vary due to the manufacturing process. For confirmed weights and dimensions, please contact Rapid Spray.

PUSH & TOW BEHIND

DURABLE & TOUGH



BUILT TO OUTLAST THE REST

With powder-coated steel frames, the push and tow-behind spreader ranges are ideal for larger gardens, grass areas or fields.

PUSH SPREADER
36KG

SCAN FOR PRICING

When the job outgrows what you can carry on your chest, the Hopper Push Spreader is the natural next step for medium to large area spreading.

With a powder coated steel frame built to handle the elements, 12 inch tyres for stability on uneven ground and side baffles for even distribution of fertiliser and seed, it covers more ground with less effort every time.



FEATURES

36kg capacity hopper
Enclosed acetal gear system
Powder-coated steel frame
Compatible with fertiliser and seed
Side baffles to prevent over-spread
Easy hand-pull gate trigger
Enclosed gears - protected from weather

**Not compatible with lime products*



ADJUSTABLE GATE
with adjustable dial



12" PNEUMATIC TYRES
ideal for grassy surfaces

1 YEAR WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
A.	SMSCR0036	**36kg** Push spreader	965 L x 610 W x 914 H	11kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

TOW-BEHIND SPREADER

70KG

SCAN FOR PRICING

Fertilising a large lawn or sports field should feel satisfying, not like a battle against uneven coverage and wasted product.

The Tow-Behind Spreader takes the effort out of large area spreading with an Auto-Dual Stop Impeller that automatically stops dispensing when you stop moving, 11 setting options for precise application and wide 14 inch pneumatic tyres for a smooth consistent run every time.



FEATURES

70kg capacity hopper
Auto-Dual Stop Impeller - stops when not in motion!
Oiled bronze bearings - minimise axle and gearbox friction
11 incremental rate adjustment settings
14" wide pneumatic tyres
Powder-coated steel frame
Spiked auger to break up heavier chunks
Back baffle to control spread
Compatible with fertiliser and seed

**Not compatible with lime products*
**Do not exceed 10km/h*



WEATHER PROOF
stay covered, stay productive



NO STICKING
agitator ensures smooth and consistent flow

1 YEAR WARRANTY


	CODE	DESCRIPTION	DIMENSIONS	DRY WT
A.	SMSCT0070	**70kg** Tow-Behind Spreader	660 L x 914 W x 914 H	18.5kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.



POWERFUL PRESSURE CLEANING FOR EVERY JOB, BIG OR SMALL

From the compact Marshal Pressure Washer for quick clean-ups on the go, to the heavy-duty Ultimate Pressure Washer range for tackling tough grime and grease, this pressure cleaning lineup delivers dependable, high-pressure performance across vehicles, equipment and worksites. Built tough with reliable pumps and durable componentry, it will become your first port of call for keeping gear clean and ready for the next job.



PRESSURE CLEANING

ULTIMATE PRESSURE WASHER

400L / 600L / 800L / 1000L

SCAN FOR PRICING

Fire up the Ultimate Pressure Washer and cut through the toughest grime without missing a beat.

Powered by a Honda GX200 motor and a 2700psi pump, with quick-prime priming valve, ball baffled tank and a 30m hose reel and lance, it delivers consistent, high-output performance for vehicles, equipment and industrial cleanups.



A.

FEATURES

UV stabilised polyethylene tank
10 Litres/min 2700psi pump
Quick Prime with Priming Valve
GX200 Honda motor
30m hose reel & lance
Pump & Hose Quick Release Couplings
Moulded tie down points
Ball Baffle fitted



GALVANISED STEEL FRAME made to suit the toughest of Australian conditions



AUSTRALIAN POLY TANK with 25 year warranty for guaranteed durability

25YR TANK
3YR ENGINE
3YR PUMP
3YR REEL
WARRANTY

	CODE	DESCRIPTION	DIMENSIONS	DRY WT
	PUF400L011L27H3BB	**400L** Ultimate Pressure Washer w. 30m hose reel	1890 L x 1200 W x 660 H	123kg
	PUF600L011L27H3BB	**600L** Ultimate Pressure Washer w. 30m hose reel	1950 L x 1150 W x 890 H	132kg
	PUF800L011L27H3BB	**800L** Ultimate Pressure Washer w. 30m hose reel	1950 L x 1200 W x 700 H	140kg
A.	PUF1000L011L27H3BB	**1000L** Ultimate Pressure Washer w. 30m hose reel	1950 L x 1200 W x 1045 H	148kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

MARSHAL PRESSURE WASHER

325L

SCAN FOR PRICING

Mount the Marshal on your UTV and take powerful pressure cleaning into tight spaces a full-size unit could never reach. Compact and built for mobility, it still delivers the punch you need to get the job done fast.

Perfect for washing down vehicles, equipment and yards on the go, it gives you reliable, on-demand cleaning power without tying up a full-size unit back at the shed.



FEATURES

325L UV stabilised poly tank
2700psi – 10L/min flow rate
Comet pump
GX200 Honda motor
20m hose reel
Pump & hose quick release couplings
Pump inlet cleanable filter
Float valve with garden hose coupler for connected water supply where available
Quick prime - priming valve





LANCE WITH SPRAY TIP OPTIONS

Gentle rinse
High pressure cleaning
'Scour the surface' cleaning
detergent application

25YR TANK
1YR ENGINE
1YR PUMP
WARRANTY

CODE	DESCRIPTION	DIMENSIONS	DRY WT
PUMW0325L011L27H2	**325L** Marshal Pressure Washer w. 20m Manual Hose Reel	900 L x 1050 W x 800 H	100kg

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.



BUILT TO MEET THE DEMANDS OF EVERY FLEET

Rapid Logix and Rapid Vehicle Systems provide high-performance solutions tailored for the commercial sectors. Rapid Logix offers the latest spray tracking and mapping technology, making compliance and reporting real-time and effortless. Rapid Vehicle Systems delivers modular, customisable fleet solutions for applications in spraying, water cartage, and firefighting, designed to withstand Australia's toughest environments. Together, we support your projects with reliable tools that drive productivity and precision.

COMMERCIAL



CHEMICAL TRACKER & WEED MAPPER

SIMPLE, ACCURATE AND RELIABLE



THE SINGLE DEVICE FOR MAPPING AND TRACKING

Working with professional contractors and government agencies, Rapid Logix have designed the Universal Flow Tracker (UFT) to automate data logging and make their jobs easier out in the field. It's a chemical tracker and weed species mapper all in one.

Rapid Logix

UNIVERSAL FLOW TRACKER

UFT HARDWARE DEVICE

SCAN FOR PRICING

For councils and contractors who are still filling out spray records by hand, the Universal Flow Tracker is the moment that changes everything.

It automatically captures GPS location, chemical flow rate and volume data in real time with no phone required on site, generating compliant reports and organisation wide weed maps that used to take hours to produce manually.





USE WITH
Backpack sprayers
Field sprayers
Boom systems

FEATURES

Lightweight, waterproof casing
Compact dimensions - 124mm (L) x 37mm (W) x 67mm (H)
GPS - built-in 4G/LTE connection
Magnetic charging port
Flow rate and volume tracking
Universal fittings
1-3 weed choice buttons
Simple operation



VISUALISED TREATMENT

Track where and how chemical was sprayed, and what weed species have been treated.

GUARANTEED • MADE IN AUSTRALIA •

1 YEAR WARRANTY

CODE	DESCRIPTION	DIMENSIONS	DRY WT
ATCUFTD	**UFT** Universal Flow Tracker Device	124 L x 37 W x 67 H	260g

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

UNIVERSAL FLOW TRACKER

UFT SOFTWARE PORTAL

SCAN FOR PRICING

The UFT hardware captures the data in the field and the Rapid Logix Portal is where it becomes the kind of insight that actually changes how you manage your spraying operations.

View chemical placement maps, weed species tracking and compliant reports all in one place, with automated uploads that mean the data is waiting for you before you even get back to the office.



Access your spray data anytime, anywhere through our user-friendly portal!

FEATURES


Chemical placement and weed mapping in single workflow
Web portal reporting
Organisation wide metrics
Job tracking and export
Chemical usage report
Target species weed mapping
Optional GIS integration




Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

INSIDE THE PORTAL:


ORG WIDE METRICS: Chemical Usage (by recipe, chemical, and operator)




JOBS VIEW: Search a job or filter by name, time, or status (Online or Digital Spray Book)




DATA VIEW WITHIN JOBS - MAP: Shows heat maps of areas covered




DATA VIEW WITHIN JOBS - CHEMICALS: Shows volume used of each chemical within recipe




INDIVIDUAL JOB VIEW: Compliant Chemical Records Details



WEED MAP: Org-wide Target Species Search Map





SAFE SPRAY VEHICLE SYSTEM

SUSTAINABLE OPEN SPACES



DESIGNED WITH YOU

Designed around feedback and input from professionals in the field, the SafeSpray Vehicle System meets every requirement. Turn any standard ute into a dedicated spray vehicle and customise it with numerous upgrades and options to suit your specific application.

Rapid Vehicle Systems

SAFESPRAY VEHICLE SYSTEM
STANDARD BUILD

SCAN FOR QUOTE

When government organisations and professional spray crews need a vehicle build they can trust to perform safely day after day, the SafeSpray Standard Build is where that confidence begins.

Australian made and purpose built to handle the demands of serious spraying operations, it is the complete fleet solution for councils, contractors and anyone who refuses to compromise on safety and performance.




FEATURES

UV stabilised chemical resistant poly tank
Hot dip galvanised frame
Maruyama Triplex or Bertolini PA530 pump
Honda GX200E/10A or Hatz 1B20 engine
Kerbside control panel
Buddy Smart Reel
1 1/4" suction filter
Emergency stop and battery isolator



10L SAFE CHEMICAL HANDLING SYSTEM with separate drum suction hoses for up to four chemical jugs.



MULTIPLE TANK CAPACITIES: The tank is only limited by your vehicle's GVM – options designed to meet your vehicle or truck's absolute capability.

UNIT TYPE	DESCRIPTION	DIMENSIONS
Long Unit	**SafeSpray Standard Build** Single Cab Ute	2280 mm x 1750 mm
Short Unit	**SafeSpray Standard Build** Dual Cab	1700 mm x 1750 mm

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

SAFESPRAY VEHICLE SYSTEM

ROADSIDE SPRAYING

SCAN FOR QUOTE

Keeping roadside vegetation under control along highways and rural roads demands a purpose built solution that keeps your crew safe in high traffic environments and gets the job done without stopping to reposition. That is exactly what the SafeSpray Roadside Spraying build is designed to do.







FEATURES

All the Standard Model Features
Heavy duty aluminium lockers
Control panel - High / low pressure
6-way regulating manifold
Traffic cone holder
Under tray adjustable nozzle kit

ELECTRICALLY ACTUATED ROADSIDE BOOM
Spray both sides of roadside guardrails in one pass.

2 FLASHING BEACONS
top mount LED amber beacons on locker boxes

UNIT TYPE	DESCRIPTION	DIMENSIONS
Long Unit	**SafeSpray Roadside Spraying** Single Cab Ute	2280 mm x 1750 mm
Short Unit	**SafeSpray Roadside Spraying** Dual Cab	1700 mm x 1750 mm

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

SAFESPRAY VEHICLE SYSTEM
PUBLIC/OPEN SPACES

SCAN FOR QUOTE

Managing weed control, pest management and vegetation across parks, ovals and public spaces comes with a unique set of challenges around safety and precision, and the SafeSpray Public/Open Spaces build is purpose designed to meet every one of them.







FEATURES
All the Standard Model Features
6m Flat fold boom
Brushcutter holder
Backpack holder
Control panel - High / low pressure
6-way regulating manifold

6M FLAT FOLD BOOM
Left / Centre / Right in-cab controls

BRUSHCUTTER HOLDER
Powder-coated aluminium box motor holder with lockable hinge lid and shaft support holder bracket

UNIT TYPE	DESCRIPTION	DIMENSIONS
Long Unit	**SafeSpray Public/Open Spaces** Single Cab Ute	2280 mm x 1750 mm
Short Unit	**SafeSpray Public/Open Spaces** Dual Cab	1700 mm x 1750 mm

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.


Rapid

SAFESPRAY VEHICLE SYSTEM

FIRE TRAIL

SCAN FOR QUOTE

Deploy the SafeSpray Fire Trail and you'll never second-guess your access routes again. Built specifically to keep fire trails clear and crews moving, it delivers precise, full-coverage spraying across the toughest remote terrain when it matters most.







FEATURES

All the Standard Model Features
Heavy duty aluminium lockers
Control panel - High / low pressure
6-way regulating manifold
Highrail fold down boom
Secondary fresh water tank

HIGHRAIL FOLD DOWN BOOM

1.8m rear boom with in-cab controls and can be raised/ lowered.

FIRE HOSE UPGRADE

upgrade to 50m fire resistant hose on second Buddy Smart Reel

UNIT TYPE	DESCRIPTION	DIMENSIONS
Long Unit	**SafeSpray Fire Trail** Single Cab Ute	2280 mm x 1750 mm
Short Unit	**SafeSpray Fire Trail** Dual Cab	1700 mm x 1750 mm

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.


Rapid Vehicle Systems
LV01

SAFESPRAY VEHICLE SYSTEM

MINE SPEC

SCAN FOR QUOTE

Take the SafeSpray Mine Spec onto site and you'll wonder how you ever managed without it. Purpose-built for mining operations, it delivers reliable dust suppression and vegetation control with the heavy-duty construction and safety compliance that serious mine sites demand.







FEATURES

All the Standard Model Features
Backpack holder
Flashing beacons
E-Stop / Battery isolator

FLASHING BEACONS

Top mount LED amber beacons on locker boxes

REFLECTIVE STRIPPING

3M reflective striping sign markings

UNIT TYPE	DESCRIPTION	DIMENSIONS
Long Unit	**SafeSpray Mine Spec** Single Cab Ute	2280 mm x 1750 mm
Short Unit	**SafeSpray Mine Spec** Dual Cab	1700 mm x 1750 mm

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

SAFESPRAY VEHICLE SYSTEM
BIOSECURITY

SCAN FOR QUOTE

When protecting your operation from invasive pests and disease is non-negotiable, the SafeSpray Biosecurity delivers the precise, compliant sanitation your high-risk environments demand.



FEATURES

All the Standard Model Features
Heavy duty aluminium lockers
Control panel - High / low pressure 6-way regulating manifold
10L SafeLoad Chemical Handling System
Quick Fill Kit



SAFELOAD SYSTEM
The safe chemical handling system with separate drum suction hoses for up to four chemical jugs.



QUICK FILL KIT
Venturi quick fill kit with 6m suction hose with float

UNIT TYPE	DESCRIPTION	DIMENSIONS
Long Unit	**SafeSpray Biosecurity** Single Cab Ute	2280 mm x 1750 mm
Short Unit	**SafeSpray Biosecurity** Dual Cab	1700 mm x 1750 mm

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.




Rapid Vehicle Systems
YCI·910


Operations, Construction & Maintenance
BUNDLE TRAY
SPILL KIT
CV·67·BZ
NEW SOUTH WALES

SAFESPRAY TRUCK SYSTEM

PURPOSE-BUILT SOLUTIONS

TALK TO A SPRAY FITOUT SPECIALIST
1800 011 000

Scale your spray program up to a full truck build without losing the workflow your crews already know. The SafeSpray Truck is engineered for high-volume roadside, parks, fire trail and biosecurity work.

With a larger onboard water supply, an optional extra fresh water tank and the same kerbside controls and safe chemical handling across your fleet, it lets you standardise equipment, training and maintenance from utes right through to trucks.



FEATURES

All the Standard Model Features
Heavy duty aluminium lockers
Control panel - High / low pressure
6-way regulating manifold
10L SafeLoad Chemical Handling System
Quick Fill Kit



SAFELOAD SYSTEM
The safe chemical handling system with separate drum suction hoses for up to four chemical jugs.



QUICK FILL KIT
Venturi quick fill kit with 6m suction hose with float

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.


CAUTION FREQUENT STOPPING - MOBILE WEED SPRAYING







FIRE VEHICLE SYSTEM

VERSATILE AND PORTABLE



FIRE MITIGATION FLEET SOLUTION

Designed for flexibility, it eliminates the need for dedicated vehicles, improves fleet management, and offers long-term cost savings by outlasting the vehicle it's mounted on.

Rapid Vehicle Systems

SAFEFIRE
STANDARD BUILD

SCAN FOR QUOTE

Mount a SafeFire on your ute and you have a complete, ready-to-respond firefighting unit wherever it is needed most.

Versatile enough for private fire risk management, volunteer brigades, agriculture and mining operations, it keeps your fleet agile without the need for dedicated vehicles and removes easily outside of fire season.



FEATURES

UV stabilised chemical resistant poly tank
Hot dip galvanised frame
Electric Start Petrol / Diesel or Fully Electric Engines
High Flow Pump Systems
Industry Standard Couplings i.e. Storz, CFA, QRT, Forestry
Electrical Accessories Range i.e. lightbars, beacons
Crew Protection Systems available
Auto rewind firefighting hose reel



FOAM SYSTEM
A dedicated foam system that works with common, non-proprietary products



FUEL LOCKER
ensuring safe storage with no exposed fuel during emergency or fire situations

UNIT TYPE	DESCRIPTION	DIMENSIONS
Long Unit	**SafeFire Standard Build** Single Cab Ute	2280 mm x 1750 mm
Short Unit	**SafeFire Standard Build** Dual Cab	1700 mm x 1750 mm

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

GROWING STRONGER: INTRODUCING THE RAPID SPRAY GROUP

At the Rapid Spray Group, we are more than just a company - we're a dedicated team providing robust solutions for Australia's most essential industries.

With Rapid Spray, Rapid Vehicle Systems, and Rapid Logix under one banner, we bring a full spectrum of expertise to agriculture, government, and commercial sectors. Each brand plays a unique role in our goals, delivering quality, innovation, and reliability for Australia's toughest jobs.



- Provides a range of popular products to the Rural, Agriculture and OEM industries
- Offers an extensive range through a network of local dealers
- Experts in Tanks, Trailers, Sprayers, Firefighters, and Diesel Refuelling units

www.rapidspray.net



- Fleet solutions direct to the Government, Commercial and Civil industries
- Offers a process to Scope, Design, Manufacture, and Deliver Fleet projects to customer specific requirements
- Experts in Modular and Configurable vehicle fit out solutions for Spraying, Firefighting, and Cleaning

www.rapidvehiclesystems.com.au



- Spray tracking and mapping technology direct to the Government and Commercial industries
- Offers GPS tracked flow sensor technology and cloud-based software-as-a-service (SaaS) solutions
- Experts in automated data capture to simplify compliance, streamline reporting, and provide proof of service

www.rapidlogix.com



INNOVATION IS AT THE HEART OF THE RAPID SPRAY GROUP AND IT'S A TESTAMENT TO OUR MANUFACTURING OPERATIONS AND FACILITY.



OUR MANUFACTURING PROCESS

SCAN TO WATCH

PREMIUM RAW MATERIALS

We source only the highest quality materials from Australia to ensure the durability and reliability of our different products.

METICULOUS MOULDING PROCESS

Our state-of-the-art moulding plant guarantees precision and consistency in every poly tank we produce.

STRINGENT QUALITY CHECK

Each product undergoes rigorous quality checks post-moulding to meet our uncompromising industry standards.

EXPERT ASSEMBLY

Our skilled manufacturing team meticulously assemble each unit, expertly installing pumps, hose reels, and other components with precision and care.

FINAL QUALITY ASSURANCE

Before leaving our facility, every product undergoes a thorough final inspection to ensure flawless performance.

EFFICIENT DISPATCH

Our streamlined dispatch process ensures your order is swiftly shipped, guaranteeing prompt delivery to your doorstep.



TRUSTED QUALITY, EVERY STEP OF THE WAY

Our commitment goes beyond delivering top-quality products. We're here to ensure you have dependable solutions, backed by industry-leading warranties, dedicated support, and an understanding of your unique needs. With the Rapid Spray Group, you can trust that we're with you from start to finish.

We look forward to supporting you every step of the way.

GUARANTEED • MADE IN AUSTRALIA •

Australian Made for over 30 years

We deliver consistent and reliable quality you can always count on.

Industry-Leading Manufacturing Capabilities

We guarantee the highest production standards.

25 YEAR TANK WARRANTY

Industry-Leading Warranties


Grow with confidence, knowing you're backed by the best in the business.

THE PROOF IS IN THE PERFORMANCE



FREIGHT ZONE MAP

Freight is charged on the zone of the delivery postcode. Dispatch from Singleton NSW.



AUSTRALIA



EASTERN STATES CLOSE-UP

Zone 1 · Singleton home zone
Hunter, Sydney, Central Coast, Illawarra to Ulladulla, Southern Tablelands (incl. Bungendore & Braidwood), Central West, New England, North West, North Coast, Greater Brisbane & Gold Coast

Zone 2 · ACT, Far South Coast & Riverina
Canberra–Batemans Bay axis south to the Victorian border, Riverina & South West Slopes, Hillston–Mildura line south to the border

Zone 3 · Victoria
All of Victoria

Zone 4 · SE & Central QLD
Outside Greater Brisbane: Sunshine Coast, Toowoomba, Darling Downs, Goondiwindi, St George, Roma, Bundaberg, Emerald, Rockhampton

Zone 5 · North QLD coast
Mackay, Whitsundays, Townsville, Charters Towers, Cairns & the Tablelands

Zone 6 · Adelaide & surrounds
Adelaide, Gawler, Adelaide Hills, Murray Bridge, Victor Harbor, Barossa

Zone 7 · Quoted zone
Western NSW, South West QLD, Tasmania and remote SA, WA, NT & QLD. All product orders quoted at time of order.

Zone 8 · Darwin & Perth
Darwin, Palmerston, Katherine; Perth to Bunbury

Boundaries follow delivery postcodes and are indicative between towns.

Dimensions and weight may vary due to the manufacturing process. For confirmed weights and dimensions, please contact Rapid Spray.

SHIPPING & HANDLING RATES BY ZONE

AUD including GST, per unit. Zone 7 and cells marked "Quote" are POA.

	ZONE 1 Singleton home zone	ZONE 2 ACT, Far South Coast & Riverina	ZONE 3 Victoria	ZONE 4 SE & Central QLD	ZONE 5 North QLD coast	ZONE 6 Adelaide & surrounds	ZONE 7 Quoted zone	ZONE 8 Darwin & Perth
TANKS								
Cartage & Spray Tanks 100–600L	$75	$100	$100	$100	$125	$100	*Quote*	$210
Cartage & Spray Tanks 800–1,000L	$125	$140	$200	$200	$240	$200	*Quote*	$425
Cartage & Spray Tanks 1,200–1,500L	$125	$200	$200	$200	$240	$200	*Quote*	$425
Cartage & Spray Tanks 2,000–4,400L	$240	$400	$440	$440	$495	$440	*Quote*	$770
Cartage & Spray Tanks 4,800–7,000L	$550	$625	$665	$690	*Quote*	*Quote*	*Quote*	*Quote*
Cartage & Spray Tanks 8,000–12,000L	$550	$625	*Quote*	$690	*Quote*	*Quote*	*Quote*	*Quote*
Cartage & Spray Tanks 13,000–15,000L	$690	$800	$1,000	$1,000	*Quote*	*Quote*	*Quote*	*Quote*
Cartage & Spray Tanks 18,000L	$865	*Quote*	*Quote*	$1,250	*Quote*	*Quote*	*Quote*	*Quote*
Modular Tanks	*Quote*	*Quote*	*Quote*	*Quote*	*Quote*	*Quote*	*Quote*	*Quote*
Tank Accessories	$30	$30	$50	$50	$60	$50	*Quote*	$50
DIESEL REFUELLING								
Diesel Units 100–400L	$75	$80	$85	$85	$110	$85	*Quote*	$165
Diesel Units 450–600L	$120	$140	$140	$140	$275	$140	*Quote*	$350
Diesel Units 800–1,500L	$175	$240	$240	$240	$300	$240	*Quote*	$440
Diesel Units & Tanks 2,000–4,400L	$300	$550	$600	$600	$825	$600	*Quote*	*Quote*
Diesel Units & Tanks 4,800–7,000L	$550	$600	$800	$900	*Quote*	*Quote*	*Quote*	*Quote*
Diesel Units & Tanks 8,000–10,000L	$550	$800	$900	$1,000	*Quote*	*Quote*	*Quote*	*Quote*
Diesel Single Axle Trailers	$650	$800	$1,000	$1,000	*Quote*	*Quote*	*Quote*	*Quote*
SPRAYERS								
Booms ≤4m	$60	$70	$80	$80	$100	$80	*Quote*	$150
Booms 6–8m	$110	$130	$140	$140	$210	$140	*Quote*	$275
Compression & Backpack Sprayers	$35	$35	$35	$35	$35	$35	*Quote*	$45
Spot Sprayers 57–95L	$45	$50	$55	$55	$65	$55	*Quote*	$100
Spray Marshal 250–325L	$110	$140	$165	$165	$250	$165	*Quote*	$410
SprayScout 360L	$110	$165	$210	$165	$250	$165	*Quote*	$410
SprayScout 600L	$275	$300	$355	$410	$550	$410	*Quote*	*Quote*
FarmMax ATV Trailer Sprayer 250L	$140	$195	$210	$210	$275	$210	*Quote*	$440
Ultimate Field Sprayer 400–1,000L	$275	$385	$410	$410	$550	$410	*Quote*	*Quote*
Single Axle Spray Trailers	$650	$800	$1,000	$1,000	*Quote*	*Quote*	*Quote*	*Quote*
3-Point Linkage Sprayers	$210	$295	$365	$415	$550	*Quote*	*Quote*	*Quote*
Hose Reels 30–50m Manual	$45	$50	$55	$55	$65	$55	*Quote*	$75
Buddy Remote Reels	$65	$75	$90	$90	$110	$90	*Quote*	$130
FIRE FIGHTING								
Fire Marshal 250–325L	$100	$110	$130	$130	$165	$130	*Quote*	$275
FireScout 360L	$140	$165	$210	$200	$275	$200	*Quote*	*Quote*
FireScout 600L	$275	$300	$355	$410	$550	$410	*Quote*	*Quote*
Ultimate Fire Ranger 400–1,000L	$140	$175	$225	$200	$275	$200	*Quote*	*Quote*
Fire Ranger 2,000–2,500L	$400	$530	$685	$685	*Quote*	*Quote*	*Quote*	*Quote*
Fire Single Axle Trailers	$650	$800	$1,000	$1,000	*Quote*	*Quote*	*Quote*	*Quote*
Fire Hose Reels	$65	$65	$90	$90	$110	$90	*Quote*	$130

- Parts-only orders under $950 RRP: $40 flat rate, Zones 1–8.
- Parts-only orders $950 RRP and over: carrier quote + 10%.
- Zone 7 (Western NSW, SW QLD, Tasmania & remote): all product are POA.
- Modular tanks, custom builds and international orders: all product are POA.

Rates per unit; multi-unit orders are charged per unit. See the zone map for zone boundaries. · Rapid Spray · November 2026

Dimensions and weight may vary due to the manufacturing process.
For confirmed weights and dimensions, please contact Rapid Spray.

